

Registered Office:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19) Ph:- 040-40125441.

REPORT

Name : Mrs. BHARATHI D Sample ID : 23140211

Age/Gender : 41 Years/Female Reg. No : 0312211120013
Referred by : Dr. K NILAVENI SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 12-Nov-2022 09:07 AM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

HAEMATOLOGY

HEALTH PROFILE A-3 PACKAGE

Test Name	Results	Units	Ref. Range	Method

Erythrocyte Sedimentation Rate (ESR) 8 10 or less Westergren method

Comments:

ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.









Registered Office:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441.

REPORT

Name : Mrs. BHARATHI D Sample ID : 23140211
Age/Gender : 41 Years/Female Reg. No : 0312211120013

Referred by : Dr. K NILAVENI SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 12-Nov-2022 09:07 AM

Primary Sample : Whole Blood Received On : 12-Nov-2022 01:02 PM Sample Tested In : Whole Blood EDTA Reported On : 12-Nov-2022 01:14 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

HAEMATOLOGY

HEALTH PROFILE A-3 PACKAGE

Test Name	Results	Units	Ref. Range	Method
COMPLETE BLOOD COUNT (CBC)				
Haemoglobin (Hb)	13.2	g/dL	12-15	Cynmeth Method
RBC Count	4.83	10^12/L	4.5-5.5	Cell Impedence
Haematocrit (HCT)	38.7	%	40-50	Calculated
MCV	80	fl	81-101	Calculated
MCH	27.3	pg	27-32	Calculated
MCHC	34.1	g/dL	32.5-34.5	Calculated
RDW-CV	13.6	%	11.6-14.0	Calculated
Platelet Count (PLT)	379	10^9/L	150-410	Cell Impedance
Total WBC Count	8.5	10^9/L	4.0-10.0	Impedance
Neutrophils	70	%	40-70	Cell Impedence
Absolute Neutrophils Count	6.4	10^9/L	2.0-7.0	Impedence
Lymphocytes	20	%	20-40	Cell Impedence
Absolute Lymphocyte Count	1.7	10^9/L	1.0-3.0	Impedence
Monocytes	06	%	2-10	Microscopy
Absolute Monocyte Count	0.2	10^9/L	0.2-1.0	Calculated
Eosinophil	04	%	1-6	Microscopy
Absolute Eosinophils Count	0.2	10^9/L	0.02-0.5	Calculated
Basophils	00	%	1-2	Microscopy
Absolute Basophil ICount	0.00	10^9/L	0.0-0.3	Calculated
<u>Morphology</u>				
WBC	Within Norn	nal Limits		
RBC	Normocytic	normochromic	blood picture.	
Platelets	Adequate.			Microscopy











Registered Office:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19) Ph:- 040-40125441.

REPORT

Name : Mrs. BHARATHI D Age/Gender : 41 Years/Female

Referred by : Dr. K NILAVENI

Referring Customer : V CARE MEDICAL DIAGNOSTICS

Primary Sample : Whole Blood Sample Tested In : Plasma-NaF(F)

Client Address : Kimtee colony , Gokul Nagar, Tarnaka

Sample ID : 23140229

Reg. No : 0312211120013

SPP Code : SPL-CV-172

Collected On : 12-Nov-2022 09:07 AM

Reported On : 12-Nov-2022 03:19 PM

Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-3 PACKAGE

Test Name	Results	Units	Ref. Range	Method

Glucose Fasting (F)

93

mg/dL

70-100

Received On

Hexokinase (HK)

: 12-Nov-2022 01:02 PM

Interpretation of Plasma Glucose based on ADA guidelines 2018

Diagnosis	FastingPlasma Glucose(mg/dL)	2hrsPlasma Glucose(mg/dL)	HbA1c(%)	RBS(mg/dL)
Prediabetes	100-125	140-199	5.7-6.4	NA
Diabetes	>= 126	>= 200	ll I	>=200(with symptoms)

Reference: Diabetes care 2018:41(suppl.1):S13-S27

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited

Excellence In Health Care











Registered Office: - # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441.

REPORT

Name : Mrs. BHARATHI D Sample ID : 23140211 Age/Gender : 41 Years/Female Reg. No : 0312211120013 Referred by SPP Code : Dr. K NILAVENI : SPL-CV-172 : V CARE MEDICAL DIAGNOSTICS

Referring Customer Collected On : 12-Nov-2022 09:07 AM Primary Sample : Whole Blood Received On : 12-Nov-2022 01:02 PM

Sample Tested In : Whole Blood EDTA Reported On : 12-Nov-2022 01:44 PM Client Address

: Kimtee colony ,Gokul Nagar,Tarnaka Report Status Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-3 PACKAGE

Test Name	Results	Units	Ref. Range	Method
Glycated Hemoglobin (HbA1c)	6.4	%	Non Diabetic:< 5.7 Pre diabetic: 5.7-6.4 Diabetic:>= 6.5	HPLC
Mean Plasma Glucose	136.98	mg/dL		Calculated

Interpretation:

- Glycated hemoglobins (GHb), also called glycohemoglobins, are substances formed when glucose binds to hemoglobin, and occur in amounts proportional to the concentration of serum glucose. Since red blood cells survive an average of 120 days, the measurement of GHb provides an index of a person's average blood glucose concentration (glycemia) during the preceding 2-3 months. Normally, only 4% to 6% of hemoglobin is bound to glucose, while elevated glycohemoglobin levels are seen in diabetes and other hyperglycemic states
- Mean Plasma Glucose(MPG): This Is Mathematical Calculations Where Glycated Hb Can Be Correlated With Daily Mean Plasma Glucose Level

*** End Of Report ***

Laboratory is NABL Accredited











Registered Office:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441.

REPORT

Name : Mrs. BHARATHI D Sample ID : 23140212

Age/Gender : 41 Years/Female Reg. No : 0312211120013
Referred by : Dr. K NILAVENI SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 12-Nov-2022 09:07 AM

Primary Sample : Whole Blood Received On : 12-Nov-2022 01:02 PM Sample Tested In : Serum Reported On : 12-Nov-2022 03:27 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-3 PACKAGE

HEALTH PROFILE A-3 PACKAGE				
Results	Units	Ref. Range	Method	
30.6	ng/mL	30.0-100.0-Sufficiency		
	Results	Results Units	30.6 ng/mL <20.0-Deficiency 20.0-<30.0-Insufficiency 30.0-100.0-Sufficiency	Results Units Ref. Range Method 30.6 ng/mL <20.0-Deficiency CLIA 20.0-<30.0-Insufficiency

Interpretation:

- Vitamin D helps your body absorb calcium and maintain strong bones throughout your entire life. Your body produces vitamin D when the sun's UV rays contact your skin. Other good sources of the vitamin include fish, eggs, and fortified dairy products. It's also available as a dietary supplement.
- Vitamin D must go through several processes in your body before your body can use it. The first transformation occurs in the liver. Here, your body converts vitamin D to a chemical known as 25-hydroxyvitamin D, also called calcidiol.
- The 25-hydroxy vitamin D test is the best way to monitor vitamin D levels. The amount of 25-hydroxyvitamin D in your blood is a good indication of how much vitamin D your body has. The test can determine if your vitamin D levels are too high or too low.
- .The test is also known as the 25-OH vitamin D test and the calcidiol 25-hydroxycholecalcifoerol test. It can be an important indicator of osteoporosis (bone weakness) and rickets (bone malformation).

Those who are at high risk of having low levels of vitamin D include:

- people who don't get much exposure to the sun
- · older adults
- · people with obesity.
- dietary deficiency

Increased Levels:

• Vitamin D Intoxication

Vitamin- B12 (cyanocobalamin) 364 pg/mL 200-911 CLIA

Interpretation:

This test is most often done when other blood tests suggest a condition called megaloblastic anemia. Pernicious anemia is a form of megaloblastic anemia caused by poor vitamin B12 absorption. This can occur when the stomach makes less of the substance the body needs to properly absorb vitamin B12.

Causes of vitamin B12 deficiency include:Diseases that cause malabsorption

- Lack of intrinsic factor, a protein that helps the intestine absorb vitamin B12
- Above normal heat production (for example, with hyperthyroidism)

An increased vitamin B12 level is uncommon in:

- Liver disease (such as cirrhosis or hepatitis)
- Myeloproliferative disorders (for example, polycythemia vera and chronic myelogenous leukemia)

*** End Of Report ***

Laboratory is NABL Accredited







DR.VAISHNAVI MD BIOCHEMISTRY



Registered Office:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441,

REPORT

Name : Mrs. BHARATHI D Sample ID : 23140212

Age/Gender : 41 Years/Female Reg. No : 0312211120013
Referred by : Dr. K NILAVENI SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 12-Nov-2022 09:07 AM

Primary Sample : Whole Blood Received On : 12-Nov-2022 01:02 PM Sample Tested In : Serum Reported On : 12-Nov-2022 03:16 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-3 PACKAGE

Test Name	Results	Units	Ref. Range	Method
Lipid Profile				
Cholesterol Total	200	mg/dL	< 200	CHOD-POD
Triglycerides-TGL	65	mg/dL	< 150	GPO-POD
Cholesterol-HDL	46	mg/dL	40-60	Direct
Cholesterol-LDL	141	mg/dL	< 100	Calculated
Cholesterol- VLDL	13	mg/dL	7-35	Calculated
Non HDL Cholesterol	154	mg/dL	< 130	Calculated
Cholesterol : HDL Ratio	4.35	%	0-4.0	Calculated
LDL:HDL Ratio	3.07	%	0-3.5	Calculated

The National Cholesterol Education program's third Adult Treatment Panel (ATPIII) has issued its recommendations on evaluating and treating lipid discorders for primary and secondary.

NCEP Recommendations	Cholesterol Total in (mg/dL)	Triglycerides in (mg/dL)	HDL Cholesterol (mg/dL)	LDL Cholesterol	Non HDL Cholesterol in (mg/dL)
Untimai	Adult: < 200 Children: < 170	< 150	40-59	Adult:<100 Children: <110	<130
Above Optimal				100-129	130 - 159
Borderline High	Adult: 200-239 Children:171-199	150-199		Adult: 130-159 Children: 111-129	160 - 189
High	Adult:>or=240 Children:>or=200	200-499	≥ 60	Adult:160-189 Children:>or=130	190 - 219
Very High		>or=500		Adult: >or=190 	>=220

Note: LDL cholesterol cannot be calculated if triglyceride is >400 mg/dL (Friedewald's formula). Calculated values not provided for LDL and VLDL

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited







DR. VAISHNAVI MD BIOCHEMISTRY



Registered Office:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19) Ph:- 040-40125441.

ISE Direct

ISE Direct

ISE Direct

REPORT

Name : Mrs. BHARATHI D Sample ID : 23140212 Age/Gender : 41 Years/Female Reg. No : 0312211120013 Referred by SPP Code : Dr. K NILAVENI : SPL-CV-172 Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 12-Nov-2022 09:07 AM

Primary Sample : Whole Blood Received On : 12-Nov-2022 03:09 PM
Sample Tested In : Serum Reported On : 12-Nov-2022 03:19 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

145

4.2

103

CLINICAL BIOCHEMISTRY HEALTH PROFILE A-3 PACKAGE

Results Units Method **Test Name** Ref. Range **Kidney Profile-KFT** Urea 24.1 mg/dL 12.8-42.8 Glutamate dehydrogenase+Calculation Creatinine -Serum kinetic Jaffe reaction 0.55 mg/dL 0.55-1.02 Uric Acid 4.9 mg/dL 2.6-6.0 Uricase

mmol/L

mmol/L

mmol/L

136-145

3.5-5.1

98-108

Interpretation:

Sodium

Potassium

Chloride

• The kidneys, located in the retroperitoneal space in the abdomen, are vital for patient health. They process several hundred liters of fluid a day and remove around two liters of waste products from the bloodstream. The volume of fluid that passes though the kidneys each minute is closely linked to cardiac output. The kidneys maintain the body's balance of water and concentration of minerals such as sodium, potassium, and phosphorus in blood and remove waste by-products from the blood after digestion, muscle activity and exposure to chemicals or medications. They also produce renin which helps regulate blood pressure, produce erythropoietin which stimulates red blood cell production, and produce an active form of vitamin D, needed for bone health.

*** End Of Report ***

Laboratory is NABL Accredited









DR.VAISHNAVI MD BIOCHEMISTE



Registered Office:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19) Ph:- 040-40125441.

REPORT

Name: Mrs. BHARATHI DSample ID: 23140212Age/Gender: 41 Years/FemaleReg. No: 0312211120013Referred by: Dr. K NILAVENISPP Code: SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 12-Nov-2022 09:07 AM
Primary Sample : Whole Blood Received On : 12-Nov-2022 01:02 PM

Sample Tested In : Serum Reported On : 12-Nov-2022 03:19 PM Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY
HEALTH PROFILE A-3 PACKAGE

Test Name	Results	Units	Ref. Range	Method
				•

Liver Function Test (LFT)				
Bilirubin(Total)	0.4	mg/dL	0.3-1.2	Diazo
Bilirubin (Direct)	0.2	mg/dL	0.0 - 0.2	Diazo
Bilirubin (Indirect)	0.2	mg/dL	0.2-1.0	Calculated
Aspartate Aminotransferase (AST/SGOT)	13	U/L	5-40	IFCC with (P-5-P)
Alanine Aminotransferase (ALT/SGPT)	9	U/L	0-55	IFCC with (P-5-P)
Alkaline Phosphatase(ALP)	64	U/L	40-150	Kinetic PNPP-AMP
Gamma Glutamyl Transpeptidase (GGTP)	33	U/L	5-55	IFCC
Protein - Total	7.2	g/dL	6.4-8.2	Biuret
Albumin	3.4	g/dL	3.4-5.0	Bromocresol purple (BCP)
Globulin	3.8	g/dL	2.0-4.2	Calculated
A:G Ratio	0.89	%	0.8-2.0	Calculated

- Alanine Aminotransferase(ALT) is an enzyme found in liver and kidneys cells. ALT helps create energy for liver cells. Damaged liver cells release ALT into the bloodstream, which can elevate ALT levels in the blood.
- Aspartate Aminotransferase (AST) is an enzyme in the liver and muscles that helps metabolizes amino acids. Similarly to ALT, elevated AST levels may be a sign of liver damage or liver disease.
- Alkaline phosphate (ALP) is an enzyme present in the blood. ALP contributes to numerous vital bodily functions, such as supplying nutrients to the liver, promoting bone growth, and metabolizing fat in the intestines.
- Gamma-glutamyl Transpeptidase (GGTP) is an enzyme that occurs primarily in the liver, but it is also present in the kidneys, pancreas, gallbladder, and spleen. Higher than normal concentrations of GGTP in the blood may indicate alcohol-related liver damage. Elevated GGTP levels can also increase the risk of developing certain types of cancer.
- Bilirubin is a waste product that forms when the liver breaks down red blood cells. Bilirubin exits the body as bile in stool. High levels of bilirubin can cause jaundice a condition in which the skin and whites of the eyes turn yellow- and may indicate liver damage.
- Albumin is a protein that the liver produces. The liver releases albumin into the bloodstream, where it helps fight infections and transport vitamins, hormones, and enzymes throughout the body. Liver damage can cause abnormally low albumin levels.

*** End Of Report ***

Laboratory is NABL Accredited











Registered Office: - # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

Method

Ph:- 040-40125441.

Ref. Range

REPORT

Name : Mrs. BHARATHI D Sample ID : 23140212 Age/Gender : 41 Years/Female Reg. No : 0312211120013 Referred by SPP Code : Dr. K NILAVENI : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 12-Nov-2022 09:07 AM Primary Sample : Whole Blood : 12-Nov-2022 01:02 PM Received On Sample Tested In : Serum Reported On : 12-Nov-2022 03:19 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status Final Report

Results

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-3 PACKAGE Units

Thyroid Profile-I(TFT)					
T3 (Triiodothyronine)	145.32	ng/dL	70-204	CLIA	
T4 (Thyroxine)	6.5	μg/dL	3.2-12.6	CLIA	
TSH -Thyroid Stimulating Hormone	4.88	μIU/mL	0.35-5.5	CLIA	

Pregnancy & Cord Blood

Test Name

T3 (Triiodothyronine):	T4 (Thyroxine)	TSH (Thyroid Stimulating Hormone)
First Trimester : 81-190 ng/dL	15 to 40 weeks:9.1-14.0 µg/dL	First Trimester : 0.24-2.99 μIU/mL
Second&Third Trimester :100-260 ng/dL		Second Trimester: 0.46-2.95 µIU/mL
		Third Trimester : 0.43-2.78 µIU/mL
Cord Blood: 30-70 ng/dL	Cord Blood: 7.4-13.0 μg/dL	Cord Blood: : 2.3-13.2 µIU/mL

Interpretation:

- Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.
- Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.
- Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

*** End Of Report ***

Laboratory is NABL Accredited











Registered Office:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441.

REPORT

Name: Mrs. BHARATHI DSample ID: 23140212Age/Gender: 41 Years/FemaleReg. No: 0312211120013Referred by: Dr. K NILAVENISPP Code: SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 12-Nov-2022 09:07 AM Primary Sample : Whole Blood Received On : 12-Nov-2022 01:02 PM

Sample Tested In : Serum Reported On : 12-Nov-2022 03:19 PM Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-3 PACKAGE

Test Name	Results	Units	Ref. Range	Method	
Iron Profile-I					
Iron(Fe)	49	μg/dL	50-170	Ferene	
Total Iron Binding Capacity (TIBC)	510	μg/dL	250-450	Ferene	
Transferrin	356.64	mg/dL	250-380	Calculated	
Iron Saturation((% Transferrin Saturation)	9.61	%	15-50	Calculated	
Unsaturated Iron Binding Capacity (UIBC)	461	ug/dL	110-370	FerroZine	

Interpretation:

- Serum transferrin (and TIBC) high, serum iron low, saturation low. Usual causes of depleted iron stores include blood loss, inadequate dietary iron. RBCs in moderately severe iron deficiency are hypochromic and microcytic. Stainable marrow iron is absent. Serum ferritin decrease is the earliest indicator of iron deficiency if inflammation is absent.
- Anemia of chronic disease: Serum transferrin (and TIBC) low to normal, serum iron low, saturation low or normal. Transferrin decreases with many inflammatory diseases. With chronic disease there is a block in movement to and utilization of iron by marrow. This leads to low serum iron and decreased erythropoiesis. Examples include acute and chronic infections, malignancy and renal failure.
- Sideroblastic Anemia: Serum transferrin (and TIBC) normal to low, serum iron normal to high, saturation high.
- Hemolytic Anemia: Serum transferrin (and TIBC) normal to low, serum iron high, saturation high.
- Hemochromatosis: Serum transferrin (and TIBC) slightly low, serum iron high, saturation very high.
- Protein depletion: Serum transferrin (and TIBC) may be low, serum iron normal or low (if patient also is iron deficient). This may occur as a result of malnutrition, liver disease, renal disease.
- Liver disease: Serum transferrin variable; with acute viral hepatitis, high along with serum iron and ferritin. With chronic liver disease (eg, cirrhosis), transferrin may be low. Patients who have cirrhosis and portacaval shunting have saturated TIBC/transferrin as well as high ferritin.











Registered Office: - # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441.

REPORT

: Mrs. BHARATHI D Sample ID Name : 23140227

Age/Gender : 41 Years/Female Reg. No : 0312211120013 Referred by SPP Code : Dr. K NILAVENI : SPL-CV-172

: V CARE MEDICAL DIAGNOSTICS Referring Customer Collected On : 12-Nov-2022 09:07 AM Primary Sample : Urine : 12-Nov-2022 12:56 PM Received On

Sample Tested In : Urine Reported On : 12-Nov-2022 01:22 PM Client Address

: Kimtee colony ,Gokul Nagar,Tarnaka Report Status Final Report

CLINICAL PATHOLOGY

HEALTH PROFILE A-3 PACKAGE

Test Name	Results	Units	Ref. Range	Method

Complete Urine Analysis (CUE)

Physical Examination

Colour Pale Yellow Straw to light amber

Appearance Clear Clear

Chemical Examination

Glucose Negative Negative Strip Reflectance Protein Absent Strip Reflectance Negative Bilirubin (Bile) Negative Negative Strip Reflectance Urobilinogen Negative Negative Ehrlichs reagent Ketone Bodies Negative Negative Strip Reflectance Specific Gravity 1.030 1.000 - 1.030 Strip Reflectance Blood Negative Negative Strip Reflectance Reaction (pH) 5.0 5.0 - 8.5Reagent strip Reflectance -

Double indicator Principle Negative Negative Strip Reflectance **Nitrites**

Leukocyte esterase Negative Negative Reagent Strip Reflectance

Microscopic Examination (Microscopy)

PUS(WBC) Cells 02-03 /hpf 00-05 Microscopy R.B.C. Nil Nil /hpf Microscopic **Epithelial Cells** 01-02 /hpf 00-05 Microscopic Casts Absent Absent Microscopic Absent Crystals Absent Microscopic Bacteria Nil Nil

Nil **Budding Yeast Cells** Absent Microscopy

Others Microscopic

Comments:

Urine analysis is one of the most useful laboratory tests as it identifies a wide range of medical conditions including renal damage, urinary tract infections, diabetes, hypertension and drug









Correlate Clinically.

Result rechecked and verified for abnormal cases Laboratory is NABL Accredited