

Registered Office:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana.

ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

REPORT Website:- www.sagepathlabs.com

Name : Mrs. HEMA RANI Sample ID : 24863649

Age/Gender : 40 Years/Female Reg. No : 0312309250048

Referred by : Dr. S KRISHNAN SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 25-Sep-2023 02:02 PM
Primary Sample : Whole Blood Received On : 25-Sep-2023 04:47 PM

Sample Tested In : Whole Blood EDTA Reported On : 25-Sep-2023 05:39 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

# HAEMATOLOGY HEALTH PROFILE A-2 PACKAGE

Test Name	Results	Units	Ref. Range	Method	
COMPLETE BLOOD COUNT (CBC)					
Haemoglobin (Hb)	11.0	g/dL	12-15	Cynmeth Method	
RBC Count	4.17	10^12/L	4.5-5.5	Cell Impedence	
Haematocrit (HCT)	34.4	%	40-50	Calculated	
MCV	82	fl	81-101	Calculated	
мсн	26.2	pg	27-32	Calculated	
мснс	31.8	g/dL	32.5-34.5	Calculated	
RDW-CV	14.0	%	11.6-14.0	Calculated	
Platelet Count (PLT)	380	10^9/L	150-410	Cell Impedance	
Total WBC Count	7.3	10^9/L	4.0-10.0	Impedance	
Neutrophils	57	%	40-70	Cell Impedence	
Absolute Neutrophils Count	4.16	10^9/L	2.0-7.0	Impedence	
Lymphocytes	37	%	20-40	Cell Impedence	
Absolute Lymphocyte Count	2.7	10^9/L	1.0-3.0	Impedence	
Monocytes	04	%	2-10	Microscopy	
Absolute Monocyte Count	0.29	10^9/L	0.2-1.0	Calculated	
Eosinophils	02	%	1-6	Microscopy	
Absolute Eosinophils Count	0.15	10^9/L	0.02-0.5	Calculated	
Basophils	0	%	1-2	Microscopy	
Absolute Basophil ICount	0.00	10^9/L	0.0-0.3	Calculated	
<u>Morphology</u>					
WBC	Within Normal Limits				
RBC	Normocytic normochromic blood picture.				

Result rechecked and verified for abnormal cases

\*\*\* End Of Report \*\*\*

Adequate.

Laboratory is NABL Accredited



**Platelets** 







Microscopy



Registered Office:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana.

ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

REPORT Website:- www.sagepathlabs.com

----- REPOR

Name : Mrs. HEMA RANI
Age/Gender : 40 Years/Female
Referred by : Dr. S KRISHNAN

Referring Customer : V CARE MEDICAL DIAGNOSTICS

Primary Sample : Whole Blood

Sample Tested In : Whole Blood EDTA

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka

Sample ID : 24863649

Reg. No : 0312309250048

SPP Code : SPL-CV-172

Collected On : 25-Sep-2023 02:02 PM

Received On : 25-Sep-2023 04:47 PM Reported On : 25-Sep-2023 05:40 PM

Report Status : Final Report

# **HAEMATOLOGY**

#### **HEALTH PROFILE A-2 PACKAGE**

Test Name Results Units Ref. Range Method

Erythrocyte Sedimentation Rate (ESR) 15 10 or less Westergren method

Comments: ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.









Name



Sagepath Labs Pvt. Ltd.

Registered Office:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana.

: 24863650

: SPL-CV-172

: 0312309250048

GOD-POD

ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

REPORT Website:- www.sagepathlabs.com

Sample ID

: Mrs. HEMA RANI

Age/Gender : 40 Years/Female Reg. No
Referred by : Dr. S KRISHNAN SPP Code

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 25-Sep-2023 02:02 PM Primary Sample : Whole Blood Received On : 25-Sep-2023 04:47 PM

Sample Tested In : Plasma-NaF(F) Reported On : 25-Sep-2023 06:49 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

## **CLINICAL BIOCHEMISTRY**

#### **HEALTH PROFILE A-2 PACKAGE**

Test Name Results Units Ref. Range Method

**Glucose Fasting (F)** 112 mg/dL 70-100

Interpretation of Plasma Glucose based on ADA guidelines 2018

Diagnosis	FastingPlasma Glucose(mg/dL)	2hrsPlasma Glucose(mg/dL)	HbA1c(%)	RBS(mg/dL)
Prediabetes	100-125	140-199	5.7-6.4	NA
Diabetes	>= 126	>= 200		>=200(with symptoms)

Reference: Diabetes care 2018:41(suppl.1):S13-S27

Result rechecked and verified for abnormal cases

\*\*\* End Of Report \*\*\*













Registered Office:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana.

ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

PORT Website:- www.sagepathlabs.com

REPORT

 Name
 : Mrs. HEMA RANI
 Sample ID
 : 24863649, 24863652

 Age/Gender
 : 40 Years/Female
 Reg. No
 : 0312309250048

 Referred by
 : Dr. S KRISHNAN
 SPP Code
 : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 25-Sep-2023 02:02 PM Primary Sample : Whole Blood Received On : 25-Sep-2023 04:47 PM

Sample Tested In : Whole Blood EDTA, Serum Received On : 25-Sep-2023 04:47 PM Reported On : 26-Sep-2023 12:22 AM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

#### **CLINICAL BIOCHEMISTRY**

# **HEALTH PROFILE A-2 PACKAGE**

HEALTH PROFILE A-2 PACKAGE					
Test Name	Results	Units	Ref. Range	Method	
Glycated Hemoglobin (HbA1c)	6.5	%	Non Diabetic:< 5.7 Pre diabetic: 5.7-6.4 Diabetic:>= 6.5	HPLC	
Mean Plasma Glucose	139.85	mg/dL		Calculated	

#### **Interpretation:**

- Glycated hemoglobins (GHb), also called glycohemoglobins, are substances formed when glucose binds to hemoglobin, and occur in amounts proportional to the concentration of serum glucose. Since red blood cells survive an average of 120 days, the measurement of GHb provides an index of a person's average blood glucose concentration (glycemia) during the preceding 2-3 months. Normally, only 4% to 6% of hemoglobin is bound to glucose, while elevated glycohemoglobin levels are seen in diabetes and other hyperglycemic states
- Mean Plasma Glucose(MPG): This Is Mathematical Calculations Where Glycated Hb Can Be Correlated With Daily Mean Plasma Glucose Level

Calcium8.9mg/dL8.5-10.1o-cresolphthalein<br/>complexone (OCPC)

Result rechecked and verified for abnormal cases

\*\*\* End Of Report \*\*\*











Registered Office: - # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana.

ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

Website:- www.sagepathlabs.com REPORT

Name : Mrs. HEMA RANI Sample ID : 24863652 Age/Gender : 40 Years/Female Reg. No : 0312309250048 Referred by SPP Code : Dr. S KRISHNAN : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 25-Sep-2023 02:02 PM Primary Sample : Whole Blood Received On : 25-Sep-2023 04:47 PM

Sample Tested In : Serum Reported On : 25-Sep-2023 10:54 PM

: Final Report Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status

## **CLINICAL BIOCHEMISTRY**

#### **HEALTH PROFILE A-2 PACKAGE**

Results	Units	Ref. Range	Method
160	mg/dL	< 200	CHOD-POD
153	mg/dL	< 150	GPO-POD
41	mg/dL	40-60	Direct
88.4	mg/dL	< 100	Calculated
30.6	mg/dL	7-35	Calculated
119	mg/dL	< 130	Calculated
3.9	%	0-4.0	Calculated
2.16	%	0-3.5	Calculated
	160 <b>153</b> 41 88.4 30.6 119 3.9	160 mg/dL 153 mg/dL 41 mg/dL 88.4 mg/dL 30.6 mg/dL 119 mg/dL 3.9 %	160 mg/dL < 200 153 mg/dL < 150 41 mg/dL 40-60 88.4 mg/dL < 100 30.6 mg/dL 7-35 119 mg/dL < 130 3.9 % 0-4.0

The National Cholesterol Education program's third Adult Treatment Panel (ATPIII) has issued its recommendations on evaluating and treating lipid discorders for primary and secondary.

NCEP Recommendations	Cholesterol Total in (mg/dL)	Irialveerides	HDL Cholesterol (mg/dL)	I DI Cholesterol	Non HDL Cholesterol in (mg/dL)
Optimal	Adult: < 200 Children: < 170	< 150	40-59	Adult:<100 Children: <110	<130
Above Optimal				100-129	130 - 159
Borgerline High	Adult: 200-239 Children:171-199	150-199		Adult: 130-159 Children: 111-129	160 - 189
High	Adult:>or=240 Children:>or=200	200-499	≥ 60	Adult:160-189 Children:>or=130	190 - 219
Very High		>or=500		Adult: >or=190	>=220

Note: LDL cholesterol cannot be calculated if triglyceride is >400 mg/dL (Friedewald's formula). Calculated values not provided for LDL and VLDL

Result rechecked and verified for abnormal cases

\*\*\* End Of Report \*\*\*











Registered Office:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana.

ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com Website:- www.sagepathlabs.com

# REPORT —W

Name : Mrs. HEMA RANI Sample ID : 24863652 Age/Gender : 40 Years/Female Reg. No : 0312309250048 Referred by SPP Code : Dr. S KRISHNAN : SPL-CV-172 Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 25-Sep-2023 02:02 PM

Primary Sample : Whole Blood Received On : 25-Sep-2023 04:47 PM Sample Tested In : Serum Reported On : 26-Sep-2023 12:10 AM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

# CLINICAL BIOCHEMISTRY HEALTH PROFILE A-2 PACKAGE

TIEAETH NOTICE A-21 ACKAGE					
Test Name	Results	Units	Ref. Range	Method	
Kidney Profile-KFT					
Urea	14.3	mg/dL	12.8-42.8	Glutamate dehydrogenase+Calculation	
Creatinine -Serum	0.62	mg/dL	0.60-1.10	Sarcosine oxidase	
Uric Acid	5.2	mg/dL	2.6-6.0	Uricase	
Sodium	141	mmol/L	136-145	ISE Direct	
Potassium	4.0	mmol/L	3.5-5.1	ISE Direct	
Chloride	101	mmol/L	98-108	ISE Direct	

## Interpretation:

• The kidneys, located in the retroperitoneal space in the abdomen, are vital for patient health. They process several hundred liters of fluid a day and remove around two liters of waste products from the bloodstream. The volume of fluid that passes though the kidneys each minute is closely linked to cardiac output. The kidneys maintain the body's balance of water and concentration of minerals such as sodium, potassium, and phosphorus in blood and remove waste by-products from the blood after digestion, muscle activity and exposure to chemicals or medications. They also produce renin which helps regulate blood pressure, produce erythropoietin which stimulates red blood cell production, and produce an active form of vitamin D, needed for bone health.

\*\*\* End Of Report \*\*\*









Test Name

A:G Ratio



Sagepath Labs Pvt. Ltd.

Registered Office:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana.

: 24863652

ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

REPORT Website:- www.sagepathlabs.com

Sample ID

Name : Mrs. HEMA RANI

Age/Gender : 40 Years/Female Reg. No : 0312309250048 Referred by : Dr. S KRISHNAN SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 25-Sep-2023 02:02 PM Primary Sample : Whole Blood Received On : 25-Sep-2023 04:47 PM

Sample Tested In : Serum Reported On : 25-Sep-2023 10:58 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

# CLINICAL BIOCHEMISTRY HEALTH PROFILE A-2 PACKAGE

# Results Units Ref. Range Method

0.8-2.0

Liver Function Test (LFT)				
Bilirubin(Total)	0.3	mg/dL	0.3-1.2	Diazo
Bilirubin (Direct)	0.1	mg/dL	0.0 - 0.2	Diazo
Bilirubin (Indirect)	0.2	mg/dL	0.2-1.0	Calculated
Aspartate Aminotransferase (AST/SGOT)	31	U/L	5-40	IFCC with out (P-5-P)
Alanine Aminotransferase (ALT/SGPT)	30	U/L	0-55	IFCC with out (P-5-P)
Alkaline Phosphatase(ALP)	86	U/L	40-150	Kinetic PNPP-AMP
Gamma Glutamyl Transpeptidase (GGTP)	36	U/L	5-55	IFCC
Protein - Total	7.2	g/dL	6.4-8.2	Biuret
Albumin	4.0	g/dL	3.4-5.0	Bromocresol purple (BCP)
Globulin	3.2	g/dL	2.0-4.2	Calculated

• Alanine Aminotransferase(ALT) is an enzyme found in liver and kidneys cells. ALT helps create energy for liver cells. Damaged liver cells release ALT into the bloodstream, which can elevate ALT levels in the blood.

%

1.25

- Aspartate Aminotransferase (AST) is an enzyme in the liver and muscles that helps metabolizes amino acids. Similarly to ALT, elevated AST levels may be a sign of liver damage or liver disease.
- Alkaline phosphate (ALP) is an enzyme present in the blood. ALP contributes to numerous vital bodily functions, such as supplying nutrients to the liver, promoting bone growth, and metabolizing fat in the intestines.
- Gamma-glutamyl Transpeptidase (GGTP) is an enzyme that occurs primarily in the liver, but it is also present in the kidneys, pancreas, gallbladder, and spleen. Higher than normal concentrations of GGTP in the blood may indicate alcohol-related liver damage. Elevated GGTP levels can also increase the risk of developing certain types of cancer.
- Bilirubin is a waste product that forms when the liver breaks down red blood cells. Bilirubin exits the body as bile in stool. High levels of bilirubin can cause jaundice a condition in which the skin and whites of the eyes turn yellow- and may indicate liver damage.
- Albumin is a protein that the liver produces. The liver releases albumin into the bloodstream, where it helps fight infections and transport vitamins, hormones, and enzymes throughout the body. Liver damage can cause abnormally low albumin levels.

\*\*\* End Of Report \*\*\*

Laboratory is NABL Accredited









Calculated



Registered Office: - # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana.

Method

ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

Website:- www.sagepathlabs.com

Ref. Range

REPORT

Name : Mrs. HEMA RANI Sample ID : 24863652

Reg. No Age/Gender : 40 Years/Female : 0312309250048 Referred by : Dr. S KRISHNAN SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 25-Sep-2023 02:02 PM

: 25-Sep-2023 04:47 PM Primary Sample : Whole Blood Received On

: 26-Sep-2023 12:10 AM Sample Tested In : Serum Reported On

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

Results

#### **CLINICAL BIOCHEMISTRY**

# **HEALTH PROFILE A-2 PACKAGE** Units

Thyroid Profile-I(TFT)				
T3 (Triiodothyronine)	236.54	ng/dL	70-204	CLIA
T4 (Thyroxine)	12.9	μg/dL	3.2-12.6	CLIA
TSH -Thyroid Stimulating Hormone	0.07	μIU/mL	0.35-5.5	CLIA

#### Pregnancy & Cord Blood

Test Name

T3 (Triiodothyronine):		T4 (Thyroxine)	TSH (Thyroid Stimulating Hormone)
First Trimester	: 81-190 ng/dL	15 to 40 weeks:9.1-14.0 μg/dL	First Trimester : 0.24-2.99 µIU/mL
Second&Third Trimester :100-260 ng/dL			Second Trimester: 0.46-2.95 µIU/mL
			Third Trimester : 0.43-2.78 µIU/mL
Cord Blood: 30-70 ng	/dL	Cord Blood: 7.4-13.0 µg/dL	Cord Blood: : 2.3-13.2 µIU/mL

#### **Interpretation:**

- Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.
- Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.
- Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

Result rechecked and verified for abnormal cases

\*\*\* End Of Report \*\*\*











Registered Office:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana.

ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

Website:- www.sagepathlabs.com

REPORT

Name : Mrs. HEMA RANI Sample ID : 24863652 Age/Gender : 40 Years/Female Reg. No : 0312309250048

Referred by : Dr. S KRISHNAN SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 25-Sep-2023 02:02 PM

Primary Sample : Whole Blood : 25-Sep-2023 04:47 PM Received On Sample Tested In : Serum Reported On : 26-Sep-2023 12:10 AM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

#### **CLINICAL BIOCHEMISTRY**

#### **HEALTH PROFILE A-2 PACKAGE**

Test Name	Results	Units	Ref. Range	Method
Iron Profile-I				
Iron(Fe)	44	μg/dL	50-170	Ferene
Total Iron Binding Capacity (TIBC)	362	μg/dL	250-450	Ferene
Transferrin	253.15	mg/dL	250-380	Calculated
Iron Saturation((% Transferrin Saturation)	12.15	%	15-50	Calculated
Unsaturated Iron Binding Capacity (UIBC)	318	ug/dL	110-370	FerroZine

#### Interpretation:

- Serum transferrin (and TIBC) high, serum iron low, saturation low. Usual causes of depleted iron stores include blood loss, inadequate dietary iron. RBCs in moderately severe iron deficiency are hypochromic and microcytic. Stainable marrow iron is absent. Serum ferritin decrease is the earliest indicator of iron deficiency if inflammation is absent
- Anemia of chronic disease: Serum transferrin (and TIBC) low to normal, serum iron low, saturation low or normal. Transferrin decreases with many inflammatory diseases. With chronic disease there is a block in movement to and utilization of iron by marrow. This leads to low serum iron and decreased erythropoiesis. Examples include acute and chronic infections, malignancy and renal failure.
- Sideroblastic Anemia: Serum transferrin (and TIBC) normal to low, serum iron normal to high, saturation high.
- Hemolytic Anemia: Serum transferrin (and TIBC) normal to low, serum iron high, saturation high.
- Hemochromatosis: Serum transferrin (and TIBC) slightly low, serum iron high, saturation very high.
- Protein depletion: Serum transferrin (and TIBC) may be low, serum iron normal or low (if patient also is iron deficient). This may occur as a result of malnutrition, liver disease, renal
- Liver disease: Serum transferrin variable; with acute viral hepatitis, high along with serum iron and ferritin. With chronic liver disease (eg, cirrhosis), transferrin may be low. Patients who have cirrhosis and portacaval shunting have saturated TIBC/transferrin as well as high ferritin.











Registered Office: - # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana.

: 24863651

ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

Website:- www.sagepathlabs.com REPORT Sample ID

Name : Mrs. HEMA RANI

Age/Gender : 40 Years/Female Reg. No : 0312309250048 Referred by SPP Code : Dr. S KRISHNAN : SPL-CV-172

: V CARE MEDICAL DIAGNOSTICS Referring Customer Collected On

: 25-Sep-2023 02:02 PM Primary Sample : 25-Sep-2023 04:27 PM Received On

Sample Tested In : Urine Reported On 25-Sep-2023 05:27 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status Final Report

#### **CLINICAL PATHOLOGY**

#### **HEALTH PROFILE A-2 PACKAGE**

**Test Name** Results Units Ref. Range Method

### **Complete Urine Analysis (CUE)**

# **Physical Examination**

Colour Pale Yellow Straw to light amber

**Appearance** Clear Clear

#### **Chemical Examination**

Negative Glucose Negative Strip Reflectance Protein Strip Reflectance (+)Negative Bilirubin (Bile) Negative Negative Strip Reflectance Urobilinogen Negative Negative Ehrlichs reagent Ketone Bodies Negative Negative Strip Reflectance Specific Gravity 1.025 1.000 - 1.030 Strip Reflectance Negative Blood Negative Strip Reflectance

6.0 5.0 - 8.5Reaction (pH) Reagent strip Reflectance -Double indicator Principle

**Nitrites** Negative Negative Strip Reflectance

Reagent Strip Reflectance Leukocyte esterase Negative Negative

Microscopic Examination (Microscopy)

PUS(WBC) Cells 03-04 /hpf 00-05 Microscopy R.B.C. Nil /hpf Nil Microscopic 01-02 00-05 **Epithelial Cells** /hpf Microscopic Casts Absent Absent Microscopic Crystals Absent Absent Microscopic Nil Nil **Bacteria** 

**Budding Yeast Cells** Nil Absent Microscopy

Others Microscopic

#### Comments :

Urine analysis is one of the most useful laboratory tests as it identifies a wide range of medical conditions including renal damage, urinary tract infections, diabetes, hypertension and drug

Correlate Clinically.


Result rechecked and verified for abnormal cases


Laboratory is NABL Accredited

\*\*\* End Of Report \*\*\*









Swarnabala-M DR.SWARNA BALA MD PATHOLOGY