

Sagepath Labs Pvt. Ltd.

Registered Office:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg.No. SAPALAPVLHT (Covid -19) Ph:- 040-40125441, Email:- info@sagepathlabs.com Website:- www.sagepathlabs.com

| | REPUR | .I | | | | | |
|-----------------------|--------------------------------------|---------------|------------------------|--|--|--|--|
| Name | : Mr. JITHESH | Sample ID | : 24854906, 24854911 | | | | |
| Age/Gender | : 45 Years/Male | Reg. No | : 0312309270004 | | | | |
| Referred by | : Dr. SELF | SPP Code | : SPL-CV-172 | | | | |
| Referring Customer | : V CARE MEDICAL DIAGNOSTICS | Collected On | : 27-Sep-2023 08:39 AM | | | | |
| Primary Sample | : Whole Blood | Received On | : 27-Sep-2023 12:30 PM | | | | |
| Sample Tested In | : Plasma-NaF(F), Plasma-NaF(PP) | Reported On | : 27-Sep-2023 01:46 PM | | | | |
| Client Address | : Kimtee colony ,Gokul Nagar,Tarnaka | Report Status | : Final Report | | | | |
| | | | | | | | |
| CLINICAL BIOCHEMISTRY | | | | | | | |

DSE INFOSYSTEMS PVT.

CLINICAL BIOCHEMISTRY GLUCOSE POST PRANDIAL (PP) Test Name Results Units Ref. Range Method

| terpretation of Pl | asma Glucose based on ADA g | uidelines 2018 | | | |
|--------------------|---------------------------------|------------------------------|----------|-------------------------|--------------|
| Diagnosis | FastingPlasma Glucose(mg/dL) | 2hrsPlasma Glucose(mg/dL) | HbA1c(%) | RBS(mg/dL) | |
| Prediabetes | 100-125 | 140-199 | 5.7-6.4 | NA | |
| Diabetes | > = 126 | > = 200 | >= 6.5 | >=200(with symptoms) | |
| eference: Diab | etes care 2018:41(suppl.1) | :S13-S27 | | | |
| eference: Diab | | :S13-S27 150 mg/d | L 70- | 140 | Hexokinase (|

| | FastingPlasma Glucose(mg/dL) | 2hrsPlasma Glucose(mg/dL) | HbA1c(%) | RBS(mg/dL) |
|-------------|---------------------------------|------------------------------|----------|-------------------------|
| Prediabetes | 100-125 | 140-199 | 5.7-6.4 | NA |
| Diabetes | > = 126 | > = 200 | | >=200(with symptoms) |

Reference: Diabetes care 2018:41(suppl.1):S13-S27

- Postprandial glucose level is a screening test for Diabetes Mellitus
- If glucose level is >140 mg/dL and <200 mg/dL, then GTT (glucose tolerance test) is advised.
- If level after 2 hours = >200 mg/dL diabetes mellitus is confirmed.
- Advise HbA1c for further evaluation.

Correlate Clinically.

Result rechecked and verified for abnormal cases

Laboratory is NABL Accredited

*** End Of Report ***





MC 3633 terms and conditions overleaf. Partial Reproduction of this report is not Permitted