ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

Website:- www.sagepathlabs.com

 Name
 : Mr. MURALI
 Sample ID
 : 24854644

 Age/Gender
 : 60 Years/Male
 Reg. No
 : 0312310260004

Referred by : Dr. MITHUN SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 26-Oct-2023 08:42 AM
Primary Sample : Whole Blood Received On : 26-Oct-2023 12:43 PM

Sample Tested In : Whole Blood EDTA Reported On : 26-Oct-2023 01:12 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

HAEMATOLOGY HEALTH PROFILE A-2 PACKAGE Test Name Results Units Ref. Range Method

COMPLETE BLOOD COUNT (CBC)				
Haemoglobin (Hb)	14.5	g/dL	13-17	Cynmeth Method
RBC Count	4.77	10^12/L	4.5-5.5	Cell Impedence
Haematocrit (HCT)	42.3	%	40-50	Calculated
MCV	89	fl	81-101	Calculated
MCH	30.3	pg	27-32	Calculated
MCHC	34.2	g/dL	32.5-34.5	Calculated
RDW-CV	13.5	%	11.6-14.0	Calculated
Platelet Count (PLT)	254	10^9/L	150-410	Cell Impedance
Total WBC Count	5.9	10^9/L	4.0-10.0	Impedance
Neutrophils	52	%	40-70	Cell Impedence
Absolute Neutrophils Count	3.07	10^9/L	2.0-7.0	Impedence
Lymphocytes	40	%	20-40	Cell Impedence
Absolute Lymphocyte Count	2.36	10^9/L	1.0-3.0	Impedence
Monocytes	06	%	2-10	Microscopy
Absolute Monocyte Count	0.35	10^9/L	0.2-1.0	Calculated
Eosinophils	02	%	1-6	Microscopy
Absolute Eosinophils Count	0.12	10^9/L	0.02-0.5	Calculated
Basophils	0	%	1-2	Microscopy
Absolute Basophil ICount	0.00	10^9/L	0.0-0.3	Calculated
<u>Morphology</u>				
WBC	Within Nor	mal Limits		
RBC	Normocytic	normochromic	blood picture.	
Platelets	Adequate.			Microscopy

*** End Of Report ***







ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

Website:- www.sagepathlabs.com

Name : Mr. MURALI Sample ID : 24854644

Age/Gender : 60 Years/Male Reg. No : 0312310260004

Referred by : Dr. MITHUN SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 26-Oct-2023 08:42 AM
Primary Sample : Whole Blood Received On : 26-Oct-2023 12:43 PM

Sample Tested In : Whole Blood EDTA Reported On : 26-Oct-2023 02:01 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

HAEMATOLOGY

HEALTH PROFILE A-2 PACKAGE

Test Name Results Units Ref. Range Method

Erythrocyte Sedimentation Rate (ESR) 10 12 or less Westergren method

Comments: ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.







ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

Website:- www.sagepathlabs.com

Name : Mr. MURALI Sample ID : 24854643, 24854645

Age/Gender : 60 Years/Male Reg. No : 0312310260004

Referred by : Dr. MITHUN SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 26-Oct-2023 08:42 AM
Primary Sample : Whole Blood Received On : 26-Oct-2023 12:43 PM

Sample Tested In : Plasma-NaF(F), Plasma-NaF(PP) Reported On : 26-Oct-2023 02:32 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

GLUCOSE POST PRANDIAL (PP)

Test Name Results Units Ref. Range Method

Glucose Fasting (F) 162 mg/dL 70-100 GOD-POD

Interpretation of Plasma Glucose based on ADA guidelines 2018

Diagnosis	FastingPlasma Glucose(mg/dL)	2hrsPlasma Glucose(mg/dL)	HbA1c(%)	RBS(mg/dL)
Prediabetes	100-125	140-199	5.7-6.4	NA
Diabetes	>= 126	>= 200		>=200(with symptoms)

Reference: Diabetes care 2018:41(suppl.1):S13-S27

Glucose Post Prandial (PP) 173 mg/dL 70-140 Hexokinase (HK)

Interpretation of Plasma Glucose based on ADA guidelines 2018

	J	2hrsPlasma Glucose(mg/dL)	HbA1c(%)	RBS(mg/dL)
Prediabetes	100-125	140-199	5.7-6.4	NA
Diabetes	>= 126	>= 200		>=200(with symptoms)

Reference: Diabetes care 2018:41(suppl.1):S13-S27

- Postprandial glucose level is a screening test for Diabetes Mellitus
- $\bullet~$ If glucose level is $>\!140$ mg/dL and $<\!200$ mg/dL, then GTT (glucose tolerance test) is advised.
- If level after 2 hours = >200 mg/dL diabetes mellitus is confirmed.
- Advise HbA1c for further evaluation.

Result rechecked and verified for abnormal cases

*** End Of Report ***









ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

Website:- www.sagepathlabs.com

Name : Mr. MURALI Sample ID : 24854644, 24854641 Age/Gender : 60 Years/Male Reg. No : 0312310260004

SPP Code Referred by : Dr. MITHUN : SPL-CV-172

Referring Customer: V CARE MEDICAL DIAGNOSTICS Collected On : 26-Oct-2023 08:42 AM Primary Sample : Whole Blood Received On : 26-Oct-2023 12:43 PM

: 26-Oct-2023 06:12 PM Sample Tested In : Whole Blood EDTA, Serum Reported On

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY HEALTH PROFILE A-2 PACKAGE Ref. Range Test Name Results Units Method

			9		
Glycated Hemoglobin (HbA1c)	8.3	%	Non Diabetic:< 5.7 Pre diabetic: 5.7-6.4 Diabetic:>= 6.5	HPLC	
Mean Plasma Glucose	191.51	mg/dL		Calculated	

Interpretation:

• Glycated hemoglobins (GHb), also called glycohemoglobins, are substances formed when glucose binds to hemoglobin, and occur in amounts proportional to the concentration of serum glucose. Since red blood cells survive an average of 120 days, the measurement of GHb provides an index of a person's average blood glucose concentration (glycemia) during the preceding 2-3 months. Normally, only 4% to 6% of hemoglobin is bound to glucose, while elevated glycohemoglobin levels are seen in diabetes and other hyperglycemic states

Mean Plasma Glucose(MPG): This Is Mathematical Calculations Where Glycated Hb Can Be Correlated With Daily Mean Plasma Glucose Level

Calcium 8.8 mg/dL 8.5-10.1 o-cresolphthalein complexone (OCPC)

Result rechecked and verified for abnormal cases

*** End Of Report ***









ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

Website:- www.sagepathlabs.com

Name : Mr. MURALI Sample ID : 24854641 Age/Gender : 60 Years/Male Reg. No : 0312310260004 Referred by SPP Code : Dr. MITHUN : SPL-CV-172 Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 26-Oct-2023 08:42 AM Primary Sample : Whole Blood Received On : 26-Oct-2023 12:43 PM

Sample Tested In Reported On : 26-Oct-2023 02:32 PM Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY HEALTH PROFILE A-2 PACKAGE Ref. Range Method Results Units Test Name

Test Name	Results	Ullits	Rei. Railge	Method	
Lipid Profile					
Cholesterol Total	223	mg/dL	< 200	CHOD-POD	
Triglycerides-TGL	302	mg/dL	< 150	GPO-POD	
Cholesterol-HDL	45	mg/dL	40-60	Direct	
Cholesterol-LDL	117.6	mg/dL	< 100	Calculated	
Cholesterol- VLDL	60.4	mg/dL	7-35	Calculated	
Non HDL Cholesterol	178	mg/dL	< 130	Calculated	
Cholesterol : HDL Ratio	4.96	%	0-4.0	Calculated	
LDL:HDL Ratio	2.61	%	0-3.5	Calculated	

The National Cholesterol Education program's third Adult Treatment Panel (ATPIII) has issued its recommendations on evaluating and treating lipid discorders for primary and secondary.

NCEP Recommendations	Cholesterol Total in (mg/dL)	Triglycerides in (mg/dL)	HDL Cholesterol (mg/dL)	LDL Cholesterol	Non HDL Cholesterol in (mg/dL)
Optimal	Adult: < 200 Children: < 170	< 150	40-59	Adult:<100 Children: <110	<130
Above Optimal				100-129	130 - 159
Borgeriine High	Adult: 200-239 Children:171-199	150-199		Adult: 130-159 Children: 111-129	160 - 189
High	Adult:>or=240 Children:>or=200	200-499	≥ 60	Adult:160-189 Children:>or=130	190 - 219
Very High		>or=500		Adult: >or=190 	>=220

Note: LDL cholesterol cannot be calculated if triglyceride is >400 mg/dL (Friedewald's formula). Calculated values not provided for LDL and VLDL

Result rechecked and verified for abnormal cases

: Serum

*** End Of Report ***









ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

Website:- www.sagepathlabs.com

 Name
 : Mr. MURALI
 Sample ID
 : 24854641

 Age/Gender
 : 60 Years/Male
 Reg. No
 : 0312310260004

Referred by : Dr. MITHUN SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 26-Oct-2023 08:42 AM
Primary Sample : Whole Blood Received On : 26-Oct-2023 12:43 PM

Sample Tested In : Serum Reported On : 26-Oct-2023 02:32 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY HEALTH PROFILE A-2 PACKAGE Test Name Results Units Ref. Range Method

Kidney Profile-KFT				
Urea	25.1	mg/dL	12.8-42.8	Glutamate dehydrogenase+Calculation
Creatinine -Serum	0.92	mg/dL	0.70-1.30	Sarcosine oxidase
Uric Acid	7.5	mg/dL	3.5-7.2	Uricase
Sodium	140	mmol/L	136-145	ISE Direct
Potassium	4.6	mmol/L	3.5-5.1	ISE Direct
Chloride	100	mmol/L	98-108	ISE Direct

Interpretation:

• The kidneys, located in the retroperitoneal space in the abdomen, are vital for patient health. They process several hundred liters of fluid a day and remove around two liters of waste products from the bloodstream. The volume of fluid that passes though the kidneys each minute is closely linked to cardiac output. The kidneys maintain the body's balance of water and concentration of minerals such as sodium, potassium, and phosphorus in blood and remove waste by-products from the blood after digestion, muscle activity and exposure to chemicals or medications. They also produce renin which helps regulate blood pressure, produce erythropoietin which stimulates red blood cell production, and produce an active form of vitamin D, needed for bone health.

Result rechecked and verified for abnormal cases

*** End Of Report ***









ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

Website:- www.sagepathlabs.com

Name : Mr. MURALI : 24854641 Sample ID Reg. No Age/Gender : 60 Years/Male : 0312310260004 Referred by : Dr. MITHUN SPP Code : SPL-CV-172 Referring Customer: V CARE MEDICAL DIAGNOSTICS Collected On : 26-Oct-2023 08:42 AM Primary Sample : Whole Blood Received On : 26-Oct-2023 12:43 PM Sample Tested In : Serum Reported On : 26-Oct-2023 02:32 PM Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY						
HEALTH PROFILE A-2 PACKAGE						
Tool Name	Deculto	Unito	Def Denge	Mothod		

lest Name	Results	Units	Ref. Range	Method
Liver Function Test (LFT)				
Bilirubin(Total)	0.6	mg/dL	0.3-1.2	Diazo
Bilirubin (Direct)	0.2	mg/dL	0.0 - 0.5	Diazo
Bilirubin (Indirect)	0.4	mg/dL	0.2-1.0	Calculated
Aspartate Aminotransferase (AST/SGOT)	42	U/L	5-40	IFCC with out (P-5-P)
Alanine Aminotransferase (ALT/SGPT)	27	U/L	0-55	IFCC with out (P-5-P)
Alkaline Phosphatase(ALP)	40	U/L	40-150	Kinetic PNPP-AMP
Gamma Glutamyl Transpeptidase (GGTP)	54	U/L	15-85	IFCC
Protein - Total	7.2	g/dL	6.4-8.2	Biuret
Albumin	4.3	g/dL	3.4-5.0	Bromocresol purple (BCP)
Globulin	2.9	g/dL	2.0-4.2	Calculated
A:G Ratio	1.48	%	0.8-2.0	Calculated

- Alanine Aminotransferase(ALT) is an enzyme found in liver and kidneys cells. ALT helps create energy for liver cells. Damaged liver cells release ALT into the bloodstream, which can elevate ALT levels in the blood.
- Aspartate Aminotransferase (AST) is an enzyme in the liver and muscles that helps metabolizes amino acids. Similarly to ALT, elevated AST levels may be a sign of liver damage or liver disease.
- Alkaline phosphate (ALP) is an enzyme present in the blood. ALP contributes to numerous vital bodily functions, such as supplying nutrients to the liver, promoting bone growth, and metabolizing fat in the intestines.
- Gamma-glutamyl Transpeptidase (GGTP) is an enzyme that occurs primarily in the liver, but it is also present in the kidneys, pancreas, gallbladder, and spleen. Higher than normal concentrations of GGTP in the blood may indicate alcohol-related liver damage. Elevated GGTP levels can also increase the risk of developing certain types of cancer.
- **Bilirubin** is a waste product that forms when the liver breaks down red blood cells. Bilirubin exits the body as bile in stool. High levels of bilirubin can cause jaundice a condition in which the skin and whites of the eyes turn yellow- and may indicate liver damage.
- Albumin is a protein that the liver produces. The liver releases albumin into the bloodstream, where it helps fight infections and transport vitamins, hormones, and enzymes throughout the body. Liver damage can cause abnormally low albumin levels.

Result rechecked and verified for abnormal cases

*** End Of Report ***









ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

Website:- www.sagepathlabs.com

Name : Mr. MURALI Sample ID : 24854641

Age/Gender : 60 Years/Male Reg. No : 0312310260004 Referred by : Dr. MITHUN SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 26-Oct-2023 08:42 AM
Primary Sample : Whole Blood Received On : 26-Oct-2023 12:43 PM

Sample Tested In : Serum Reported On : 26-Oct-2023 05:52 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-2 PACKAGE Results Units Ref. Range Method

Thyroid Profile-I(TFT)

Test Name

T3 (Triiodothyronine)	98.99	ng/dL	40-181	CLIA
T4 (Thyroxine)	5.6	μg/dL	3.2-12.6	CLIA
TSH -Thyroid Stimulating Hormone	3.78	µIU/mL	0.35-5.5	CLIA

Pregnancy & Cord Blood

T3 (Triiodothyronine):	T4 (Thyroxine)	TSH (Thyroid Stimulating Hormone)
First Trimester : 81-190 ng/dL	15 to 40 weeks:9.1-14.0 μg/dL	First Trimester : 0.24-2.99 µIU/mL
Second&Third Trimester :100-260 ng/dL		Second Trimester: 0.46-2.95 µIU/mL
		Third Trimester : 0.43-2.78 µIU/mL
Cord Blood: 30-70 ng/dL	Cord Blood: 7.4-13.0 μg/dL	Cord Blood: : 2.3-13.2 µIU/mL

Interpretation:

- Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.
- Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.
- Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

*** End Of Report ***









ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

Website:- www.sagepathlabs.com

Name : Mr. MURALI Sample ID : 24854641

Age/Gender : 60 Years/Male Reg. No : 0312310260004

Referred by : Dr. MITHUN SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 26-Oct-2023 08:42 AM
Primary Sample : Whole Blood Received On : 26-Oct-2023 12:43 PM

Sample Tested In : Serum Reported On : 26-Oct-2023 02:32 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-2 PACKAGE

Test Name	Results	Units	Ref. Range	Method
Iron Profile-I				
Iron(Fe)	101	μg/dL	65-175	Ferene
Total Iron Binding Capacity (TIBC)	400	μg/dL	250-450	Ferene
Transferrin	279.72	mg/dL	215-365	Calculated
Iron Saturation((% Transferrin Saturation)	25.25	%	20-50	Calculated
Unsaturated Iron Binding Capacity (UIBC)	299	μg/dL	110 - 370	FerroZine

Interpretation:

- Serum transferrin (and TIBC) high, serum iron low, saturation low. Usual causes of depleted iron stores include blood loss, inadequate dietary iron. RBCs in moderately severe iron deficiency are hypochromic and microcytic. Stainable marrow iron is absent. Serum ferritin decrease is the earliest indicator of iron deficiency if inflammation is absent.
- Anemia of chronic disease: Serum transferrin (and TIBC) low to normal, serum iron low, saturation low or normal. Transferrin decreases with many inflammatory diseases. With chronic disease there is a block in movement to and utilization of iron by marrow. This leads to low serum iron and decreased erythropoiesis. Examples include acute and chronic infections, malignancy and renal failure.
- Sideroblastic Anemia: Serum transferrin (and TIBC) normal to low, serum iron normal to high, saturation high.
- Hemolytic Anemia: Serum transferrin (and TIBC) normal to low, serum iron high, saturation high.
- Hemochromatosis: Serum transferrin (and TIBC) slightly low, serum iron high, saturation very high.
- Protein depletion: Serum transferrin (and TIBC) may be low, serum iron normal or low (if patient also is iron deficient). This may occur as a result of malnutrition, liver disease, renal disease.
- Liver disease: Serum transferrin variable; with acute viral hepatitis, high along with serum iron and ferritin. With chronic liver disease (eg, cirrhosis), transferrin may be low. Patients who have cirrhosis and portacaval shunting have saturated TIBC/transferrin as well as high ferritin.









ICMR Reg .No. SAPALAPVLHT (Covid -19)

Ph:- 040-40125441, Email:- info@sagepathlabs.com

Website:- www.sagepathlabs.com

 Name
 : Mr. MURALI
 Sample ID
 : 24854515

 Age/Gender
 : 60 Years/Male
 Reg. No
 : 0312310260004

Referred by : Dr. MITHUN SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 26-Oct-2023 08:42 AM
Primary Sample : Received On : 26-Oct-2023 12:31 PM

Sample Tested In : Urine Reported On : 26-Oct-2023 01:52 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL PATHOLOGY HEALTH PROFILE A-2 PACKAGE

Test Name Results Units Ref. Range Method

Complete Urine Analysis (CUE)

Physical Examination

Colour Pale Yellow Straw to light amber

Appearance Clear Clear

Chemical Examination

Glucose	Negative	Negative	Strip Reflectance
Protein	Absent	Negative	Strip Reflectance
Bilirubin (Bile)	Negative	Negative	Strip Reflectance
Urobilinogen	Negative	Negative	Ehrlichs reagent
Ketone Bodies	Negative	Negative	Strip Reflectance
Specific Gravity	1.025	1.000 - 1.030	Strip Reflectance
Blood	Negative	Negative	Strip Reflectance
Reaction (pH)	6.0	5.0 - 8.5	Reagent strip Reflectance -

Double indicator Principle

Nitrites Negative Negative Strip Reflectance

Leukocyte esterase Negative Negative Reagent Strip Reflectance

Microscopic Examination (Microscopy)

PUS(WBC) Cells	02-04	/hpf	00-05	Microscopy
R.B.C.	Nil	/hpf	Nil	Microscopic
Epithelial Cells	01-02	/hpf	00-05	Microscopic
Casts	Absent		Absent	Microscopic
Crystals	Absent		Absent	Microscopic
Bacteria	Nil		Nil	

Budding Yeast Cells Nil Absent Microscopy
Others - Microscopic

Comments :

Urine analysis is one of the most useful laboratory tests as it identifies a wide range of medical conditions including renal damage, urinary tract infections, diabetes, hypertension and drug toxicity.

Correlate Clinically.

Laboratory is NABL Accredited

*** End Of Report ***





