Sagepath Labs Pvt. Ltd.
Registered Office:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana.
ICMR Reg .No. SAPALAPVLHT (Covid -19)
Ph:- 040-40125441, Email:- info@sagepathlabs.com
Website:- www.sagepathlabs.com

SagePath® Excellence In Health Care

REPORT

Name	: Mr. V VASU	Sample ID	: 24753594, 24753516
Age/Gender	: 35 Years/Male	Reg. No	: 0312311070036
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 07-Nov-2023 09:36 AM
Primary Sample	: Whole Blood	Received On	: 07-Nov-2023 03:56 PM
Sample Tested In	: Plasma-NaF(F), Plasma-NaF(PP)	Reported On	: 07-Nov-2023 04:37 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY

GLUCOSE POST PRANDIAL (PP)

Test Name	Results	Units	Ref. Range	Method
Glucose Fasting (F)	**104**	mg/dL	70-100	GOD-POD

Interpretation of Plasma Glucose based on ADA guidelines 2018

Diagnosis	FastingPlasma Glucose(mg/dL)	2hrsPlasma Glucose(mg/dL)	HbA1c(%)	RBS(mg/dL)
Prediabetes	100-125	140-199	5.7-6.4	NA
Diabetes	> = 126	> = 200	> = 6.5	>=200(with symptoms)

Reference: Diabetes care 2018:41(suppl.1):S13-S27

Glucose Post Prandial (PP)	106	mg/dL	70-140	Hexokinase (HK)

Interpretation of Plasma Glucose based on ADA guidelines 2018

Diagnosis	FastingPlasma Glucose(mg/dL)	2hrsPlasma Glucose(mg/dL)	HbA1c(%)	RBS(mg/dL)
Prediabetes	100-125	140-199	5.7-6.4	NA
Diabetes	> = 126	> = 200	> = 6.5	>=200(with symptoms)

Reference: Diabetes care 2018:41(suppl.1):S13-S27

- Postprandial glucose level is a screening test for Diabetes Mellitus
- If glucose level is >140 mg/dL and <200 mg/dL, then GTT (glucose tolerance test) is advised.
- If level after 2 hours = >200 mg/dL diabetes mellitus is confirmed.
- Advise HbA1c for further evaluation.

Correlate Clinically.

Result rechecked and verified for abnormal cases
Laboratory is NABL Accredited

*** End Of Report ***

MC 3633

DR.VAISHNAVI
MD BIOCHEMISTRY

terms and conditions overleaf. Partial Reproduction of this report is not Permitted

ITDOSE INFOSYSTEMS PVT. LTD.