

**REPORT**

Name	: Mr. VINAY	Sample ID	: A0013218
Age/Gender	: 45 Years/Male	Reg. No	: 0312402040013
Referred by	: Dr. JAYANTHI RAMESH	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 04-Feb-2024 09:12 AM
Primary Sample	: Whole Blood	Received On	: 04-Feb-2024 03:10 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 04-Feb-2024 03:32 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

**HAEMATOLOGY**

**HEALTH PROFILE A-1 PACKAGE**

Test Name	Results	Units	Ref. Range	Method
-----------	---------	-------	------------	--------

<b>Erythrocyte Sedimentation Rate (ESR)</b>	6		10 or less	Westergren method
---	---	--	------------	-------------------

**Comments :** ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.

**Complete Blood Count (CBC)**

Haemoglobin (Hb)	13.0	g/dL	13-17	Cynmeth Method
RBC Count	4.82	10 <sup>12</sup> /L	4.5-5.5	Cell Impedance
Total WBC Count	9.1	10 <sup>9</sup> /L	4.0-10.0	Impedance
Platelet Count (PLT)	243	10 <sup>9</sup> /L	150-410	Cell Impedance
Haematocrit (HCT)	<b>39.3</b>	%	40-50	Calculated
MCV	82	fl	81-101	Calculated
MCH	<b>26.9</b>	pg	27-32	Calculated
MCHC	33.0	g/dL	32.5-34.5	Calculated
RDW-CV	<b>15.0</b>	%	11.6-14.0	Calculated

**Differential Count by Flowcytometry /Microscopy**

Neutrophils	61	%	40-70	Cell Impedance
Lymphocytes	33	%	20-40	Cell Impedance
Monocytes	03	%	2-10	Microscopy
Eosinophils	03	%	1-6	Microscopy
Basophils	0	%	1-2	Microscopy

**Smear**

WBC	Within normal limits.	
RBC	Normocytic normochromic blood picture	
Platelets	Adequate	Microscopy



Swarnabala - M  
DR. SWARNA BALA  
MD PATHOLOGY



**REPORT**

Name	: Mr. VINAY	Sample ID	: A0013240
Age/Gender	: 45 Years/Male	Reg. No	: 0312402040013
Referred by	: Dr. JAYANTHI RAMESH	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 04-Feb-2024 09:12 AM
Primary Sample	: Whole Blood	Received On	: 04-Feb-2024 03:15 PM
Sample Tested In	: Serum	Reported On	: 04-Feb-2024 05:12 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

**CLINICAL BIOCHEMISTRY**

**HEALTH PROFILE A-1 PACKAGE**

Test Name	Results	Units	Ref. Range	Method
<b>Lipid Profile</b>				
Cholesterol Total	204	mg/dL	< 200	CHOD-POD
Triglycerides-TGL	106	mg/dL	< 150	GPO-POD
Cholesterol-HDL	42	mg/dL	40-60	Direct
Cholesterol-LDL	140.8	mg/dL	< 100	Calculated
Cholesterol- VLDL	21.2	mg/dL	7-35	Calculated
Non HDL Cholesterol	162	mg/dL	< 130	Calculated
Cholesterol Total /HDL Ratio	4.86	%	0-4.0	Calculated
HDL / LDL Ratio	0.30			
LDL/HDL Ratio	3.35	%	0-3.5	Calculated

The National Cholesterol Education program's third Adult Treatment Panel (ATPIII) has issued its recommendations on evaluating and treating lipid disorders for primary and secondary.

NCEP Recommendations	Cholesterol Total in (mg/dL)	Triglycerides in (mg/dL)	HDL Cholesterol (mg/dL)	LDL Cholesterol in (mg/dL)	Non HDL Cholesterol in (mg/dL)
Optimal	Adult: < 200 Children: < 170	< 150	40-59	Adult:<100 Children: <110	<130
Above Optimal	-----	-----		100-129	130 - 159
Borderline High	Adult: 200-239 Children:171-199	150-199		Adult: 130-159 Children: 111-129	160 - 189
High	Adult:>or=240 Children:>or=200	200-499	≥ 60	Adult:160-189 Children:>or=130	190 - 219
Very High	-----	>or=500		Adult: >or=190 -----	>=220

**Note:** LDL cholesterol cannot be calculated if triglyceride is >400 mg/dL (Friedewald's formula). Calculated values not provided for LDL and VLDL

Result rechecked and verified for abnormal cases

\*\*\* End Of Report \*\*\*

Laboratory is NABL Accredited



*Dr. Vaishnavi*  
DR. VAISHNAVI  
MD BIOCHEMISTRY

**REPORT**

Name	: Mr. VINAY	Sample ID	: A0013240
Age/Gender	: 45 Years/Male	Reg. No	: 0312402040013
Referred by	: Dr. JAYANTHI RAMESH	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 04-Feb-2024 09:12 AM
Primary Sample	: Whole Blood	Received On	: 04-Feb-2024 03:15 PM
Sample Tested In	: Serum	Reported On	: 04-Feb-2024 05:12 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

**CLINICAL BIOCHEMISTRY**

**HEALTH PROFILE A-1 PACKAGE**

Test Name	Results	Units	Ref. Range	Method
<b>Kidney Profile-KFT</b>				
Creatinine -Serum	1.03	mg/dL	0.70-1.30	Sarcosine oxidase
Urea-Serum	33.7	mg/dL	12.8-42.8	Glutamate dehydrogenase+Calculation
Blood Urea Nitrogen (BUN)	15.75	mg/dL	7.0-18.0	Calculated
BUN / Creatinine Ratio	15.29		6 - 22	
Uric Acid	5.5	mg/dL	3.5-7.2	Uricase
Sodium	141	mmol/L	136-145	ISE Direct
Potassium	4.4	mmol/L	3.5-5.1	ISE Direct
Chloride	106	mmol/L	98-108	ISE Direct

**Interpretation:**

- The kidneys, located in the retroperitoneal space in the abdomen, are vital for patient health. They process several hundred liters of fluid a day and remove around two liters of waste products from the bloodstream. The volume of fluid that passes through the kidneys each minute is closely linked to cardiac output. The kidneys maintain the body's balance of water and concentration of minerals such as sodium, potassium, and phosphorus in blood and remove waste by-products from the blood after digestion, muscle activity and exposure to chemicals or medications. They also produce renin which helps regulate blood pressure, produce erythropoietin which stimulates red blood cell production, and produce an active form of vitamin D, needed for bone health.

\*\*\* End Of Report \*\*\*

Laboratory is NABL Accredited



*Dr. Vaishnavi*  
DR. VAISHNAVI  
MD BIOCHEMISTRY



**REPORT**

Name	: Mr. VINAY	Sample ID	: A0013240
Age/Gender	: 45 Years/Male	Reg. No	: 0312402040013
Referred by	: Dr. JAYANTHI RAMESH	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 04-Feb-2024 09:12 AM
Primary Sample	: Whole Blood	Received On	: 04-Feb-2024 03:15 PM
Sample Tested In	: Serum	Reported On	: 04-Feb-2024 05:12 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

**CLINICAL BIOCHEMISTRY**

**HEALTH PROFILE A-1 PACKAGE**

Test Name	Results	Units	Ref. Range	Method
<b>Liver Function Test (LFT)</b>				
Bilirubin(Total)	1.3	mg/dL	0.3-1.2	Diazo
Bilirubin (Direct)	0.2	mg/dL	0.0 - 0.5	Diazo
Bilirubin (Indirect)	1.1	mg/dL	0.2-1.0	Calculated
Aspartate Aminotransferase (AST/SGOT)	24	U/L	5-40	IFCC with out (P-5-P)
Alanine Aminotransferase (ALT/SGPT)	20	U/L	0-55	IFCC with out (P-5-P)
Alkaline Phosphatase(ALP)	55	U/L	40-150	Kinetic PNPP-AMP
Gamma Glutamyl Transpeptidase (GGTP)	36	U/L	15-85	IFCC
Protein - Total	7.0	g/dL	6.4-8.2	Biuret
Albumin	4.1	g/dL	3.4-5.0	Bromocresol purple (BCP)
Globulin	2.9	g/dL	2.0-4.2	Calculated
A:G Ratio	1.41	%	0.8-2.0	Calculated
SGOT/SGPT Ratio	1.20			

- **Alanine Aminotransferase(ALT)** is an enzyme found in liver and kidneys cells. ALT helps create energy for liver cells. Damaged liver cells release ALT into the bloodstream, which can elevate ALT levels in the blood.
- **Aspartate Aminotransferase (AST)** is an enzyme in the liver and muscles that helps metabolizes amino acids. Similarly to ALT, elevated AST levels may be a sign of liver damage or liver disease.
- **Alkaline phosphate (ALP)** is an enzyme present in the blood. ALP contributes to numerous vital bodily functions, such as supplying nutrients to the liver, promoting bone growth, and metabolizing fat in the intestines.
- **Gamma-glutamyl Transpeptidase (GGTP)** is an enzyme that occurs primarily in the liver, but it is also present in the kidneys, pancreas, gallbladder, and spleen. Higher than normal concentrations of GGTP in the blood may indicate alcohol-related liver damage. Elevated GGTP levels can also increase the risk of developing certain types of cancer.
- **Bilirubin** is a waste product that forms when the liver breaks down red blood cells. Bilirubin exits the body as bile in stool. High levels of bilirubin can cause jaundice - a condition in which the skin and whites of the eyes turn yellow- and may indicate liver damage.
- **Albumin** is a protein that the liver produces. The liver releases albumin into the bloodstream, where it helps fight infections and transport vitamins, hormones, and enzymes throughout the body. Liver damage can cause abnormally low albumin levels.

Result rechecked and verified for abnormal cases

\*\*\* End Of Report \*\*\*

Laboratory is NABL Accredited



*Dr. Vaishnavi*  
**DR. VAISHNAVI**  
**MD BIOCHEMISTRY**

**REPORT**

Name	: Mr. VINAY	Sample ID	: A0013240
Age/Gender	: 45 Years/Male	Reg. No	: 0312402040013
Referred by	: Dr. JAYANTHI RAMESH	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 04-Feb-2024 09:12 AM
Primary Sample	: Whole Blood	Received On	: 04-Feb-2024 03:15 PM
Sample Tested In	: Serum	Reported On	: 04-Feb-2024 05:12 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

**CLINICAL BIOCHEMISTRY**

**HEALTH PROFILE A-1 PACKAGE**

Test Name	Results	Units	Ref. Range	Method
-----------	---------	-------	------------	--------

**Thyroid Profile-I(TFT)**

<b>T3 (Triiodothyronine)</b>	82.36	ng/dL	70-204	CLIA
<b>T4 (Thyroxine)</b>	5.2	µg/dL	3.2-12.6	CLIA
<b>TSH -Thyroid Stimulating Hormone</b>	<b>32.36</b>	µIU/mL	0.35-5.5	CLIA

**Pregnancy & Cord Blood**

T3 (Triiodothyronine):	T4 (Thyroxine)	TSH (Thyroid Stimulating Hormone)
First Trimester : 81-190 ng/dL	15 to 40 weeks:9.1-14.0 µg/dL	First Trimester : 0.24-2.99 µIU/mL
Second&Third Trimester :100-260 ng/dL		Second Trimester: 0.46-2.95 µIU/mL
		Third Trimester : 0.43-2.78 µIU/mL
Cord Blood: 30-70 ng/dL	Cord Blood: 7.4-13.0 µg/dL	Cord Blood: : 2.3-13.2 µIU/mL

**Interpretation:**

- Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.
- Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.
- Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

Correlate Clinically.

Result rechecked and verified for abnormal cases

Laboratory is NABL Accredited

\*\*\* End Of Report \*\*\*



*Dr. Vaishnavi*  
**DR. VAISHNAVI**  
**MD BIOCHEMISTRY**