

Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name: Mrs. MAMATHASample ID: A0013455Age/Gender: 49 Years/FemaleReg. No: 0312402140003Referred by: Dr. VISHVESHWARSPP Code: SPL-CV-172Referring Customer: V CARE MEDICAL DIAGNOSTICSCollected On: 14-Feb-2024 09:30 AM

Primary Sample : Whole Blood Received On : 14-Feb-2024 09:30 AM

Sample Tested In : Whole Blood EDTA Reported On : 14-Feb-2024 02:43 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

HAEMATOLOGY

HEALTH PROFILE A-2 PACKAGE Test Name Results Units Ref. Range Method **COMPLETE BLOOD COUNT (CBC)** 11.5 g/dL 12-15 Cynmeth Method Haemoglobin (Hb) **RBC Count** 10^12/L 5.62 4.5-5.5 Cell Impedence Haematocrit (HCT) 36.4 % 40-50 Calculated MCV 65 fl 81-101 Calculated **MCH** 20.4 27-32 Calculated pg **MCHC** 31.5 g/dL 32.5-34.5 Calculated **RDW-CV** Calculated 15.7 % 11.6-14.0 **Platelet Count (PLT)** 240 10^9/L 150-410 Cell Impedance 10^9/L **Total WBC Count** 4.0-10.0 9.7 Impedance **Neutrophils** 40-70 Cell Impedence 10^9/L **Absolute Neutrophils Count** 4.66 2.0-7.0 Impedence 40 20-40 Cell Impedence Lymphocytes **Absolute Lymphocyte Count** 10^9/L 3.88 1.0-3.0 Impedence 80 2-10 Monocytes Microscopy **Absolute Monocyte Count** 0.78 10^9/L 0.2-1.0 Calculated **Eosinophils** 04 % 1-6 Microscopy **Absolute Eosinophils Count** 0.39 10^9/L 0.02-0.5 Calculated **Basophils** % 1-2 Microscopy **Absolute Basophil ICount** 0.00 10^9/L 0.0-0.3 Calculated Atypical cells / Blasts % **Morphology WBC** Within Normal Limits **RBC** Anisocytosis with Normocytic normochromic and few Microcytic hypochromic

Result rechecked and verified for abnormal cases

*** End Of Report ***

Adequate.

Laboratory is NABL Accredited



Platelets





Swarnabala - M DR.SWARNA BALA MD PATHOLOGY

Microscopy



Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. MAMATHA Sample ID : A0013455

Age/Gender : 49 Years/Female Reg. No : 0312402140003 Referred by : Dr. VISHVESHWAR SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 14-Feb-2024 09:30 AM

Primary Sample : Whole Blood EDTA Received On : 14-Feb-2024 01:08 PM Reported On : 14-Feb-2024 03:32 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

HAEMATOLOGY

HEALTH PROFILE A-2 PACKAGE

Test Name Results Units Ref. Range Method

Erythrocyte Sedimentation Rate (ESR) 8 10 or less Westergren method

Comments: ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.









Swarnabala - M DR.SWARNA BALA MD PATHOLOGY





Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

GOD-POD

Hexokinase (HK)

REPORT

Name: Mrs. MAMATHASample ID: A0013456, A0013457Age/Gender: 49 Years/FemaleReg. No: 0312402140003Referred by: Dr. VISHVESHWARSPP Code: SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 14-Feb-2024 09:30 AM Primary Sample : Whole Blood Received On : 14-Feb-2024 01:00 PM

Sample Tested In : Plasma-NaF(F), Plasma-NaF(PP) Reported On : 14-Feb-2024 02:34 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

GLUCOSE POST PRANDIAL (PP)

mg/dL

70-100

70-140

Test Name Results Units Ref. Range Method

Glucose Fasting (F) 117 mg/dL

Interpretation of Plasma Glucose based on ADA guidelines 2018

Diagnosis	FastingPlasma Glucose(mg/dL)	2hrsPlasma Glucose(mg/dL)	HbA1c(%)	RBS(mg/dL)
Prediabetes	100-125	140-199	5.7-6.4	NA
Diabetes	>= 126	>= 200		>=200(with symptoms)

Reference: Diabetes care 2018:41(suppl.1):S13-S27

Glucose Post Prandial (PP) 137

Interpretation	Interpretation of Plasma Glucose based on ADA guidelines 2018							
II III ANNOEIE	3	2hrsPlasma Glucose(mg/dL)	HbA1c(%)	RBS(mg/dL)				
Prediabetes	100-125	140-199	5.7-6.4	NA				
Diabetes	> = 126	>= 200		>=200(with symptoms)				

Reference: Diabetes care 2018:41(suppl.1):S13-S27

- Postprandial glucose level is a screening test for Diabetes Mellitus
- $\bullet~$ If glucose level is $>\!140$ mg/dL and $<\!200$ mg/dL, then GTT (glucose tolerance test) is advised.
- If level after 2 hours = >200 mg/dL diabetes mellitus is confirmed.
- Advise HbA1c for further evaluation.

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited







DR.VAISHNAVI MD BIOCHEMISTRY



Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name: Mrs. MAMATHASample ID: A0013455, A0013453Age/Gender: 49 Years/FemaleReg. No: 0312402140003Referred by: Dr. VISHVESHWARSPP Code: SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 14-Feb-2024 09:30 AM Primary Sample : Whole Blood Received On : 14-Feb-2024 01:08 PM

Sample Tested In : Whole Blood EDTA, Serum Reported On : 14-Feb-2024 04:18 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-2 PACKAGE

Test Name	Results	Units	Ref. Range	Method
Glycated Hemoglobin (HbA1c)	6.3	%	Non Diabetic: < 5.7 Pre diabetic: 5.7-6.4 Diabetic: >= 6.5	HPLC
Mean Plasma Glucose	134.11	mg/dL		Calculated

Interpretation:

• Glycated hemoglobins (GHb), also called glycohemoglobins, are substances formed when glucose binds to hemoglobin, and occur in amounts proportional to the concentration of serum glucose. Since red blood cells survive an average of 120 days, the measurement of GHb provides an index of a person's average blood glucose concentration (glycemia) during the preceding 2-3 months. Normally, only 4% to 6% of hemoglobin is bound to glucose, while elevated glycohemoglobin levels are seen in diabetes and other hyperglycemic states

Mean Plasma Glucose(MPG): This Is Mathematical Calculations Where Glycated Hb Can Be Correlated With Daily Mean Plasma Glucose Level

Calcium8.9mg/dL8.5-10.1o-cresolphthalein
complexone (OCPC)

*** End Of Report ***

Laboratory is NABL Accredited











Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. MAMATHA Sample ID : A0013453

Age/Gender : 49 Years/Female Reg. No : 0312402140003

Referred by : Dr. VISHVESHWAR SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 14-Feb-2024 09:30 AM
Primary Sample : Whole Blood Received On : 14-Feb-2024 01:08 PM
Sample Tested In : Serum Reported On : 14-Feb-2024 04:04 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-2 PACKAGE

Test Name	Results	Units	Ref. Range	Method
Lipid Profile				
Cholesterol Total	199	mg/dL	< 200	CHOD-POD
Triglycerides-TGL	183	mg/dL	< 150	GPO-POD
Cholesterol-HDL	42	mg/dL	40-60	Direct
Cholesterol-LDL	120.4	mg/dL	< 100	Calculated
Cholesterol- VLDL	36.6	mg/dL	7-35	Calculated
Non HDL Cholesterol	157	mg/dL	< 130	Calculated
Cholesterol Total /HDL Ratio	4.74	%	0-4.0	Calculated
HDL / LDL Ratio	0.35			
LDL/HDL Ratio	2.87	%	0-3.5	Calculated

The National Cholesterol Education program's third Adult Treatment Panel (ATPIII) has issued its recommendations on evaluating and treating lipid discorders for primary and secondary.

NCEP Recommendations	Cholesterol Total in (mg/dL)	Triglycerides in (mg/dL)	HDL Cholesterol (mg/dL)	I DI Chalactaral	Non HDL Cholesterol in (mg/dL)
(C)ntimai	Adult: < 200 Children: < 170	< 150	40-59	Adult:<100 Children: <110	<130
Above Optimal				100-129	130 - 159
Rorderline High	Adult: 200-239 Children:171-199	150-199		Adult: 130-159 Children: 111-129	160 - 189
High	Adult:>or=240 Children:>or=200	200-499	≥ 60	Adult:160-189 Children:>or=130	190 - 219
Very High		>or=500		Adult: >or=190	>=220

Note: LDL cholesterol cannot be calculated if triglyceride is >400 mg/dL (Friedewald's formula). Calculated values not provided for LDL and VLDL

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited







DR.VAISHNAVI MD BIOCHEMISTRY





Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. MAMATHA Sample ID : A0013453 Age/Gender : 49 Years/Female Reg. No : 0312402140003 Referred by SPP Code : Dr. VISHVESHWAR : SPL-CV-172 Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 14-Feb-2024 09:30 AM Primary Sample : Whole Blood Received On : 14-Feb-2024 01:08 PM Sample Tested In : Serum Reported On : 14-Feb-2024 04:04 PM Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-2 PACKAGE						
Test Name	Results	Units	Ref. Range	Method		
Kidney Profile-KFT						
Creatinine -Serum	0.69	mg/dL	0.60-1.10	Sarcosine oxidase		
Urea-Serum	19.4	mg/dL	12.8-42.8	Glutamate dehydrogenase+Calculation		
Blood Urea Nitrogen (BUN)	9.07	mg/dL	7.0-18.0	Calculated		
BUN / Creatinine Ratio	13.14		6 - 22			
Uric Acid	3.6	mg/dL	2.6-6.0	Uricase		
Sodium	139	mmol/L	136-145	ISE Direct		
Potassium	3.8	mmol/L	3.5-5.1	ISE Direct		
Chloride	105	mmol/L	98-108	ISE Direct		

Interpretation:

• The kidneys, located in the retroperitoneal space in the abdomen, are vital for patient health. They process several hundred liters of fluid a day and remove around two liters of waste products from the bloodstream. The volume of fluid that passes though the kidneys each minute is closely linked to cardiac output. The kidneys maintain the body's balance of water and concentration of minerals such as sodium, potassium, and phosphorus in blood and remove waste by-products from the blood after digestion, muscle activity and exposure to chemicals or medications. They also produce renin which helps regulate blood pressure, produce erythropoietin which stimulates red blood cell production, and produce an active form of vitamin D, needed for bone health.

*** End Of Report ***

Laboratory is NABL Accredited











Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. MAMATHA Sample ID : A0013453 Age/Gender : 49 Years/Female Reg. No : 0312402140003 Referred by SPP Code : Dr. VISHVESHWAR : SPL-CV-172 Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 14-Feb-2024 09:30 AM Primary Sample : Whole Blood : 14-Feb-2024 01:08 PM Received On Sample Tested In : Serum Reported On : 14-Feb-2024 04:05 PM Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY HEALTH PROFILE A-2 PACKAGE

		COLIEL A 2	TAGNAGE	
Test Name	Results	Units	Ref. Range	Method
Liver Function Test (LFT)				
Bilirubin(Total)	0.9	mg/dL	0.3-1.2	Diazo
Bilirubin (Direct)	0.	mg/dL	0.0 - 0.2	Diazo
Bilirubin (Indirect)	0.9	mg/dL	0.2-1.0	Calculated
Aspartate Aminotransferase (AST/SGOT)	66	U/L	5-40	IFCC with out (P-5-P)
Alanine Aminotransferase (ALT/SGPT)	57	U/L	0-55	IFCC with out (P-5-P)
Alkaline Phosphatase(ALP)	127	U/L	40-150	Kinetic PNPP-AMP
Gamma Glutamyl Transpeptidase (GGTP)	41	U/L	5-55	IFCC
Protein - Total	7.7	g/dL	6.4-8.2	Biuret
Albumin	3.6	g/dL	3.4-5.0	Bromocresol purple (BCP)
Globulin	4.1	g/dL	2.0-4.2	Calculated
A:G Ratio	0.88	%	0.8-2.0	Calculated
SGOT/SGPT Ratio	1.16			

- Alanine Aminotransferase(ALT) is an enzyme found in liver and kidneys cells. ALT helps create energy for liver cells. Damaged liver cells release ALT into the bloodstream, which can elevate ALT levels in the blood.
- Aspartate Aminotransferase (AST) is an enzyme in the liver and muscles that helps metabolizes amino acids. Similarly to ALT, elevated AST levels may be a sign of liver damage or liver disease.
- Alkaline phosphate (ALP) is an enzyme present in the blood. ALP contributes to numerous vital bodily functions, such as supplying nutrients to the liver, promoting bone growth, and metabolizing fat in the intestines.
- Gamma-glutamyl Transpeptidase (GGTP) is an enzyme that occurs primarily in the liver, but it is also present in the kidneys, pancreas, gallbladder, and spleen. Higher than normal concentrations of GGTP in the blood may indicate alcohol-related liver damage. Elevated GGTP levels can also increase the risk of developing certain types of cancer.
- Bilirubin is a waste product that forms when the liver breaks down red blood cells. Bilirubin exits the body as bile in stool. High levels of bilirubin can cause jaundice a condition in which the skin and whites of the eyes turn yellow- and may indicate liver damage.
- Albumin is a protein that the liver produces. The liver releases albumin into the bloodstream, where it helps fight infections and transport vitamins, hormones, and enzymes throughout the body. Liver damage can cause abnormally low albumin levels.

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited







DR.VAISHNAVI MD BIOCHEMISTRY





Lab Address: - # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. MAMATHA Sample ID : A0013453 Age/Gender : 49 Years/Female Reg. No : 0312402140003 Referred by : Dr. VISHVESHWAR SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 14-Feb-2024 09:30 AM Primary Sample : Whole Blood : 14-Feb-2024 01:08 PM Received On Sample Tested In : Serum Reported On : 14-Feb-2024 02:35 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-2 PACKAGE Unite

Test Name	Results	Units	Ref. Range	Method	
Thyroid Profile-I(TFT)					
T3 (Triiodothyronine)	145.98	ng/dL	70-204	CLIA	
T4 (Thyroxine)	10.2	μg/dL	3.2-12.6	CLIA	
TSH -Thyroid Stimulating Hormone	3.54	μIU/mL	0.35-5.5	CLIA	

Pregnancy & Cord Blood

T3 (Triiodothyronine	e):	T4 (Thyroxine)	TSH (Thyroid Stimulating Hormone)
First Trimester	: 81-190 ng/dL	15 to 40 weeks:9.1-14.0 μg/dL	First Trimester : 0.24-2.99 µIU/mL
Second&Third Trimes	ster :100-260 ng/dL		Second Trimester: 0.46-2.95 µIU/mL
			Third Trimester : 0.43-2.78 µIU/mL
Cord Blood: 30-70 ng	/dL	Cord Blood: 7.4-13.0 μg/dL	Cord Blood: : 2.3-13.2 µIU/mL

Interpretation:

- Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.
- Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.
- Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

*** End Of Report ***

Laboratory is NABL Accredited











Lab Address: - # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. MAMATHA Sample ID : A0013453 Age/Gender : 49 Years/Female Reg. No : 0312402140003

Referred by SPP Code : Dr. VISHVESHWAR : SPL-CV-172

Referring Customer: V CARE MEDICAL DIAGNOSTICS Collected On : 14-Feb-2024 09:30 AM

Primary Sample : Whole Blood : 14-Feb-2024 01:08 PM Received On Sample Tested In : Serum Reported On : 14-Feb-2024 04:05 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-2 PACKAGE Unite

Test Name	Results	Units	Ref. Range	Method	
Iron Profile-I					
Iron(Fe)	83	μg/dL	50-170	Ferene	
Total Iron Binding Capacity (TIBC)	369	μg/dL	250-450	Ferene	
Transferrin	258.04	mg/dL	250-380	Calculated	
Iron Saturation((% Transferrin Saturation)	22.49	%	15-50	Calculated	
Unsaturated Iron Binding Capacity (UIBC)	286	ug/dL	110-370	FerroZine	

Interpretation:

- Serum transferrin (and TIBC) high, serum iron low, saturation low. Usual causes of depleted iron stores include blood loss, inadequate dietary iron. RBCs in moderately severe iron deficiency are hypochromic and microcytic. Stainable marrow iron is absent. Serum ferritin decrease is the earliest indicator of iron deficiency if inflammation is absent.
- Anemia of chronic disease: Serum transferrin (and TIBC) low to normal, serum iron low, saturation low or normal. Transferrin decreases with many inflammatory diseases. With chronic disease there is a block in movement to and utilization of iron by marrow. This leads to low serum iron and decreased erythropoiesis. Examples include acute and chronic infections, malignancy and renal failure.
- Sideroblastic Anemia: Serum transferrin (and TIBC) normal to low, serum iron normal to high, saturation high.
- Hemolytic Anemia: Serum transferrin (and TIBC) normal to low, serum iron high, saturation high.
- Hemochromatosis: Serum transferrin (and TIBC) slightly low, serum iron high, saturation very high.
- Protein depletion: Serum transferrin (and TIBC) may be low, serum iron normal or low (if patient also is iron deficient). This may occur as a result of malnutrition, liver disease, renal
- Liver disease: Serum transferrin variable; with acute viral hepatitis, high along with serum iron and ferritin. With chronic liver disease (eg, cirrhosis), transferrin may be low. Patients who have cirrhosis and portacaval shunting have saturated TIBC/transferrin as well as high ferritin.

Correlate Clinically.

Laboratory is NABL Accredited

*** End Of Report ***







