

**REPORT**

|                    |                                      |               |                        |
|--------------------|--------------------------------------|---------------|------------------------|
| Name               | : Mrs. SAMATHA T                     | Sample ID     | : A0093278             |
| Age/Gender         | : 30 Years/Female                    | Reg. No       | : 0312402180007        |
| Referred by        | : Dr. K J N REDDY                    | SPP Code      | : SPL-CV-172           |
| Referring Customer | : V CARE MEDICAL DIAGNOSTICS         | Collected On  | : 18-Feb-2024 08:19 AM |
| Primary Sample     | : Whole Blood                        | Received On   | : 18-Feb-2024 10:34 AM |
| Sample Tested In   | : Serum                              | Reported On   | : 18-Feb-2024 03:29 PM |
| Client Address     | : Kimtee colony ,Gokul Nagar,Tarnaka | Report Status | : Final Report         |

**CLINICAL BIOCHEMISTRY**

| Test Name                       | Results      | Units | Ref. Range | Method             |
|---------------------------------|--------------|-------|------------|--------------------|
| <b>C-Reactive protein-(CRP)</b> | <b>34.84</b> | mg/L  | Upto:6.0   | Immunoturbidimetry |

**Interpretation:**

C-reactive protein (CRP) is produced by the liver. The level of CRP rises when there is inflammation throughout the body. It is one of a group of proteins called acute phase reactants that go up in response to inflammation. The levels of acute phase reactants increase in response to certain inflammatory proteins called cytokines. These proteins are produced by white blood cells during inflammation.

A positive test means you have inflammation in the body. This may be due to a variety of conditions, including:

- Connective tissue disease
- Heart attack
- Infection
- Inflammatory bowel disease (IBD)
- Lupus
- Pneumonia
- Rheumatoid arthritis



*Dr. Vaishnavi*  
**DR.VAISHNAVI**  
**MD BIOCHEMISTRY**

**REPORT**

|                    |                                      |               |                        |
|--------------------|--------------------------------------|---------------|------------------------|
| Name               | : Mrs. SAMATHA T                     | Sample ID     | : A0093279             |
| Age/Gender         | : 30 Years/Female                    | Reg. No       | : 0312402180007        |
| Referred by        | : Dr. K J N REDDY                    | SPP Code      | : SPL-CV-172           |
| Referring Customer | : V CARE MEDICAL DIAGNOSTICS         | Collected On  | : 18-Feb-2024 08:19 AM |
| Primary Sample     | : Whole Blood                        | Received On   | : 18-Feb-2024 10:34 AM |
| Sample Tested In   | : Whole Blood EDTA                   | Reported On   | : 18-Feb-2024 03:50 PM |
| Client Address     | : Kimtee colony ,Gokul Nagar,Tarnaka | Report Status | : Final Report         |

**HAEMATOLOGY**

**FEVER PROFILE**

| Test Name | Results | Units | Ref. Range | Method |
|-----------|---------|-------|------------|--------|
|-----------|---------|-------|------------|--------|

**MALARIA ANTIGEN (VIVAX & FALCIPARUM)**

|                                 |          |  |          |                       |
|---------------------------------|----------|--|----------|-----------------------|
| <b>Plasmodium Vivax Antigen</b> | Negative |  | Negative | Immuno Chromatography |
| <b>Plasmodium Falciparum</b>    | Negative |  | Negative | Immuno Chromatography |

**Note :**

- In the gametogony stage, P.Falciparum may not secreted. Such carriers may show falsely negative result.
- This test is used to indicate therapeutic response. Positive test results 5 - 10 days post treatment indicate the possibility of a resistant strain of malaria.

**Comments :**

Malaria is protozoan parasitic infection, prevalent in the Tropical & Subtropical areas of the world. Four species of plasmodium paraties are responsible for malaria infections in human viz. P.Falciparum, p.Vivax, P.Ovale & P.malariae. Falciparum infections are associateed with Cerebral malaria and drug resistance where as vivex infection is associated with high rate of infectivity and relapse. Differentiation between P.Falciparum and P.Vivex is utmost importance for better patient management and speedy recovery.



*Swannabala - M*  
**DR.SWARNA BALA**  
MD PATHOLOGY

**REPORT**

|                    |                                       |               |                        |
|--------------------|---------------------------------------|---------------|------------------------|
| Name               | : Mrs. SAMATHA T                      | Sample ID     | : A0093279             |
| Age/Gender         | : 30 Years/Female                     | Reg. No       | : 0312402180007        |
| Referred by        | : Dr. K J N REDDY                     | SPP Code      | : SPL-CV-172           |
| Referring Customer | : V CARE MEDICAL DIAGNOSTICS          | Collected On  | : 18-Feb-2024 08:19 AM |
| Primary Sample     | : Whole Blood                         | Received On   | : 18-Feb-2024 10:34 AM |
| Sample Tested In   | : Whole Blood EDTA                    | Reported On   | : 18-Feb-2024 03:50 PM |
| Client Address     | : Kimtee colony ,Gokul Nagar ,Tarnaka | Report Status | : Final Report         |

**HAEMATOLOGY**

**FEVER PROFILE**

| Test Name                         | Results                               | Units               | Ref. Range | Method         |
|-----------------------------------|---------------------------------------|---------------------|------------|----------------|
| <b>COMPLETE BLOOD COUNT (CBC)</b> |                                       |                     |            |                |
| Haemoglobin (Hb)                  | 11.8                                  | g/dL                | 12-15      | Cynmeth Method |
| RBC Count                         | 4.31                                  | 10 <sup>12</sup> /L | 4.5-5.5    | Cell Impedence |
| Haematocrit (HCT)                 | 35.9                                  | %                   | 40-50      | Calculated     |
| MCV                               | 84                                    | fl                  | 81-101     | Calculated     |
| MCH                               | 27.3                                  | pg                  | 27-32      | Calculated     |
| MCHC                              | 32.8                                  | g/dL                | 32.5-34.5  | Calculated     |
| RDW-CV                            | 12.9                                  | %                   | 11.6-14.0  | Calculated     |
| Platelet Count (PLT)              | 200                                   | 10 <sup>9</sup> /L  | 150-410    | Cell Impedance |
| Total WBC Count                   | 5.7                                   | 10 <sup>9</sup> /L  | 4.0-10.0   | Impedance      |
| Neutrophils                       | 70                                    | %                   | 40-70      | Cell Impedance |
| Absolute Neutrophils Count        | 3.99                                  | 10 <sup>9</sup> /L  | 2.0-7.0    | Impedance      |
| Lymphocytes                       | 20                                    | %                   | 20-40      | Cell Impedance |
| Absolute Lymphocyte Count         | 1.14                                  | 10 <sup>9</sup> /L  | 1.0-3.0    | Impedance      |
| Monocytes                         | 06                                    | %                   | 2-10       | Microscopy     |
| Absolute Monocyte Count           | 0.34                                  | 10 <sup>9</sup> /L  | 0.2-1.0    | Calculated     |
| Eosinophils                       | 04                                    | %                   | 1-6        | Microscopy     |
| Absolute Eosinophils Count        | 0.23                                  | 10 <sup>9</sup> /L  | 0.02-0.5   | Calculated     |
| Basophils                         | 0                                     | %                   | 1-2        | Microscopy     |
| Absolute Basophil ICount          | 0.00                                  | 10 <sup>9</sup> /L  | 0.0-0.3    | Calculated     |
| Atypical cells / Blasts           | 0                                     | %                   |            |                |
| <b>Morphology</b>                 |                                       |                     |            |                |
| WBC                               | Within normal limits.                 |                     |            |                |
| RBC                               | Normocytic normochromic blood picture |                     |            |                |
| Platelets                         | Adequate                              |                     |            | Microscopy     |

Result rechecked and verified for abnormal cases

\*\*\* End Of Report \*\*\*

Laboratory is NABL Accredited



Swarnabala - M  
DR.SWARNA BALA  
MD PATHOLOGY

**REPORT**

|                    |                                       |               |                        |
|--------------------|---------------------------------------|---------------|------------------------|
| Name               | : Mrs. SAMATHA T                      | Sample ID     | : A0093279             |
| Age/Gender         | : 30 Years/Female                     | Reg. No       | : 0312402180007        |
| Referred by        | : Dr. K J N REDDY                     | SPP Code      | : SPL-CV-172           |
| Referring Customer | : V CARE MEDICAL DIAGNOSTICS          | Collected On  | : 18-Feb-2024 08:19 AM |
| Primary Sample     | : Whole Blood                         | Received On   | : 18-Feb-2024 10:34 AM |
| Sample Tested In   | : Whole Blood EDTA                    | Reported On   | : 18-Feb-2024 04:09 PM |
| Client Address     | : Kimtee colony ,Gokul Nagar, Tarnaka | Report Status | : Final Report         |

**HAEMATOLOGY**

**FEVER PROFILE**

| Test Name | Results | Units | Ref. Range | Method |
|-----------|---------|-------|------------|--------|
|-----------|---------|-------|------------|--------|

|   |           |  |            |                   |
|---|-----------|--|------------|-------------------|
| <b>Erythrocyte Sedimentation Rate (ESR)</b> | <b>19</b> |  | 10 or less | Westergren method |
|---|-----------|--|------------|-------------------|

**Comments :** ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.



Swannabala - M  
DR.SWARNA BALA  
MD PATHOLOGY

**REPORT**

|                    |                                      |               |                        |
|--------------------|--------------------------------------|---------------|------------------------|
| Name               | : Mrs. SAMATHA T                     | Sample ID     | : A0093263             |
| Age/Gender         | : 30 Years/Female                    | Reg. No       | : 0312402180007        |
| Referred by        | : Dr. K J N REDDY                    | SPP Code      | : SPL-CV-172           |
| Referring Customer | : V CARE MEDICAL DIAGNOSTICS         | Collected On  | : 18-Feb-2024 08:19 AM |
| Primary Sample     | :                                    | Received On   | : 18-Feb-2024 10:34 AM |
| Sample Tested In   | : Urine                              | Reported On   | : 18-Feb-2024 02:01 PM |
| Client Address     | : Kimtee colony ,Gokul Nagar,Tarnaka | Report Status | : Final Report         |

**CLINICAL PATHOLOGY**

**FEVER PROFILE**

| Test Name                                   | Results     | Units | Ref. Range           | Method                    |
|---|-------------|-------|----------------------|---------------------------|
| <b>Complete Urine Analysis (CUE)</b>        |             |       |                      |                           |
| <b>Physical Examination</b>                 |             |       |                      |                           |
| Colour                                      | Pale Yellow |       | Straw to light amber |                           |
| Appearance                                  | HAZY        |       | Clear                |                           |
| <b>Chemical Examination</b>                 |             |       |                      |                           |
| Glucose                                     | Negative    |       | Negative             | Strip Reflectance         |
| Protein                                     | (Trace)     |       | Negative             | Strip Reflectance         |
| Bilirubin (Bile)                            | Negative    |       | Negative             | Strip Reflectance         |
| Urobilinogen                                | Negative    |       | Negative             | Ehrlichs reagent          |
| Ketone Bodies                               | Negative    |       | Negative             | Strip Reflectance         |
| Specific Gravity                            | 1.025       |       | 1.000 - 1.030        | Strip Reflectance         |
| Blood                                       | (++)        |       | Negative             | Strip Reflectance         |
| Reaction (pH)                               | 6.0         |       | 5.0 - 8.5            | Reagent Strip Reflectance |
| Nitrites                                    | Negative    |       | Negative             | Strip Reflectance         |
| Leukocyte esterase                          | Negative    |       | Negative             | Reagent Strip Reflectance |
| <b>Microscopic Examination (Microscopy)</b> |             |       |                      |                           |
| PUS(WBC) Cells                              | 03-04       | /hpf  | 00-05                | Microscopy                |
| R.B.C.                                      | 08-10       | /hpf  | Nil                  | Microscopic               |
| Epithelial Cells                            | 01-02       | /hpf  | 00-05                | Microscopic               |
| Casts                                       | Absent      |       | Absent               | Microscopic               |
| Crystals                                    | Absent      |       | Absent               | Microscopic               |
| Bacteria                                    | Nil         |       | Nil                  |                           |
| Budding Yeast Cells                         | Nil         |       | Absent               | Microscopy                |

Result rechecked and verified for abnormal cases

\*\*\* End Of Report \*\*\*

Laboratory is NABL Accredited



Swannabala - M  
DR.SWARNA BALA  
MD PATHOLOGY

**REPORT**

|                    |                                      |               |                        |
|--------------------|--------------------------------------|---------------|------------------------|
| Name               | : Mrs. SAMATHA T                     | Sample ID     | : A0093278             |
| Age/Gender         | : 30 Years/Female                    | Reg. No       | : 0312402180007        |
| Referred by        | : Dr. K J N REDDY                    | SPP Code      | : SPL-CV-172           |
| Referring Customer | : V CARE MEDICAL DIAGNOSTICS         | Collected On  | : 18-Feb-2024 08:19 AM |
| Primary Sample     | : Whole Blood                        | Received On   | : 18-Feb-2024 10:34 AM |
| Sample Tested In   | : Serum                              | Reported On   | : 18-Feb-2024 12:42 PM |
| Client Address     | : Kimtee colony ,Gokul Nagar,Tarnaka | Report Status | : Final Report         |

**IMMUNOLOGY & SEROLOGY**

**FEVER PROFILE**

| Test Name                       | Results | Units | Ref. Range               | Method |
|---------------------------------|---------|-------|--------------------------|--------|
| <b>Widal Test (Slide Test)</b>  |         |       |                          |        |
| Salmonella typhi O Antigen      | <1:20   |       | 1:80 & Above Significant |        |
| Salmonella typhi H Antigen      | 1:80    |       | 1:80 & Above Significant |        |
| Salmonella paratyphi AH Antigen | <1:20   |       | 1:80 & Above Significant |        |
| Salmonella paratyphi BH Antigen | <1:20   |       | 1:80 & Above Significant |        |

Correlate Clinically.

Laboratory is NABL Accredited

\*\*\* End Of Report \*\*\*



**DR. RUTURAJ MANIKLAL KOLHAPURE**  
MD, MICROBIOLOGIST