

REPORT

Name	: Mr. MITHUN	Sample ID	: A0094008
Age/Gender	: 26 Years/Male	Reg. No	: 0312403180075
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 18-Mar-2024 08:55 PM
Primary Sample	: Whole Blood	Received On	: 18-Mar-2024 10:22 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 18-Mar-2024 10:29 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

HAEMATOLOGY

SAGEPATH CARE 1.2

Test Name	Results	Units	Ref. Range	Method
COMPLETE BLOOD COUNT (CBC)				
Haemoglobin (Hb)	16.7	g/dL	13-17	Cynmeth Method
RBC Count	5.33	10 ¹² /L	4.5-5.5	Cell Impedance
Haematocrit (HCT)	49.9	%	40-50	Calculated
MCV	94	fl	81-101	Calculated
MCH	31.3	pg	27-32	Calculated
MCHC	33.5	g/dL	32.5-34.5	Calculated
RDW-CV	13.5	%	11.6-14.0	Calculated
Platelet Count (PLT)	290	10 ⁹ /L	150-410	Cell Impedance
Total WBC Count	5.9	10 ⁹ /L	4.0-10.0	Impedance
Neutrophils	62	%	40-70	Cell Impedance
Absolute Neutrophils Count	3.66	10 ⁹ /L	2.0-7.0	Impedance
Lymphocytes	30	%	20-40	Cell Impedance
Absolute Lymphocyte Count	1.77	10 ⁹ /L	1.0-3.0	Impedance
Monocytes	06	%	2-10	Microscopy
Absolute Monocyte Count	0.35	10 ⁹ /L	0.2-1.0	Calculated
Eosinophils	02	%	1-6	Microscopy
Absolute Eosinophils Count	0.12	10 ⁹ /L	0.02-0.5	Calculated
Basophils	00	%	1-2	Microscopy
Absolute Basophil ICount	0.00	10 ⁹ /L	0.0-0.3	Calculated
Morphology				
WBC	Within Normal Limits			
RBC	Normocytic normochromic blood picture.			
Platelets	Adequate.			Microscopy



Swannabala - M
DR.SWARNA BALA
MD PATHOLOGY

REPORT

Name	: Mr. MITHUN	Sample ID	: A0094008, A0094007
Age/Gender	: 26 Years/Male	Reg. No	: 0312403180075
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 18-Mar-2024 08:55 PM
Primary Sample	: Whole Blood	Received On	: 18-Mar-2024 10:18 PM
Sample Tested In	: Whole Blood EDTA, Serum	Reported On	: 18-Mar-2024 11:25 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY

SAGEPATH CARE 1.2

Test Name	Results	Units	Ref. Range	Method
Glycated Hemoglobin (HbA1c)	5.4	%	Non Diabetic:< 5.7 Pre diabetic: 5.7-6.4 Diabetic:>= 6.5	HPLC
Mean Plasma Glucose	108.28	mg/dL		Calculated

Interpretation:

- Glycated hemoglobins (GHb), also called glycohemoglobins, are substances formed when glucose binds to hemoglobin, and occur in amounts proportional to the concentration of serum glucose. Since red blood cells survive an average of 120 days, the measurement of GHb provides an index of a person's average blood glucose concentration (glycemia) during the preceding 2-3 months. Normally, only 4% to 6% of hemoglobin is bound to glucose, while elevated glycohemoglobin levels are seen in diabetes and other hyperglycemic states
- Mean Plasma Glucose(MPG):This Is Mathematical Calculations Where Glycated Hb Can Be Correlated With Daily Mean Plasma Glucose Level

Calcium	9.2	mg/dL	8.5-10.1	o-cresolphthalein complexone (OCPC)
----------------	-----	-------	----------	-------------------------------------

*** End Of Report ***

Laboratory is NABL Accredited



Dr. Vaishnavi
DR. VAISHNAVI
MD BIOCHEMISTRY

REPORT

Name	: Mr. MITHUN	Sample ID	: A0094007
Age/Gender	: 26 Years/Male	Reg. No	: 0312403180075
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 18-Mar-2024 08:55 PM
Primary Sample	: Whole Blood	Received On	: 18-Mar-2024 10:18 PM
Sample Tested In	: Serum	Reported On	: 18-Mar-2024 11:25 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY

SAGEPATH CARE 1.2

Test Name	Results	Units	Ref. Range	Method
Lipid Profile				
Cholesterol Total	174	mg/dL	< 200	CHOD-POD
Triglycerides-TGL	182	mg/dL	< 150	GPO-POD
Cholesterol-HDL	42	mg/dL	40-60	Direct
Cholesterol-LDL	95.6	mg/dL	< 100	Calculated
Cholesterol- VLDL	36.4	mg/dL	7-35	Calculated
Non HDL Cholesterol	132	mg/dL	< 130	Calculated
Cholesterol Total /HDL Ratio	4.14	%	0-4.0	Calculated
HDL / LDL Ratio	0.44			
LDL/HDL Ratio	2.28	%	0-3.5	Calculated

The National Cholesterol Education program's third Adult Treatment Panel (ATPIII) has issued its recommendations on evaluating and treating lipid disorders for primary and secondary.

NCEP Recommendations	Cholesterol Total in (mg/dL)	Triglycerides in (mg/dL)	HDL Cholesterol (mg/dL)	LDL Cholesterol in (mg/dL)	Non HDL Cholesterol in (mg/dL)
Optimal	Adult: < 200 Children: < 170	< 150	40-59	Adult:<100 Children: <110	<130
Above Optimal	-----	-----		100-129	130 - 159
Borderline High	Adult: 200-239 Children:171-199	150-199		Adult: 130-159 Children: 111-129	160 - 189
High	Adult:>or=240 Children:>or=200	200-499	≥ 60	Adult:160-189 Children:>or=130	190 - 219
Very High	-----	>or=500		Adult: >or=190 -----	>=220

Note: LDL cholesterol cannot be calculated if triglyceride is >400 mg/dL (Friedewald's formula). Calculated values not provided for LDL and VLDL



Dr. Vaishnavi
DR. VAISHNAVI
MD BIOCHEMISTRY

REPORT

Name	: Mr. MITHUN	Sample ID	: A0094007
Age/Gender	: 26 Years/Male	Reg. No	: 0312403180075
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 18-Mar-2024 08:55 PM
Primary Sample	: Whole Blood	Received On	: 18-Mar-2024 10:18 PM
Sample Tested In	: Serum	Reported On	: 18-Mar-2024 11:25 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY

SAGEPATH CARE 1.2

Test Name	Results	Units	Ref. Range	Method
Kidney Profile-KFT				
Creatinine -Serum	0.98	mg/dL	0.70-1.30	Sarcosine oxidase
Urea-Serum	19.5	mg/dL	12.8-42.8	Glutamate dehydrogenase+Calculation
Blood Urea Nitrogen (BUN)	9.11	mg/dL	7.0-18.0	Calculated
BUN / Creatinine Ratio	9.30		6 - 22	
Uric Acid	5.9	mg/dL	3.5-7.2	Uricase
Sodium	141	mmol/L	136-145	ISE Direct
Potassium	4.0	mmol/L	3.5-5.1	ISE Direct
Chloride	102	mmol/L	98-108	ISE Direct
Liver Function Test (LFT)				
Bilirubin(Total)	1.0	mg/dL	0.3-1.2	Diazo
Bilirubin (Direct)	0.2	mg/dL	0.0 - 0.5	Diazo
Bilirubin (Indirect)	0.8	mg/dL	0.2-1.0	Calculated
Aspartate Aminotransferase (AST/SGOT)	28	U/L	5-40	IFCC with out (P-5-P)
Alanine Aminotransferase (ALT/SGPT)	36	U/L	0-55	IFCC with out (P-5-P)
Alkaline Phosphatase(ALP)	59	U/L	40-150	Kinetic PNPP-AMP
Gamma Glutamyl Transpeptidase (GGTP)	37	U/L	15-85	IFCC
Protein - Total	7.6	g/dL	6.4-8.2	Biuret
Albumin	4.4	g/dL	3.4-5.0	Bromocresol purple (BCP)
Globulin	3.2	g/dL	2.0-4.2	Calculated
A:G Ratio	1.38	%	0.8-2.0	Calculated
SGOT/SGPT Ratio	0.78			

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited



Dr. Vaishnavi
DR. VAISHNAVI
MD BIOCHEMISTRY

REPORT

Name	: Mr. MITHUN	Sample ID	: A0094007
Age/Gender	: 26 Years/Male	Reg. No	: 0312403180075
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 18-Mar-2024 08:55 PM
Primary Sample	: Whole Blood	Received On	: 18-Mar-2024 10:18 PM
Sample Tested In	: Serum	Reported On	: 18-Mar-2024 11:25 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY

SAGEPATH CARE 1.2

Test Name	Results	Units	Ref. Range	Method
-----------	---------	-------	------------	--------

Thyroid Profile-I(TFT)

T3 (Triiodothyronine)	99.63	ng/dL	70-204	CLIA
T4 (Thyroxine)	4.4	µg/dL	3.2-12.6	CLIA
TSH -Thyroid Stimulating Hormone	0.35	µIU/mL	0.35-5.5	CLIA

Pregnancy & Cord Blood

T3 (Triiodothyronine):	T4 (Thyroxine)	TSH (Thyroid Stimulating Hormone)
First Trimester : 81-190 ng/dL	15 to 40 weeks:9.1-14.0 µg/dL	First Trimester : 0.24-2.99 µIU/mL
Second&Third Trimester :100-260 ng/dL		Second Trimester: 0.46-2.95 µIU/mL
		Third Trimester : 0.43-2.78 µIU/mL
Cord Blood: 30-70 ng/dL	Cord Blood: 7.4-13.0 µg/dL	Cord Blood: : 2.3-13.2 µIU/mL

Interpretation:

- Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.
- Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.
- Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.



Dr. Vaishnavi
DR. VAISHNAVI
MD BIOCHEMISTRY

REPORT

Name	: Mr. MITHUN	Sample ID	: A0094007
Age/Gender	: 26 Years/Male	Reg. No	: 0312403180075
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 18-Mar-2024 08:55 PM
Primary Sample	: Whole Blood	Received On	: 18-Mar-2024 10:18 PM
Sample Tested In	: Serum	Reported On	: 18-Mar-2024 11:25 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY

SAGEPATH CARE 1.2

Test Name	Results	Units	Ref. Range	Method
Iron Profile-I				
Iron(Fe)	65	µg/dL	65-175	Ferene
Total Iron Binding Capacity (TIBC)	362	µg/dL	250-450	Ferene
Transferrin	253.15	mg/dL	215-365	Calculated
Iron Saturation((% Transferrin Saturation)	17.96	%	20-50	Calculated
Unsaturated Iron Binding Capacity (UIBC)	297	µg/dL	110 - 370	FerroZine

Interpretation:

- Serum transferrin (and TIBC) high, serum iron low, saturation low. Usual causes of depleted iron stores include blood loss, inadequate dietary iron. RBCs in moderately severe iron deficiency are hypochromic and microcytic. Stainable marrow iron is absent. Serum ferritin decrease is the earliest indicator of iron deficiency if inflammation is absent.
- **Anemia of chronic disease:** Serum transferrin (and TIBC) low to normal, serum iron low, saturation low or normal. Transferrin decreases with many inflammatory diseases. With chronic disease there is a block in movement to and utilization of iron by marrow. This leads to low serum iron and decreased erythropoiesis. Examples include acute and chronic infections, malignancy and renal failure.
- **Sideroblastic Anemia:** Serum transferrin (and TIBC) normal to low, serum iron normal to high, saturation high.
- **Hemolytic Anemia:** Serum transferrin (and TIBC) normal to low, serum iron high, saturation high.
- **Hemochromatosis:** Serum transferrin (and TIBC) slightly low, serum iron high, saturation very high.
- **Protein depletion:** Serum transferrin (and TIBC) may be low, serum iron normal or low (if patient also is iron deficient). This may occur as a result of malnutrition, liver disease, renal disease.
- **Liver disease:** Serum transferrin variable; with acute viral hepatitis, high along with serum iron and ferritin. With chronic liver disease (eg, cirrhosis), transferrin may be low. Patients who have cirrhosis and portacaval shunting have saturated TIBC/transferrin as well as high ferritin.



Dr. Vaishnavi
DR. VAISHNAVI
MD BIOCHEMISTRY

REPORT

Name	: Mr. MITHUN	Sample ID	: A0094005
Age/Gender	: 26 Years/Male	Reg. No	: 0312403180075
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 18-Mar-2024 08:55 PM
Primary Sample	:	Received On	: 18-Mar-2024 10:25 PM
Sample Tested In	: Urine	Reported On	: 18-Mar-2024 10:48 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL PATHOLOGY

Test Name	Results	Units	Ref. Range	Method
Complete Urine Analysis (CUE)				
Physical Examination				
Colour	Pale Yellow		Straw to light amber	
Appearance	Clear		Clear	
Chemical Examination				
Glucose	Negative		Negative	Strip Reflectance
Protein	Absent		Negative	Strip Reflectance
Bilirubin (Bile)	Negative		Negative	Strip Reflectance
Urobilinogen	Negative		Negative	Ehrlichs reagent
Ketone Bodies	Negative		Negative	Strip Reflectance
Specific Gravity	1.010		1.000 - 1.030	Strip Reflectance
Blood	Negative		Negative	Strip Reflectance
Reaction (pH)	6.0		5.0 - 8.5	Reagent Strip Reflectance
Nitrites	Negative		Negative	Strip Reflectance
Leukocyte esterase	Negative		Negative	Reagent Strip Reflectance
Microscopic Examination (Microscopy)				
PUS(WBC) Cells	02-03	/hpf	00-05	Microscopy
R.B.C.	Nil	/hpf	Nil	Microscopic
Epithelial Cells	01-02	/hpf	00-05	Microscopic
Casts	Absent		Absent	Microscopic
Crystals	Absent		Absent	Microscopic
Bacteria	Nil		Nil	
Budding Yeast Cells	Nil		Absent	Microscopy

Comments :Urine analysis is one of the most useful laboratory tests as it identifies a wide range of medical conditions including renal damage, urinary tract infections,diabetes, hypertension and drug toxicity.

Correlate Clinically.

Result rechecked and verified for abnormal cases
Laboratory is NABL Accredited

*** End Of Report ***



Swannabala - M
DR.SWARNA BALA
MD PATHOLOGY