

REPORT

Name	: Mrs. BOLLEPALLI SUSHILA	Sample ID	: A0094025
Age/Gender	: 46 Years/Female	Reg. No	: 0312403190032
Referred by	: Dr. NARESH DUDE	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 19-Mar-2024 11:18 AM
Primary Sample	: Whole Blood	Received On	: 19-Mar-2024 12:21 PM
Sample Tested In	: Citrated Plasma	Reported On	: 19-Mar-2024 06:42 PM
Client Address	: Kimtee colony ,Gokul Nagar, Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY

Test Name	Results	Units	Ref. Range	Method
D - DIMER, QUANTITATIVE	310	ng/mL	< 500	Up-converting Phosphor Technology

Interpretation:

D-dimer assay is intended for use in conjunction with a nonhigh clinical pretest probability (PTP) assessment model to exclude deep vein thrombosis (DVT) and pulmonary embolism (PE). This test can be used to exclude venous thromboembolism with nonhigh pretest probability (ie, low or low/moderate pretest probability). In an exclusion strategy, a D-dimer below the established threshold in a nonhigh pretest probability patient does not require further testing to exclude venous thromboembolism.

Correlate Clinically.

Laboratory is NABL Accredited

*** End Of Report ***



Dr. Vaishnavi
DR. VAISHNAVI
MD BIOCHEMISTRY