

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

-			REPORT -
Name	:	Mrs. B PAVANI	
Age/Gender	:	45 Years/Female	
Referred by	:	Dr. SELF	
Referring Customer	: '	V CARE MEDICAL DIAGNOSTICS	
Primary Sample	:	Whole Blood	
Sample Tested In	:	Whole Blood EDTA	
Client Address	:	Kimtee colony ,Gokul Nagar,Tarr	iaka

 Sample ID
 : A0094043

 Reg. No
 : 0312403220004

 SPP Code
 : SPL-CV-172

 Collected On
 : 22-Mar-2024 08:23 AM

 Received On
 : 22-Mar-2024 12:25 PM

 Reported On
 : 22-Mar-2024 01:22 PM

 Report Status
 : Final Report

HAEMATOLOGY				
	SAGE	EPATH CAR	E 1.2	
Test Name	Results	Units	Ref. Range	Method
COMPLETE BLOOD COUNT (CBC)				
Haemoglobin (Hb)	12.1	g/dL	12-15	Cynmeth Method
RBC Count	4.42	10^12/L	4.5-5.5	Cell Impedence
Haematocrit (HCT)	38.8	%	40-50	Calculated
MCV	88	fl	81-101	Calculated
МСН	27.3	pg	27-32	Calculated
мснс	31.2	g/dL	32.5-34.5	Calculated
RDW-CV	13.4	%	11.6-14.0	Calculated
Platelet Count (PLT)	335	10^9/L	150-410	Cell Impedance
Total WBC Count	8.1	10^9/L	4.0-10.0	Impedance
Neutrophils	63	%	40-70	Cell Impedence
Absolute Neutrophils Count	5.1	10^9/L	2.0-7.0	Impedence
Lymphocytes	29	%	20-40	Cell Impedence
Absolute Lymphocyte Count	2.35	10^9/L	1.0-3.0	Impedence
Monocytes	05	%	2-10	Microscopy
Absolute Monocyte Count	0.41	10^9/L	0.2-1.0	Calculated
Eosinophils	03	%	1-6	Microscopy
Absolute Eosinophils Count	0.24	10^9/L	0.02-0.5	Calculated
Basophils	0	%	1-2	Microscopy
Absolute Basophil ICount	0.00	10^9/L	0.0-0.3	Calculated
Atypical cells / Blasts	0	%		
Morphology				
WBC	Within Nor	mal Limits		
RBC	Normocytic	normochromic	;	
Platelets	Adequate.			Microscopy



Swarnabala - M DR.SWARNA BALA MD PATHOLOGY



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPO	RT	
Name	: Mrs. B PAVANI	Sample ID	: A0094043
Age/Gender	: 45 Years/Female	Reg. No	: 0312403220004
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 22-Mar-2024 08:23 AM
Primary Sample	: Whole Blood	Received On	: 22-Mar-2024 12:25 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 22-Mar-2024 01:22 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

	HA	AEMATOLO	DGY	
SAGEPATH CARE 1.2				
Test Name	Results	Units	Ref. Range	Method
Erythrocyte Sedimentation Rate (ESR)	4		10 or less	Westergren method

Comments : ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.



Swarnabala - M DR.SWARNA BALA MD PATHOLOGY



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

		2	n	T	
ĸ		IJ	ĸ		_

REPORT					
Name	: Mrs. B PAVANI	Sample ID	: A0094042, A0094046, A00940		
Age/Gender	: 45 Years/Female	Reg. No	: 0312403220004		
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172		
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 22-Mar-2024 08:23 AM		
Primary Sample	: Whole Blood	Received On	: 22-Mar-2024 12:25 PM		
Sample Tested In	: Plasma-NaF(F), Plasma-NaF(PP),	Reported On	: 22-Mar-2024 02:05 PM		
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report		

CLINICAL BIOCHEMISTRY

SAGEPATH CARE 1.2						
Test Name		Results	Units	Ref	. Range	Method
Glucose Fastin	g (F)	79	mg/dL	70-1	100	GOD-POD
Interpretation of P	lasma Glucose based on ADA g	guidelines 2018				
Diagnosis	FastingPlasma Glucose(mg/dL)	2hrsPlas Glucose(m		HbA1c(%)	RBS(mg/dL)	
Prediabetes	100-125	140-1	99	5.7-6.4	NA	
Diabetes	> = 126	> = 200	0	> = 6.5	>=200(with symptoms)	
Reference: Diat	petes care 2018:41(suppl.1)	:S13-S27				. /
Glucose Post P	Prandial (PP)	105	mg/dL	70-1	140	Hexokinase (HK)
Interpretation of I	Plasma Glucose based on ADA	guidelines 2018	1020			~~~

	J	2hrsPlasma Glucose(mg/dL)	HbA1c(%)	RBS(mg/dL)
Prediabetes	100-125	140-199	5.7-6.4	NA
Diabetes	> = 126	> = 200		>=200(with symptoms)

Reference: Diabetes care 2018:41(suppl.1):S13-S27

- Postprandial glucose level is a screening test for Diabetes Mellitus
- If glucose level is $>\!\!140$ mg/dL and $<\!\!200$ mg/dL, then GTT (glucose tolerance test) is advised.
- If level after 2 hours = >200 mg/dL diabetes mellitus is confirmed.
- Advise HbA1c for further evaluation.



BIOCHEMISTRY



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPOR	T T	
: Mrs. B PAVANI	Sample ID	: A0094042, A0094046, A00940
: 45 Years/Female	Reg. No	: 0312403220004
: Dr. SELF	SPP Code	: SPL-CV-172
: V CARE MEDICAL DIAGNOSTICS	Collected On	: 22-Mar-2024 08:23 AM
: Whole Blood	Received On	: 22-Mar-2024 12:25 PM
: Plasma-NaF(F), Plasma-NaF(PP),	Reported On	: 22-Mar-2024 02:05 PM
: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report
	: Mrs. B PAVANI : 45 Years/Female : Dr. SELF : V CARE MEDICAL DIAGNOSTICS : Whole Blood : Plasma-NaF(F), Plasma-NaF(PP),	: 45 Years/Female Reg. No : Dr. SELF SPP Code : V CARE MEDICAL DIAGNOSTICS Collected On : Whole Blood Received On : Plasma-NaF(F), Plasma-NaF(PP), Reported On

	CLINIC	AL BIOCHE	MISTRY	
	SAGEPATH CARE 1.2			
Test Name	Results	Units	Ref. Range	Method
Glycated Hemoglobin (HbA1c)	6.1	%	Non Diabetic:< 5.7 Pre diabetic: 5.7-6.4 Diabetic:>= 6.5	HPLC
Mean Plasma Glucose	128.37	mg/dL		Calculated

Interpretation:

• Glycated hemoglobins (GHb), also called glycohemoglobins, are substances formed when glucose binds to hemoglobin, and occur in amounts proportional to the concentration of serum glucose. Since red blood cells survive an average of 120 days, the measurement of GHb provides an index of a person's average blood glucose concentration (glycemia) during the preceding 2-3 months. Normally, only 4% to 6% of hemoglobin is bound to glucose, while elevated glycohemoglobin levels are seen in diabetes and other hyperglycemic states

• Mean Plasma Glucose(MPG): This Is Mathematical Calculations Where Glycated Hb Can Be Correlated With Daily Mean Plasma Glucose Level

Calcium	8.6	mg/dL	8.5-10.1	o-cresolphthalein complexone (OCPC)
Result rechecked and verified for abno		Of Report **	*	
Laboratory is NABL Accredited				







Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPORT
Name	: Mrs. B PAVANI
Age/Gender	: 45 Years/Female
Referred by	: Dr. SELF
Referring Customer	: V CARE MEDICAL DIAGNOSTICS
Primary Sample	: Whole Blood
Sample Tested In	: Serum
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka

: A0094044 Sample ID Reg. No : 0312403220004 SPP Code : SPL-CV-172 : 22-Mar-2024 08:23 AM Collected On Received On : 22-Mar-2024 12:25 PM Reported On : 22-Mar-2024 02:05 PM : Final Report **Report Status**

CLINICAL BIOCHEMISTRY					
SAGEPATH CARE 1.2					
Test Name	Results	Units	Ref. Range	Method	
Lipid Profile					
Cholesterol Total	151	mg/dL	< 200	CHOD-POD	
Triglycerides-TGL	254	mg/dL	< 150	GPO-POD	
Cholesterol-HDL	42	mg/dL	40-60	Direct	
Cholesterol-LDL	58.2	mg/dL	< 100	Calculated	
Cholesterol- VLDL	50.8	mg/dL	7-35	Calculated	
Non HDL Cholesterol	109	mg/dL	< 130	Calculated	
Cholesterol Total /HDL Ratio	3.6	%	0-4.0	Calculated	
HDL / LDL Ratio	0.72				
LDL/HDL Ratio	1.39	%	0-3.5	Calculated	

The National Cholesterol Education program's third Adult Treatment Panel (ATPIII) has issued its recommendations on evaluating and treating lipid discorders for primary and secondary.

NCEP Recommendations	Cholesterol Total in (mg/dL)	Triglycerides in (mg/dL)	HDL Cholesterol (mg/dL)	LDL Cholesterol	Non HDL Cholesterol in (mg/dL)
Ontimal	Adult: < 200 Children: < 170	< 150	40-59	Adult:<100 Children: <110	<130
Above Optimal				100-129	130 - 159
Borderline High	Adult: 200-239 Children:171-199	150-199		Adult: 130-159 Children: 111-129	160 - 189
HIAN	Adult:>or=240 Children:>or=200	200-499	≥ 60	Adult:160-189 Children:>or=130	190 - 219
Very High		>or=500		Adult: >or=190 	>=220

Note: LDL cholesterol cannot be calculated if triglyceride is >400 mg/dL (Friedewald's formula). Calculated values not provided for LDL and VLDL





BIOCHEMISTRY



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

Name	: Mrs. B PAVANI
Age/Gender	: 45 Years/Female
Referred by	: Dr. SELF
Referring Customer	: V CARE MEDICAL DIAGNOSTICS
Primary Sample	: Whole Blood
Sample Tested In	: Serum
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka

REPORT Sample II

Sample ID	: A0094044
Reg. No	: 0312403220004
SPP Code	: SPL-CV-172
Collected On	: 22-Mar-2024 08:23 AM
Received On	: 22-Mar-2024 12:25 PM
Reported On	: 22-Mar-2024 02:05 PM
Report Status	: Final Report

CLINICAL BIOCHEMISTRY				
SAGEPATH CARE 1.2				
Test Name	Results	Units	Ref. Range	Method
Kidney Profile-KFT				
Creatinine -Serum	0.61	mg/dL	0.60-1.10	Sarcosine oxidase
Urea-Serum	27.2	mg/dL	12.8-42.8	Glutamate dehydrogenase+Calculation
Blood Urea Nitrogen (BUN)	12.69	mg/dL	7.0-18.0	Calculated
BUN / Creatinine Ratio	20.80		6 - 22	
Uric Acid	5.27	mg/dL	2.6-6.0	Uricase
Sodium	141	mmol/L	136-145	ISE Direct
Potassium	4.0	mmol/L	3.5-5.1	ISE Direct
Chloride	102	mmol/L	98-108	ISE Direct
Liver Function Test (LFT)				
Bilirubin(Total)	0.3	mg/dL	0.3-1.2	Diazo
Bilirubin (Direct)	0.1	mg/dL	0.0 - 0.2	Diazo
Bilirubin (Indirect)	0.2	mg/dL	0.2-1.0	Calculated
Aspartate Aminotransferase (AST/SGOT)	16	U/L	5-40	IFCC with out (P-5-P)
Alanine Aminotransferase (ALT/SGPT)	13	U/L	0-55	IFCC with out (P-5-P)
Alkaline Phosphatase(ALP)	89	U/L	40-150	Kinetic PNPP-AMP
Gamma Glutamyl Transpeptidase (GGTP)	36	U/L	5-55	IFCC
Protein - Total	6.5	g/dL	6.4-8.2	Biuret
Albumin	4.0	g/dL	3.4-5.0	Bromocresol purple (BCP)
Globulin	2.5	g/dL	2.0-4.2	Calculated
A:G Ratio	1.6	%	0.8-2.0	Calculated
SGOT/SGPT Ratio	1.23			

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited







Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

Name	: Mrs. B PAVANI
Age/Gender	: 45 Years/Female
Referred by	: Dr. SELF
Referring Customer	: V CARE MEDICAL DIAGNOSTICS
Primary Sample	: Whole Blood
Sample Tested In	: Serum
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka

 Sample ID
 : A0094044

 Reg. No
 : 0312403220004

 SPP Code
 : SPL-CV-172

 Collected On
 : 22-Mar-2024 08:23 AM

 Received On
 : 22-Mar-2024 12:25 PM

 Reported On
 : 22-Mar-2024 02:05 PM

 Report Status
 : Final Report

CLINICAL BIOCHEMISTRY						
SAGEPATH CARE 1.2						
Test Name Results Units Ref. Range Method						
Thyroid Profile-I(TFT)						
T3 (Triiodothyronine)	98.36	ng/dL	70-204	CLIA		
T4 (Thyroxine)	7.2	µg/dL	3.2-12.6	CLIA		
TSH -Thyroid Stimulating Hormone	6.15	µIU/mL	0.35-5.5	CLIA		

Pregnancy & Cord Blood

T3 (Triiodothyronine):		T4 (Thyroxine)	TSH (Thyroid Stimulating Hormone)
First Trimester : 81-190 ng/dL		15 to 40 weeks:9.1-14.0 µg/dL	First Trimester : 0.24-2.99 µIU/mL
Second&Third Trimester :100-260 ng/dL			Second Trimester: 0.46-2.95 µIU/mL
			Third Trimester : 0.43-2.78 µIU/mL
Cord Blood: 30-70 ng	/dL	Cord Blood: 7.4-13.0 µg/dL	Cord Blood: : 2.3-13.2 µIU/mL

Interpretation:

• Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.

• Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.

- Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.







Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

-	REPO
Name	: Mrs. B PAVANI
Age/Gender	: 45 Years/Female
Referred by	: Dr. SELF
Referring Customer	: V CARE MEDICAL DIAGNOSTICS
Primary Sample	: Whole Blood
Sample Tested In	: Serum
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka

Sample ID : A0094044 Reg. No : 0312403220004 SPP Code : SPL-CV-172 Collected On : 22-Mar-2024 08:23 AM Received On : 22-Mar-2024 12:25 PM Reported On : 22-Mar-2024 02:05 PM **Report Status** : Final Report

CLINICAL BIOCHEMISTRY					
SAGEPATH CARE 1.2					
Test Name Results Units Ref. Range Method					
Iron Profile-I Iron(Fe) 62 µg/dL 50-170 Ferene					
Total Iron Binding Capacity (TIBC)	362	µg/dL	250-450	Ferene	
Transferrin	253.15	mg/dL	250-380	Calculated	
Iron Saturation((% Transferrin Saturation)	17.13	%	15-50	Calculated	
Unsaturated Iron Binding Capacity (UIBC)	300	ug/dL	110-370	FerroZine	

Interpretation:

Serum transferrin (and TIBC) high, serum iron low, saturation low. Usual causes of depleted iron stores include blood loss, inadequate dietary iron. RBCs in moderately severe iron deficiency are hypochromic and microcytic. Stainable marrow iron is absent. Serum ferritin decrease is the earliest indicator of iron deficiency if inflammation is absent

• Anemia of chronic disease: Serum transferrin (and TIBC) low to normal, serum iron low, saturation low or normal. Transferrin decreases with many inflammatory diseases. With chronic disease there is a block in movement to and utilization of iron by marrow. This leads to low serum iron and decreased erythropoiesis. Examples include acute and chronic infections, malignancy and renal failure.

• Sideroblastic Anemia: Serum transferrin (and TIBC) normal to low, serum iron normal to high, saturation high.

• Hemolytic Anemia: Serum transferrin (and TIBC) normal to low, serum iron high, saturation high.

Hemochromatosis: Serum transferrin (and TIBC) slightly low, serum iron high, saturation very high

Protein depletion: Serum transferrin (and TIBC) may be low, serum iron normal or low (if patient also is iron deficient). This may occur as a result of malnutrition, liver disease, renal • disease

• Liver disease: Serum transferrin variable; with acute viral hepatitis, high along with serum iron and ferritin. With chronic liver disease (eg, cirrhosis), transferrin may be low. Patients who have cirrhosis and portacaval shunting have saturated TIBC/transferrin as well as high ferritin.





OCHEMISTRY



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	KLFUKT		
Name	: Mrs. B PAVANI	Sample ID	: A0093881
Age/Gender	: 45 Years/Female	Reg. No	: 0312403220004
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 22-Mar-2024 08:23 AM
Primary Sample	:	Received On	: 22-Mar-2024 12:25 PM
Sample Tested In	: Urine	Reported On	: 22-Mar-2024 01:59 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

DEDODT

CLINICAL PATHOLOGY Results Units Method Test Name Ref. Range **Complete Urine Analysis (CUE) Physical Examination** Pale Yellow Colour Straw to light amber Appearance Clear Clear **Chemical Examination** Negative Strip Reflectance Glucose Negative Absent Protein Negative Strip Reflectance Bilirubin (Bile) Negative Negative Strip Reflectance Urobilinogen Negative Negative Ehrlichs reagent **Ketone Bodies** Negative Negative Strip Reflectance Specific Gravity 1.010 1.000 - 1.030 Strip Reflectance Blood Negative Negative Strip Reflectance 6.0 5.0 - 8.5 Reaction (pH) **Reagent Strip Reflectance** Nitrites Negative Negative Strip Reflectance Leukocyte esterase Negative Negative **Reagent Strip Reflectance** Microscopic Examination (Microscopy) PUS(WBC) Cells 02-03 /hpf 00-05 Microscopy Nil Nil R.B.C. /hpf Microscopic **Epithelial Cells** 01-02 /hpf 00-05 Microscopic Absent Absent Casts Microscopic Crystals Absent Absent Microscopic Nil Nil Bacteria Nil Absent **Budding Yeast Cells** Microscopy

Comments: Urine analysis is one of the most useful laboratory tests as it identifies a wide range of medical conditions including renal damage, urinary tract infections, diabetes, hypertension and drug toxicity.

Correlate Clinically.

Result rechecked and verified for abnormal cases

Laboratory is NABL Accredited

*** End Of Report ***



Swarnabala - M DR.SWARNA BALA MD PATHOLOGY