

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPORT -
Name	: Mrs. JAMUNA DEVI
Age/Gender	: 66 Years/Female
Referred by	: Dr. SELF
Referring Customer	: V CARE MEDICAL DIAGNOSTICS
Primary Sample	: Whole Blood
Sample Tested In	: Whole Blood EDTA
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka

Sample ID : A0093978 : 0312403300017 Reg. No SPP Code : SPL-CV-172 Collected On : 30-Mar-2024 09:13 AM Received On : 30-Mar-2024 12:30 PM : 30-Mar-2024 05:39 PM Reported On : Final Report Report Status

HAEMATOLOGY							
	HEALTH PROFILE A-3 PACKAGE						
Test Name	Results	Units	Ref. Range	Method			
COMPLETE BLOOD COUNT (CBC)							
Haemoglobin (Hb)	8.6	g/dL	12-15	Cynmeth Method			
RBC Count	4.44	10^12/L	4.5-5.5	Cell Impedence			
Haematocrit (HCT)	28.4	%	40-50	Calculated			
MCV	64	fl	81-101	Calculated			
МСН	19.3	pg	27-32	Calculated			
МСНС	30.2	g/dL	32.5-34.5	Calculated			
RDW-CV	17.9	%	11.6-14.0	Calculated			
Platelet Count (PLT)	246	10^9/L	150-410	Cell Impedance			
Total WBC Count	7.4	10^9/L	4.0-10.0	Impedance			
Neutrophils	52	%	40-70	Cell Impedence			
Absolute Neutrophils Count	3.85	10^9/L	2.0-7.0	Impedence			
Lymphocytes	40	%	20-40	Cell Impedence			
Absolute Lymphocyte Count	2.96	10^9/L	1.0-3.0	Impedence			
Monocytes	05	%	2-10	Microscopy			
Absolute Monocyte Count	0.37	10^9/L	0.2-1.0	Calculated			
Eosinophils	03	%	1-6	Microscopy			
Absolute Eosinophils Count	0.22	10^9/L	0.02-0.5	Calculated			
Basophils	0	%	1-2	Microscopy			
Absolute Basophil ICount	0.00	10^9/L	0.0-0.3	Calculated			
Atypical cells / Blasts	0	%					
<u>Morphology</u>							
WBC	Within Nor	mal Limits					
RBC	Anisocytos	is with Microcy	tic hypochromic anemia				
Platelets	Adequate.			Microscopy			



MC 3633

Swarnabala.M DR.SWARNA BALA **MD PATHOLOGY**

Note : This report is subject to the terms and conditions overleaf. Partial Reproduction of this report is not Permitted



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPOR	RT	
Name	: Mrs. JAMUNA DEVI	Sample ID	: A0093978
Age/Gender	: 66 Years/Female	Reg. No	: 0312403300017
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 30-Mar-2024 09:13 AM
Primary Sample	: Whole Blood	Received On	: 30-Mar-2024 12:30 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 30-Mar-2024 05:39 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

HAEMATOLOGY							
HEALTH PROFILE A-3 PACKAGE							
Test Name Results Units Ref. Range Method							
Erythrocyte Sedimentation Rate (ESR) 19 14 or less Westergren method							

Comments : ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.



Swarnabala - M DR.SWARNA BALA MD PATHOLOGY

Note : This report is subject to the terms and conditions overleaf. Partial Reproduction of this report is not Permitted



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	excellence in Health		REPOR		Reg .No. SAPALAPV	LHT (Covid -19)
Jame Age/Gender Referred by Referring Custor Primary Sample Sample Tested Client Address	: Whole Blood	/I DIAGNOSTICS Whole Blood ED1 Jokul Nagar,Tarr	Г naka	Sam Reg. SPP Colle Rece Repo Repo	Code acted On ived On orted On ort Status	: A0093976, A0093978, A0093 : 0312403300017 : SPL-CV-172 : 30-Mar-2024 09:13 AM : 30-Mar-2024 12:30 PM : 30-Mar-2024 04:09 PM : Final Report
Test Name		HEALTH PF Results	Units		AGE Range	Method
Glucose Fasting	lasma Glucose based on ADA	106 guidelines 2018 2hrsPlas	mg/dL	70-1	00	GOD-POD
Diagnosis	FastingPlasma Glucose(mg/dL)	Glucose(m		HbA1c(%)	RBS(mg/dL)	
Prediabetes	100-125	140-19	99	5.7-6.4	NA	_
Diabetes	> = 126	> = 200		11 1	>=200(with symptoms)	
Reference: Diat	petes care 2018:41(suppl.1):S13-S27			2	
Glycated Hemo Mean Plasma G	globin (HbA1c)	7.1 157.07	% mg/dL	Pre Diat	Diabetic:< 5.7 diabetic: 5.7-6.4 petic:>= 6.5	HPLC
Interpretation:		101.01	ing/ac	e In H	lealth Ca	
concentration concentration in diabetes ar	of serum glucose. Since red blood	cells survive an averag -3 months. Normally, or	ge of 120 day nly 4% to 6%	s, the measurem of hemoglobin	ent of GHb provides a is bound to glucose, w	nd occur in amounts proportional to the n index of a person's average blood glucose /hile elevated glycohemoglobin levels are seen /el
Calcium		8.9	mg/dL	8.5-	10.1	o-cresolphthalein complexone (OCPC)
free ionise Calcium le Calcium le Increased	n the body is found mainly in ed form and in bound form (v evels and vice-versa. evels in serum depend on th Calcium levels are found ir lypoparathyroidism, renal fa	with Albumin). Her e Parathyroid Hor Bone tumors, Hy	nce, a dec mone.	rease in Alb	umin causes lowe	9 r



DR.VAISHNAVI MD BIOCHEMISTRY



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPORT					
Name	: Mrs. JAMUNA DEVI	Sample ID	: A0093976, A0093978, A00939			
Age/Gender	: 66 Years/Female	Reg. No	: 0312403300017			
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172			
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 30-Mar-2024 09:13 AM			
Primary Sample	: Whole Blood	Received On	: 30-Mar-2024 12:30 PM			
Sample Tested In	: Plasma-NaF(F), Whole Blood EDT	Reported On	: 30-Mar-2024 04:09 PM			
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report			

CLINICAL BIOCHEMISTRY						
	HEALTH P	ROFILE A-3	PACKAGE			
Test Name	Results	Units	Ref. Range	Method		
25 - Hydroxy Vitamin D	71.71	ng/mL	<20.0-Deficiency 20.0-<30.0-Insufficiency 30.0-100.0-Sufficiency >100.0-Potential Intoxicatio	CLIA		
Interpretation: 1. Vitamin D helps your body absorb calcium and maintain strong bones throughout your entire life. Your body produces vitamin D when the sun's UV rays contact your skin. Other good sources of the vitamin include fish, eggs, and fortified dairy products. It's also available as a dietary supplement. 2. Vitamin D must go through several processes in your body before your body can use it. The first transformation occurs in the liver. Here, your body converts vitamin D to a chemical known as 25-hydroxyvitamin D, also called calcidiol. 3. The 25-hydroxy vitamin D test is the best way to monitor vitamin D levels. The amount of 25-hydroxyvitamin D in your blood is a good indication of how much vitamin D your body has. The test can determine if your vitamin D levels are too high or too low. 4. The test is also known as the 25-OH vitamin D test and the calcidiol 25-hydroxycholecalcifoerol test. It can be an important indicator of osteoporosis (bone weakness) and rickets (bone malformation). Those who are at high risk of having low levels of vitamin D include: 1. people who don't get much exposure to the sun 2.older adults 3.people with obesity. 4. dietary deficiency Increased Levels: Vitamin D Intoxication						
Method : CLIA Vitamin- B12 (cvanocobalamin)	324	pa/mL	200-911	CLIA		
Vitamin- B12 (cyanocobalamin) 324 pg/mL 200-911 CLIA Interpretation: This test is most often done when other blood tests suggest a condition called megaloblastic anemia. Pernicious anemia is a form of megaloblastic anemia caused by poor vitamin B12 absorption. This can occur when the stomach makes less of the substance the body needs to properly absorb vitamin B12. Causes of vitamin B12 deficiency include:Diseases that cause malabsorption 1.Lack of intrinsic factor, a protein that helps the intestine absorb vitamin B12 2.Above normal heat production (for example, with hyperthyroidism) An increased vitamin B12 level is uncommon in: 1.Liver disease (such as cirrhosis or hepatitis) 2.Myeloproliferative disorders (for example, polycythemia vera and chronic myelogenous leukemia) Result rechecked and verified for abnormal cases *** End Of Report *** Laboratory is NABL Accredited 400 frequent ***						







Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPORT
Name	: Mrs. JAMUNA DEVI
Age/Gender	: 66 Years/Female
Referred by	: Dr. SELF
Referring Customer	: V CARE MEDICAL DIAGNOSTICS
Primary Sample	: Whole Blood
Sample Tested In	: Serum
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka

: A0093977 Sample ID Reg. No : 0312403300017 SPP Code : SPL-CV-172 : 30-Mar-2024 09:13 AM Collected On Received On : 30-Mar-2024 12:30 PM Reported On : 30-Mar-2024 05:41 PM : Final Report **Report Status**

CLINICAL BIOCHEMISTRY							
	HEALTH P	ROFILE A-3	PACKAGE				
Test Name	Test Name Results Units Ref. Range Method						
Lipid Profile							
Cholesterol Total	222	mg/dL	< 200	CHOD-POD			
Triglycerides-TGL	119	mg/dL	< 150	GPO-POD			
Cholesterol-HDL	52	mg/dL	40-60	Direct			
Cholesterol-LDL	146.2	mg/dL	< 100	Calculated			
Cholesterol- VLDL	23.8	mg/dL	7-35	Calculated			
Non HDL Cholesterol	170	mg/dL	< 130	Calculated			
Cholesterol Total /HDL Ratio	4.27	%	0-4.0	Calculated			
HDL / LDL Ratio	0.36						
LDL/HDL Ratio	2.81	%	0-3.5	Calculated			

The National Cholesterol Education program's third Adult Treatment Panel (ATPIII) has issued its recommendations on evaluating and treating lipid discorders for primary and secondary.

NCEP Recommendations	Cholesterol Total in (mg/dL)	Trialvcerides	HDL Cholesterol (mg/dL)	LDL Cholesterol	Non HDL Cholesterol in (mg/dL)
Optimal	Adult: < 200 Children: < 170	< 150	40-59	Adult:<100 Children: <110	<130
Above Optimal				100-129	130 - 159
Borderline High	Adult: 200-239 Children:171-199	150-199		Adult: 130-159 Children: 111-129	160 - 189
High	Adult:>or=240 Children:>or=200	200-499	≥ 60	Adult:160-189 Children:>or=130	190 - 219
Very High		>or=500		Adult: >or=190 	>=220

Note: LDL cholesterol cannot be calculated if triglyceride is >400 mg/dL (Friedewald's formula). Calculated values not provided for LDL and VLDL





BIOCHEMISTRY

Note : This report is subject to the terms and conditions overleaf. Partial Reproduction of this report is not Permitted



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPORT
Name	: Mrs. JAMUNA DEVI
Age/Gender	: 66 Years/Female
Referred by	: Dr. SELF
Referring Customer	: V CARE MEDICAL DIAGNOSTICS
Primary Sample	: Whole Blood
Sample Tested In	: Serum
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka

 Sample ID
 : A0093977

 Reg. No
 : 0312403300017

 SPP Code
 : SPL-CV-172

 Collected On
 : 30-Mar-2024 09:

 Received On
 : 30-Mar-2024 12:

Reported On

Report Status

: 30-Mar-2024 09:13 AM : 30-Mar-2024 12:30 PM : 30-Mar-2024 05:41 PM : Final Report

CLINICAL BIOCHEMISTRY						
HEALTH PROFILE A-3 PACKAGE						
Test Name	Results	Units	Ref. Range	Method		
Kidney Profile-KFT						
Creatinine -Serum	0.63	mg/dL	0.60-1.20	Sarcosine oxidase		
Urea-Serum	20.0	mg/dL	17.1-49.2	Glutamate dehydrogenase+Calculation		
Blood Urea Nitrogen (BUN)	9.34	mg/dL	8.0-23.0	Calculated		
BUN / Creatinine Ratio	14.83		6 - 22			
Uric Acid	4.32	mg/dL	2.6-6.0	Uricase		
Sodium	142	mmol/L	136-145	ISE Direct		
Potassium	4.0	mmol/L	3.5-5.1	ISE Direct		
Chloride	102	mmol/L	98-108	ISE Direct		
Liver Function Test (LFT)						
Bilirubin(Total)	0.4	mg/dL	0.2-1.2	Diazo		
Bilirubin (Direct)	0.2	mg/dL	0.0 - 0.2	Diazo		
Bilirubin (Indirect)	0.2	mg/dL	0.2-1.0	Calculated		
Aspartate Aminotransferase (AST/SGOT)	17	U/L	5-48	IFCC with out (P-5-P)		
Alanine Aminotransferase (ALT/SGPT)	10	U/L	0-55	IFCC with out (P-5-P)		
Alkaline Phosphatase(ALP)	91	U/L	40-150	Kinetic PNPP-AMP		
Gamma Glutamyl Transpeptidase (GGTP)	25	U/L	5-55	IFCC		
Protein - Total	6.4	g/dL	6.4-8.2	Biuret		
Albumin	3.9	g/dL	3.4-5.0	Bromocresol purple (BCP)		
Globulin	2.5	g/dL	2.0-4.2	Calculated		
A:G Ratio	1.56	%	0.8-2.0	Calculated		
SGOT/SGPT Ratio	1.70					

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited







Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

Name	: Mrs. JAMUNA DEVI	
Age/Gender	: 66 Years/Female	
Referred by	: Dr. SELF	
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	
Primary Sample	: Whole Blood	
Sample Tested In	: Serum	
Client Address	: Kimtee colony ,Gokul Nagar,Tar	naka

 Sample ID
 : A0093977

 Reg. No
 : 0312403300017

 SPP Code
 : SPL-CV-172

 Collected On
 : 30-Mar-2024 09:13 AM

 Received On
 : 30-Mar-2024 12:30 PM

 Reported On
 : 30-Mar-2024 05:41 PM

 Report Status
 : Final Report

CLINICAL BIOCHEMISTRY HEALTH PROFILE A-3 PACKAGE					
					Test Name
Thyroid Profile-I(TFT)					
T3 (Triiodothyronine)	119.65	ng/dL	40-181	CLIA	
T4 (Thyroxine)	7.8	µg/dL	3.2-12.6	CLIA	
TSH -Thyroid Stimulating Hormone	3.57	µIU/mL	0.35-5.5	CLIA	

REPORT

T3 (Triiodothyronine):	T4 (Thyroxine)	TSH (Thyroid Stimulating Hormone)
First Trimester	: 81-190 ng/dL	15 to 40 weeks:9.1-14.0 µg/dL	First Trimester : 0.24-2.99 µIU/mL
Second&Third Trimest	er :100-260 ng/dL		Second Trimester: 0.46-2.95 µIU/mL
			Third Trimester : 0.43-2.78 µIU/mL
Cord Blood: 30-70 ng/	dL	Cord Blood: 7.4-13.0 µg/dL	Cord Blood: : 2.3-13.2 µIU/mL

Interpretation:

• Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.

• Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.

• Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.

• TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.

• The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.







Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPORT
Name	: Mrs. JAMUNA DEVI
Age/Gender	: 66 Years/Female
Referred by	: Dr. SELF
Referring Customer	: V CARE MEDICAL DIAGNOSTICS
Primary Sample	: Whole Blood
Sample Tested In	: Serum
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka

Sample ID : A0093977 Reg. No : 0312403300017 SPP Code : SPL-CV-172 Collected On : 30-Mar-2024 09:13 AM Received On : 30-Mar-2024 12:30 PM Reported On : 30-Mar-2024 05:41 PM **Report Status** : Final Report

CLINICAL BIOCHEMISTRY HEALTH PROFILE A-3 PACKAGE						
					Test Name Results Units Ref. Range Method	
Iron Profile-I						
Iron(Fe)	39.33	µg/dL	50-170	Ferene		
Total Iron Binding Capacity (TIBC)	451	µg/dL	250-450	Ferene		
Transferrin	315.38	mg/dL	250-380	Calculated		
Iron Saturation((% Transferrin Saturation)	8.72	%	15-50	Calculated		
Unsaturated Iron Binding Capacity (UIBC)	412	ug/dL	110-370	FerroZine		

Interpretation:

Serum transferrin (and TIBC) high, serum iron low, saturation low. Usual causes of depleted iron stores include blood loss, inadequate dietary iron. RBCs in moderately severe iron deficiency are hypochromic and microcytic. Stainable marrow iron is absent. Serum ferritin decrease is the earliest indicator of iron deficiency if inflammation is absent

• Anemia of chronic disease: Serum transferrin (and TIBC) low to normal, serum iron low, saturation low or normal. Transferrin decreases with many inflammatory diseases. With chronic disease there is a block in movement to and utilization of iron by marrow. This leads to low serum iron and decreased erythropoiesis. Examples include acute and chronic infections, malignancy and renal failure.

Sideroblastic Anemia: Serum transferrin (and TIBC) normal to low, serum iron normal to high, saturation high.

• Hemolytic Anemia: Serum transferrin (and TIBC) normal to low, serum iron high, saturation high.

Hemochromatosis: Serum transferrin (and TIBC) slightly low, serum iron high, saturation very high

Protein depletion: Serum transferrin (and TIBC) may be low, serum iron normal or low (if patient also is iron deficient). This may occur as a result of malnutrition, liver disease, renal . disease

• Liver disease: Serum transferrin variable; with acute viral hepatitis, high along with serum iron and ferritin. With chronic liver disease (eg, cirrhosis), transferrin may be low. Patients who have cirrhosis and portacaval shunting have saturated TIBC/transferrin as well as high ferritin.





OCHEMISTRY



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

Name	: Mrs. JAMUNA DEVI
Age/Gender	: 66 Years/Female
Referred by	: Dr. SELF
Referring Customer	: V CARE MEDICAL DIAGNOSTICS
Primary Sample	:
Sample Tested In	: Urine
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka

REPORT -

Sample ID	:	A0093979
Reg. No	:	0312403300017
SPP Code	:	SPL-CV-172
Collected On	:	30-Mar-2024 09:13 AM
Received On	:	31-Mar-2024 04:04 PM
Reported On	:	31-Mar-2024 05:29 PM
Report Status	:	Final Report

CLINICAL PATHOLOGY HEALTH PROFILE A-3 PACKAGE				
Complete Urine Analysis (CL	JE)			
Physical Examination				
Colour	Pale Yellow	I	Straw to light amber	
Appearance	Clear		Clear	
Chemical Examination				
Glucose	Negative		Negative	Strip Reflectance
Protein	Absent		Negative	Strip Reflectance
Bilirubin (Bile)	Negative	Negative		Strip Reflectance
Urobilinogen	Negative	Negative		Ehrlichs reagent
Ketone Bodies	Negative		Negative	Strip Reflectance
Specific Gravity	1.025		1.000 - 1.030	Strip Reflectance
Blood	Negative		Negative	Strip Reflectance
Reaction (pH)	6.5		5.0 - 8.5	Reagent Strip Reflectance
Nitrites	Negative		Negative	Strip Reflectance
Leukocyte esterase	Negative		Negative	Reagent Strip Reflectance
Microscopic Examination (Micros	<u>scopy)</u>			
PUS(WBC) Cells	02-03	/hpf	00-05	Microscopy
R.B.C.	Nil	/hpf	Nil	Microscopic
Epithelial Cells	02-03	/hpf	00-05	Microscopic
Casts	Absent		Absent	Microscopic
Crystals	Absent		Absent	Microscopic
Bacteria	Nil		Nil	
Budding Yeast Cells	Nil		Absent	Microscopy

Correlate Clinically.

Result rechecked and verified for abnormal cases

Laboratory is NABL Accredited

*** End Of Report ***



Swarnabala - M DR.SWARNA BALA MD PATHOLOGY