

Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

: 24863946

REPORT

Sample ID

Name : Mrs. KRISHNAMMA

Age/Gender: 26 Years/FemaleReg. No: 0312404040008Referred by: Dr. ANITHA VINODSPP Code: SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 04-Apr-2024 08:23 AM

Primary Sample : Whole Blood : 04-Apr-2024 12:36 PM Sample Tested In : Whole Blood EDTA Reported On : 04-Apr-2024 02:13 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

HAEMATOLOGY

SAGEPATH CARE 1.2

Test Name Results Units Ref. Range Method

Blood Grouping (A B O)OTube AgglutinationRh TypingPositiveTube Agglutination

Comments:

Blood group ABO & Rh test identifies your blood group & type of Rh factor. There are four major blood groups- A, B, AB, and O. It is important to know your blood group as you may need a transfusion of blood or blood components; you may want to donate your blood; before or during a woman's pregnancy to determine the risk of Rh mismatch with the fetus.

Note: Both Forward and Reverse Grouping Performed.

Excellence in Health Care







Swarnabala - M DR.SWARNA BALA MD PATHOLOGY



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. KRISHNAMMA Sample ID : 24863946 Age/Gender : 26 Years/Female Reg. No : 0312404040008

Referred by : Dr. ANITHA VINOD SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 04-Apr-2024 08:23 AM

Primary Sample : Whole Blood Received On : 04-Apr-2024 12:36 PM Sample Tested In : Whole Blood EDTA Reported On : 04-Apr-2024 02:13 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

, railiaka keport Status , rindi kepor

HAEMATOLOGY

SAGEPATH CARE 1.2

Test Name	Results	Units	Ref. Range	Method
COMPLETE DI COD COUNT (CDC)				
COMPLETE BLOOD COUNT (CBC) Haemoglobin (Hb)	12.0	g/dL	12-15	Cynmeth Method
RBC Count	4.94	9/4L 10^12/L	4.5-5.5	Cell Impedence
Haematocrit (HCT)	39.4	%	40-50	Calculated
MCV	80	fl	81-101	Calculated
MCH	24.3	pg	27-32	Calculated
MCHC	30.5	g/dL	32.5-34.5	Calculated
RDW-CV	16.5	%	11.6-14.0	Calculated
Platelet Count (PLT)	290	70 10^9/L	150-410	Cell Impedance
Total WBC Count	6.7	10 3/L 10^9/L	4.0-10.0	Impedance
Neutrophils	57	%	40-70	Cell Impedence
Absolute Neutrophils Count	3.82	70 10^9/L	2.0-7.0	Impedence
Lymphocytes	34	%	20-40	Cell Impedence
Absolute Lymphocyte Count	2.28	/º 10^9/L	1.0-3.0	Impedence
	2.20	10/9/L %	2-10	Microscopy
Monocytes Absolute Managete Count				• •
Absolute Monocyte Count	0.4	10^9/L	0.2-1.0 1-6	Calculated
Eosinophils	03	%		Microscopy
Absolute Eosinophils Count	0.2	10^9/L	0.02-0.5	Calculated
Basophils	00	%	1-2	Microscopy
Absolute Basophil ICount	0.00	10^9/L	0.0-0.3	Calculated
Atypical cells / Blasts	00	%		
Morphology				
WBC	Within Nor			
RBC	·		ytic normochromic	
Platelets	Adequate.			Microscopy







Swarnabala - M DR.SWARNA BALA MD PATHOLOGY



Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. KRISHNAMMA

Age/Gender : 26 Years/Female Referred by : Dr. ANITHA VINOD

Referring Customer : V CARE MEDICAL DIAGNOSTICS

Primary Sample : Whole Blood

Sample Tested In : Whole Blood EDTA

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka

Sample ID : 24863946

Reg. No : 0312404040008

SPP Code : SPL-CV-172

Collected On : 04-Apr-2024 08:23 AM

Received On : 04-Apr-2024 12:36 PM

Reported On : 04-Apr-2024 02:13 PM

Westergren method

Report Status : Final Report

HAEMATOLOGY

SAGEPATH CARE 1.2

Test Name	Results	Units	Ref. Range	Method

Erythrocyte Sedimentation Rate (ESR) 7 10 or less

Comments: ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.









Swarnabala - M DR.SWARNA BALA MD PATHOLOGY





Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Req. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. KRISHNAMMA Sample ID : 24863948, 24863946, 248639

Age/Gender : 26 Years/Female Reg. No : 0312404040008

Referred by : Dr. ANITHA VINOD SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 04-Apr-2024 08:23 AM
Primary Sample : Whole Blood Received On : 04-Apr-2024 12:36 PM

Sample Tested In : Plasma-NaF(F), Whole Blood EDT Reported On : 04-Apr-2024 02:55 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

SAGEPATH CARE 1.2

Test Name Results Units Ref. Range Method

Glucose Fasting (F) 86 mg/dL 70-100 GOD-POD

Interpretation of Plasma Glucose based on ADA guidelines 2018

Diagnosis	FastingPlasma Glucose(mg/dL)	2hrsPlasma Glucose(mg/dL)	HbA1c(%)	RBS(mg/dL)
Prediabetes	100-125	140-199	5.7-6.4	NA
Diabetes	>= 126	>= 200	> = 6.5	>=200(with symptoms)

Reference: Diabetes care 2018:41(suppl.1):S13-S27

Glycated Hemoglobin (HbA1c) 5.5 % Non Diabetic: < 5.7 HPLC

Pre diabetic: 5.7-6.4

Diabetic:>= 6.5

Mean Plasma Glucose 111.15 mg/dL Calculated

Interpretation:

- Glycated hemoglobins (GHb), also called glycohemoglobins, are substances formed when glucose binds to hemoglobin, and occur in amounts proportional to the concentration of serum glucose. Since red blood cells survive an average of 120 days, the measurement of GHb provides an index of a person's average blood glucose concentration (glycemia) during the preceding 2-3 months. Normally, only 4% to 6% of hemoglobin is bound to glucose, while elevated glycohemoglobin levels are seen in diabetes and other hyperglycemic states
- Mean Plasma Glucose(MPG): This Is Mathematical Calculations Where Glycated Hb Can Be Correlated With Daily Mean Plasma Glucose Level

Calcium8.9mg/dL8.5-10.1o-cresolphthalein
complexone (OCPC)

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited











Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. KRISHNAMMA Sample ID : 24863945

Age/Gender : 26 Years/Female Reg. No : 0312404040008 Referred by : Dr. ANITHA VINOD SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 04-Apr-2024 08:23 AM

Primary Sample : Whole Blood Received On : 04-Apr-2024 12:36 PM Sample Tested In : Serum Reported On : 04-Apr-2024 02:38 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

SAGEPATH CARE 1.2

Test Name	Results	Units	Ref. Range	Method
			 	
Lipid Profile				
Cholesterol Total	115	mg/dL	< 200	CHOD-POD
Triglycerides-TGL	53	mg/dL	< 150	GPO-POD
Cholesterol-HDL	41	mg/dL	40-60	Direct
Cholesterol-LDL	63.4	mg/dL	< 100	Calculated
Cholesterol- VLDL	10.6	mg/dL	7-35	Calculated
Non HDL Cholesterol	74	mg/dL	< 130	Calculated
Cholesterol Total /HDL Ratio	2.8	%	0-4.0	Calculated
HDL / LDL Ratio	0.65			
LDL/HDL Ratio	1.55	%	0-3.5	Calculated

The National Cholesterol Education program's third Adult Treatment Panel (ATPIII) has issued its recommendations on evaluating and treating lipid discorders for primary and secondary.

NCEP Recommendations	Cholesterol Total in (mg/dL)	Trialycaridae	HDL Cholesterol (mg/dL)	LDL Cholesterol	Non HDL Cholesterol in (mg/dL)
Untimal	Adult: < 200 Children: < 170	< 150	40-59	Adult:<100 Children: <110	<130
Above Optimal				100-129	130 - 159
Borderline High	Adult: 200-239 Children:171-199	150-199		Adult: 130-159 Children: 111-129	160 - 189
IIHIMN I	Adult:>or=240 Children:>or=200	200-499	≥ 60	Adult:160-189 Children:>or=130	190 - 219
Very High		>or=500		Adult: >or=190 	>=220

Note: LDL cholesterol cannot be calculated if triglyceride is >400 mg/dL (Friedewald's formula). Calculated values not provided for LDL and VLDL











Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. KRISHNAMMA Age/Gender : 26 Years/Female Reg. No Referred by : Dr. ANITHA VINOD SPP Code

Referring Customer : V CARE MEDICAL DIAGNOSTICS

Primary Sample : Whole Blood Sample Tested In : Serum

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Sample ID : 24863945

: 0312404040008

: SPL-CV-172

Collected On : 04-Apr-2024 08:23 AM Received On : 04-Apr-2024 12:36 PM

: 04-Apr-2024 02:38 PM Reported On

: Final Report Report Status

CLINICAL BIOCHEMISTRY

SAGEPATH CARE 1.2

Test Name	Results	Units	Ref. Range	Method
Kidney Profile-KFT				
Creatinine -Serum	0.73	mg/dL	0.60-1.10	Sarcosine oxidase
Urea-Serum	15.0	mg/dL	12.8-42.8	Glutamate dehydrogenase+Calculation
Blood Urea Nitrogen (BUN)	7.01	mg/dL	7.0-18.0	Calculated
BUN / Creatinine Ratio	9.60		6 - 22	
Uric Acid	2.9	mg/dL	2.6-6.0	Uricase
Sodium	142	mmol/L	136-145	ISE Direct
Potassium	3.9	mmol/L	3.5-5.1	ISE Direct
Chloride	102	mmol/L	98-108	ISE Direct
Liver Function Test (LFT)				
Bilirubin(Total)	0.7	mg/dL	0.3-1.2	Diazo
Bilirubin (Direct)	0.2	mg/dL	0.0 - 0.2	Diazo
Bilirubin (Indirect)	0.5	mg/dL	0.2-1.0	Calculated
Aspartate Aminotransferase (AST/SGOT)	18	U/L	5-40	IFCC with out (P-5-P)
Alanine Aminotransferase (ALT/SGPT)	8	U/L	0-55	IFCC with out (P-5-P)
Alkaline Phosphatase(ALP)	46	U/L	40-150	Kinetic PNPP-AMP
Gamma Glutamyl Transpeptidase (GGTP)	21	U/L	5-55	IFCC
Protein - Total	7.3	g/dL	6.4-8.2	Biuret
Albumin	3.9	g/dL	3.4-5.0	Bromocresol purple (BCP)
Globulin	3.4	g/dL	2.0-4.2	Calculated
A:G Ratio	1.15	%	0.8-2.0	Calculated
SGOT/SGPT Ratio	2.25			

*** End Of Report ***

Laboratory is NABL Accredited









Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. KRISHNAMMA Sample ID : 24863945

Age/Gender : 26 Years/Female Reg. No : 0312404040008

Referred by : Dr. ANITHA VINOD SPP Code : SPL-CV-172
Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 04-Apr-2024 (

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 04-Apr-2024 08:23 AM
Primary Sample : Whole Blood Received On : 04-Apr-2024 12:36 PM

Sample Tested In : Serum Reported On : 04-Apr-2024 02:38 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

SAGEPATH CARE 1.2

rest name	Results	Units	Ref. Range	Wethod	
Thyroid Profile-I(TFT)					
T3 (Triiodothyronine)	71.74	ng/dL	70-204	CLIA	
T4 (Thyroxine)	3.5	μg/dL	3.2-12.6	CLIA	
TSH -Thyroid Stimulating Hormone	1.12	μIU/mL	0.35-5.5	CLIA	

Pregnancy & Cord Blood

T3 (Triiodothyronine	e):	T4 (Thyroxine)	TSH (Thyroid Stimulating Hormone)
First Trimester	: 81-190 ng/dL	15 to 40 weeks:9.1-14.0 μg/dL	First Trimester : 0.24-2.99 µIU/mL
Second&Third Trimes	ster :100-260 ng/dL		Second Trimester: 0.46-2.95 µIU/mL
			Third Trimester : 0.43-2.78 µIU/mL
Cord Blood: 30-70 ng	/dL	Cord Blood: 7.4-13.0 µg/dL	Cord Blood: : 2.3-13.2 µIU/mL

Interpretation:

- Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.
- Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.
- Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.











Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. KRISHNAMMA Sample ID : 24863945

Age/Gender : 26 Years/Female Reg. No : 0312404040008

Referred by : Dr. ANITHA VINOD SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 04-Apr-2024 08:23 AM
Primary Sample : Whole Blood Received On : 04-Apr-2024 12:36 PM

Sample Tested In : Serum Reported On : 04-Apr-2024 02:38 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

SAGEPATH CARE 1.2

Test Name	Results	Units	Ref. Range	Method	
Iron Profile-I					
Iron(Fe)	67	μg/dL	50-170	Ferene	
Total Iron Binding Capacity (TIBC)	357	μg/dL	250-450	Ferene	
Transferrin	249.65	mg/dL	250-380	Calculated	
Iron Saturation((% Transferrin Saturation)	18.77	%	15-50	Calculated	
Unsaturated Iron Binding Capacity (UIBC)	290	ug/dL	110-370	FerroZine	

Interpretation:

- Serum transferrin (and TIBC) high, serum iron low, saturation low. Usual causes of depleted iron stores include blood loss, inadequate dietary iron. RBCs in moderately severe iron deficiency are hypochromic and microcytic. Stainable marrow iron is absent. Serum ferritin decrease is the earliest indicator of iron deficiency if inflammation is absent.
- Anemia of chronic disease: Serum transferrin (and TIBC) low to normal, serum iron low, saturation low or normal. Transferrin decreases with many inflammatory diseases. With chronic disease there is a block in movement to and utilization of iron by marrow. This leads to low serum iron and decreased erythropoiesis. Examples include acute and chronic infections, malignancy and renal failure.
- Sideroblastic Anemia: Serum transferrin (and TIBC) normal to low, serum iron normal to high, saturation high.
- Hemolytic Anemia: Serum transferrin (and TIBC) normal to low, serum iron high, saturation high.
- Hemochromatosis: Serum transferrin (and TIBC) slightly low, serum iron high, saturation very high
- Protein depletion: Serum transferrin (and TIBC) may be low, serum iron normal or low (if patient also is iron deficient). This may occur as a result of malnutrition, liver disease, renal disease.
- Liver disease: Serum transferrin variable; with acute viral hepatitis, high along with serum iron and ferritin. With chronic liver disease (eg, cirrhosis), transferrin may be low. Patients who have cirrhosis and portacaval shunting have saturated TIBC/transferrin as well as high ferritin.







DR. VAISHNAVI MD BIOCHEMISTRY



Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. KRISHNAMMA Sample ID : 24863903

Age/Gender : 26 Years/Female Reg. No : 0312404040008 Referred by : Dr. ANITHA VINOD SPP Code : SPL-CV-172

Referring Customer: V CARE MEDICAL DIAGNOSTICS Collected On: 04-Apr-2024 08:23 AM

Primary Sample : Received On : 04-Apr-2024 12:36 PM

Sample Tested In : Urine Reported On : 04-Apr-2024 01:57 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL PATHOLOGY

Test Name	Results	Units	Ref. Range	Method

Complete Urine Analysis (CUE)

Physical Examination

Colour Pale Yellow Straw to light amber

Appearance Clear Clear

Chemical Examination

Negative Strip Reflectance Glucose Negative Protein Absent Negative Strip Reflectance Bilirubin (Bile) Negative Negative Strip Reflectance Urobilinogen Negative Negative Ehrlichs reagent Ketone Bodies Negative Negative Strip Reflectance Specific Gravity 1.025 1.000 - 1.030 Strip Reflectance Blood Negative Negative Strip Reflectance 5.0 - 8.5 6.0 Reaction (pH) Reagent Strip Reflectance

Nitrites Negative Negative Strip Reflectance

Leukocyte esterase Negative Negative Reagent Strip Reflectance

Microscopic Examination (Microscopy)

PUS(WBC) Cells 02-04 /hpf 00-05 Microscopy Nil Nil R.B.C. /hpf Microscopic **Epithelial Cells** 01-02 /hpf 00-05 Microscopic Absent Absent Casts Microscopic Crystals Absent Absent Microscopic Nil Nil Bacteria

Nil

Comments: Urine analysis is one of the most useful laboratory tests as it identifies a wide range of medical conditions including renal damage, urinary tract infections, diabetes, hypertension and drug toxicity.

Absent

Correlate Clinically.

Budding Yeast Cells

Result rechecked and verified for abnormal cases

Laboratory is NABL Accredited

*** End Of Report ***







Swarnabala - M DR.SWARNA BALA MD PATHOLOGY

Microscopy