Test Name



Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mr. K RAVINDER REDDY Sample ID : 24863977

Age/Gender : 56 Years/Male Reg. No : 0312404060007 Referred by : Dr. SREEDAR REDDY SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 06-Apr-2024 07:36 AM

Primary Sample : Whole Blood : 06-Apr-2024 08:16 AM Sample Tested In : Whole Blood EDTA : 06-Apr-2024 10:53 AM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

HAEMATOLOGY HEALTH PROFILE A-3 PACKAGE

Results Units Ref. Range Method

COMPLETE BLOOD COUNT (CBC)				
Haemoglobin (Hb)	14.0	g/dL	13-17	Cynmeth Method
RBC Count	4.76	10^12/L	4.5-5.5	Cell Impedence
Haematocrit (HCT)	42.1	%	40-50	Calculated
MCV	89	fl	81-101	Calculated
MCH	29.4	pg	27-32	Calculated
мснс	33.2	g/dL	32.5-34.5	Calculated
RDW-CV	12.9	%	11.6-14.0	Calculated
Platelet Count (PLT)	200	10^9/L	150-410	Cell Impedance
Total WBC Count	9.3	10^9/L	4.0-10.0	Impedance
Neutrophils	66	%	40-70	Cell Impedence
Absolute Neutrophils Count	6.14	10^9/L	2.0-7.0	Impedence
Lymphocytes	30	%	20-40	Cell Impedence
Absolute Lymphocyte Count	2.79	10^9/L	1.0-3.0	Impedence
Monocytes	02	%	2-10	Microscopy
Absolute Monocyte Count	0.19	10^9/L	0.2-1.0	Calculated
Eosinophils	02	%	1-6	Microscopy
Absolute Eosinophils Count	0.19	10^9/L	0.02-0.5	Calculated
Basophils	00	%	1-2	Microscopy
Absolute Basophil ICount	0.00	10^9/L	0.0-0.3	Calculated
<u>Morphology</u>				
WBC	Within Norm	al Limits		
RBC	Normocytic normochromic blood picture.			
Platelets	Adequate.			Microscopy
Erythrocyte Sedimentation Rate (ESR)	10		12 or less	Westergren method

Comments: ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.







Swarnabala - M

DR.SWARNA BALA

MD PATHOLOGY



Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mr. K RAVINDER REDDY

Age/Gender : 56 Years/Male
Referred by : Dr. SREEDAR REDDY

Referring Customer : V CARE MEDICAL DIAGNOSTICS

Primary Sample : Whole Blood

Sample Tested In : Whole Blood EDTA

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka

Sample ID : 24863977

Reg. No : 0312404060007

SPP Code : SPL-CV-172

Collected On : 06-Apr-2024 07:36 AM Received On : 06-Apr-2024 08:16 AM

Reported On : 06-Apr-2024 10:53 AM

Report Status : Final Report

HAEMATOLOGY

HEALTH PROFILE A-3 PACKAGE

Test Name Results Units Ref. Range Method









Swarnabala - M DR.SWARNA BALA MD PATHOLOGY



Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mr. K RAVINDER REDDY Sample ID : 24863978, 24863977, 248639

Age/Gender : 56 Years/Male Reg. No : 0312404060007

Referred by : Dr. SREEDAR REDDY SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 06-Apr-2024 07:36 AM
Primary Sample : Whole Blood Received On : 06-Apr-2024 08:16 AM

Sample Tested In : Plasma-NaF(F), Whole Blood EDT Reported On : 06-Apr-2024 09:42 AM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-3 PACKAGE

Test Name Results Units Ref. Range Method

Glucose Fasting (F) 107 mg/dL 70-100 GOD-POD

Interpretation of Plasma Glucose based on ADA guidelines 2018

Diagnosis	FastingPlasma Glucose(mg/dL)	2hrsPlasma Glucose(mg/dL)	HbA1c(%)	RBS(mg/dL)
Prediabetes	100-125	140-199	5.7-6.4	NA
Diabetes	>= 126	>= 200	> = 6.5	>=200(with symptoms)

Reference: Diabetes care 2018:41(suppl.1):S13-S27

Glycated Hemoglobin (HbA1c) 7.3 % Non Diabetic: < 5.7 HPLC

Pre diabetic: 5.7-6.4

Diabetic:>= 6.5

Mean Plasma Glucose 162.81 mg/dL Calculated

Interpretation:

- Glycated hemoglobins (GHb), also called glycohemoglobins, are substances formed when glucose binds to hemoglobin, and occur in amounts proportional to the concentration of serum glucose. Since red blood cells survive an average of 120 days, the measurement of GHb provides an index of a person's average blood glucose concentration (glycemia) during the preceding 2-3 months. Normally, only 4% to 6% of hemoglobin is bound to glucose, while elevated glycohemoglobin levels are seen in diabetes and other hyperglycemic states
- Mean Plasma Glucose(MPG): This Is Mathematical Calculations Where Glycated Hb Can Be Correlated With Daily Mean Plasma Glucose Level











Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

: 24863978, 24863977, 248639

REPORT

Name : Mr. K RAVINDER REDDY Sample ID

Age/Gender : 56 Years/Male Reg. No : 0312404060007

Referred by : Dr. SREEDAR REDDY SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 06-Apr-2024 07:36 AM
Primary Sample : Whole Blood Received On : 06-Apr-2024 08:16 AM

Primary Sample : Whole Blood Received On : 06-Apr-2024 08:16 AM Sample Tested In : Plasma-NaF(F), Whole Blood EDT Reported On : 06-Apr-2024 09:42 AM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-3 PACKAGE

HEAEITH ROLLEE A OL AORAGE					
Test Name	Results	Units	Ref. Range	Method	
25 - Hydroxy Vitamin D	30.28	ng/mL	<20.0-Deficiency 20.0-<30.0-Insufficiency 30.0-100.0-Sufficiency >100.0-Potential Intoxication	CLIA	

Interpretation:

- **1.** Vitamin D helps your body absorb calcium and maintain strong bones throughout your entire life. Your body produces vitamin D when the sun's UV rays contact your skin. Other good sources of the vitamin include fish, eggs, and fortified dairy products. It's also available as a dietary supplement.
- 2. Vitamin D must go through several processes in your body before your body can use it. The first transformation occurs in the liver. Here, your body converts vitamin D to a chemical known as 25-hydroxyvitamin D, also called calcidiol.
- 3. The 25-hydroxy vitamin D test is the best way to monitor vitamin D levels. The amount of 25-hydroxyvitamin D in your blood is a good indication of how much vitamin D your body has. The test can determine if your vitamin D levels are too high or too low.
- **4.**The test is also known as the 25-OH vitamin D test and the calcidiol 25-hydroxycholecalcifoerol test. It can be an important indicator of osteoporosis (bone weakness) and rickets (bone malformation).

Those who are at high risk of having low levels of vitamin D include:

1.people who don't get much exposure to the sun

2.older adults

3.people with obesity.

4. dietary deficiency

Increased Levels: Vitamin D Intoxication

Method : CLIA

Vitamin- B12 (cyanocobalamin) 632 pg/mL 211-911 CLIA

Interpretation

This test is most often done when other blood tests suggest a condition called megaloblastic anemia. Pernicious anemia is a form of megaloblastic anemia caused by poor vitamin B12 absorption. This can occur when the stomach makes less of the substance the body needs to properly absorb vitamin B12.

Causes of vitamin B12 deficiency include:Diseases that cause malabsorption

- 1.Lack of intrinsic factor, a protein that helps the intestine absorb vitamin B12
- 2. Above normal heat production (for example, with hyperthyroidism)

An increased vitamin B12 level is uncommon in:

- 1.Liver disease (such as cirrhosis or hepatitis)
- 2. Myeloproliferative disorders (for example, polycythemia vera and chronic myelogenous leukemia)

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited







DR.VAISHNAVI MD BIOCHEMISTRY



Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mr. K RAVINDER REDDY Sample ID : 24863976

Age/Gender : 56 Years/Male Reg. No : 0312404060007 Referred by : Dr. SREEDAR REDDY SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 06-Apr-2024 07:36 AM
Primary Sample : Whole Blood Received On : 06-Apr-2024 08:16 AM

Sample Tested In : Serum Reported On : 06-Apr-2024 09:38 AM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-3 PACKAGE

Test Name	Results	Units	Ref. Range	Method	
Lipid Profile					
Cholesterol Total	142	mg/dL	< 200	CHOD-POD	
Triglycerides-TGL	157	mg/dL	< 150	GPO-POD	
Cholesterol-HDL	42	mg/dL	40-60	Direct	
Cholesterol-LDL	68.6	mg/dL	< 100	Calculated	
Cholesterol- VLDL	31.4	mg/dL	7-35	Calculated	
Non HDL Cholesterol	100	mg/dL	< 130	Calculated	
Cholesterol Total /HDL Ratio	3.38	%	0-4.0	Calculated	
HDL / LDL Ratio	0.61				
LDL/HDL Ratio	1.63	%	0-3.5	Calculated	

The National Cholesterol Education program's third Adult Treatment Panel (ATPIII) has issued its recommendations on evaluating and treating lipid discorders for primary and secondary.

NCEP Recommendations	Cholesterol Total in (mg/dL)	Triglycerides in (mg/dL)	HDL Cholesterol (mg/dL)	LDL Cholesterol in (mg/dL)	Non HDL Cholesterol in (mg/dL)
Optimal	Adult: < 200 Children: < 170	< 150	40-59	Adult:<100 Children: <110	<130
Above Optimal				100-129	130 - 159
Borderline High	Adult: 200-239 Children:171-199	150-199		Adult: 130-159 Children: 111-129	160 - 189
High	Adult:>or=240 Children:>or=200	200-499	≥ 60	Adult:160-189 Children:>or=130	190 - 219
Very High		>or=500		Adult: >or=190	>=220

Note: LDL cholesterol cannot be calculated if triglyceride is >400 mg/dL (Friedewald's formula). Calculated values not provided for LDL and VLDL











Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mr. K RAVINDER REDDY Age/Gender : 56 Years/Male

Referred by : Dr. SREEDAR REDDY

Referring Customer: V CARE MEDICAL DIAGNOSTICS

Primary Sample : Whole Blood Sample Tested In : Serum

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka

Sample ID : 24863976

Reg. No : 0312404060007

SPP Code : SPL-CV-172

Collected On : 06-Apr-2024 07:36 AM

Received On : 06-Apr-2024 08:16 AM Reported On : 06-Apr-2024 09:38 AM

Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-3 PACKAGE

Test Name	Results	Units	Ref. Range	Method
Kidney Profile-KFT				
Creatinine -Serum	0.85	mg/dL	0.70-1.30	Sarcosine oxidase
Urea-Serum	17.2	mg/dL	12.8-42.8	Glutamate dehydrogenase+Calculation
Blood Urea Nitrogen (BUN)	8.04	mg/dL	7.0-18.0	Calculated
BUN / Creatinine Ratio	9.46		6 - 22	
Uric Acid	5.1	mg/dL	3.5-7.2	Uricase
Sodium	141	mmol/L	136-145	ISE Direct
Potassium	4.0	mmol/L	3.5-5.1	ISE Direct
Chloride	103	mmol/L	98-108	ISE Direct
Liver Function Test (LFT)				
Bilirubin(Total)	0.4	mg/dL	0.3-1.2	Diazo
Bilirubin (Direct)	0.1	mg/dL	0.0 - 0.5	Diazo
Bilirubin (Indirect)	0.3	mg/dL	0.2-1.0	Calculated
Aspartate Aminotransferase (AST/SGOT)	38	U/L	5-40	IFCC with out (P-5-P)
Alanine Aminotransferase (ALT/SGPT)	28	U/L	0-55	IFCC with out (P-5-P)
Alkaline Phosphatase(ALP)	46	U/L	40-150	Kinetic PNPP-AMP
Gamma Glutamyl Transpeptidase (GGTP)	47	U/L	15-85	IFCC
Protein - Total	7.4	g/dL	6.4-8.2	Biuret
Albumin	3.9	g/dL	3.4-5.0	Bromocresol purple (BCP)
Globulin	3.5	g/dL	2.0-4.2	Calculated
A:G Ratio	1.11	%	0.8-2.0	Calculated
SGOT/SGPT Ratio	1.36			

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited







DR.VAISHNAVI MD BIOCHEMISTRY



Lab Address: - # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPOR1

Name : Mr. K RAVINDER REDDY Sample ID : 24863976

Age/Gender : 56 Years/Male Reg. No : 0312404060007

Referred by : Dr. SREEDAR REDDY SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 06-Apr-2024 07:36 AM Primary Sample : Whole Blood : 06-Apr-2024 08:16 AM Received On

Sample Tested In : Serum Reported On : 06-Apr-2024 09:38 AM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-3 PACKAGE Units

Test Name	Results	Units	Ref. Range	Method	
Thyroid Profile-I(TFT)					
T3 (Triiodothyronine)	132.65	ng/dL	40-181	CLIA	
T4 (Thyroxine)	9.0	μg/dL	3.2-12.6	CLIA	
TSH -Thyroid Stimulating Hormone	4.33	μIU/mL	0.35-5.5	CLIA	

Pregnancy & Cord Blood

T3 (Triiodothyronine	e):	T4 (Thyroxine)	TSH (Thyroid Stimulating Hormone)
First Trimester	: 81-190 ng/dL	15 to 40 weeks:9.1-14.0 μg/dL	First Trimester : 0.24-2.99 µIU/mL
Second&Third Trimes	ster :100-260 ng/dL		Second Trimester: 0.46-2.95 µIU/mL
			Third Trimester : 0.43-2.78 µIU/mL
Cord Blood: 30-70 ng	/dL	Cord Blood: 7.4-13.0 µg/dL	Cord Blood: : 2.3-13.2 µIU/mL

Interpretation:

- Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.
- Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.
- Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.











Lab Address: - # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT

: Mr. K RAVINDER REDDY Name

Age/Gender : 56 Years/Male

Referred by : Dr. SREEDAR REDDY

Referring Customer: V CARE MEDICAL DIAGNOSTICS

Primary Sample : Whole Blood

Sample Tested In : Serum

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Sample ID : 24863976

Reg. No : 0312404060007

SPP Code : SPL-CV-172

Collected On : 06-Apr-2024 07:36 AM

: 06-Apr-2024 08:16 AM Received On

Reported On : 06-Apr-2024 09:38 AM Report Status : Final Report

CLINICAL BIOCHEMISTRY

HEALTH PROFILE A-3 PACKAGE Unite

Test Name	Results	Units	Ref. Range	Method
Iron Profile-I				
Iron(Fe)	57	μg/dL	65-175	Ferene
Total Iron Binding Capacity (TIBC)	462	μg/dL	250-450	Ferene
Transferrin	323.08	mg/dL	215-365	Calculated
Iron Saturation((% Transferrin Saturation)	12.34	%	20-50	Calculated
Unsaturated Iron Binding Capacity (UIBC)	405	μg/dL	110 - 370	FerroZine

Interpretation:

- Serum transferrin (and TIBC) high, serum iron low, saturation low. Usual causes of depleted iron stores include blood loss, inadequate dietary iron. RBCs in moderately severe iron deficiency are hypochromic and microcytic. Stainable marrow iron is absent. Serum ferritin decrease is the earliest indicator of iron deficiency if inflammation is absent
- Anemia of chronic disease: Serum transferrin (and TIBC) low to normal, serum iron low, saturation low or normal. Transferrin decreases with many inflammatory diseases. With chronic disease there is a block in movement to and utilization of iron by marrow. This leads to low serum iron and decreased erythropoiesis. Examples include acute and chronic infections, malignancy and renal failure.
- Sideroblastic Anemia: Serum transferrin (and TIBC) normal to low, serum iron normal to high, saturation high.
- Hemolytic Anemia: Serum transferrin (and TIBC) normal to low, serum iron high, saturation high.
- Hemochromatosis: Serum transferrin (and TIBC) slightly low, serum iron high, saturation very high
- Protein depletion: Serum transferrin (and TIBC) may be low, serum iron normal or low (if patient also is iron deficient). This may occur as a result of malnutrition, liver disease, renal
- Liver disease: Serum transferrin variable; with acute viral hepatitis, high along with serum iron and ferritin. With chronic liver disease (eg, cirrhosis), transferrin may be low. Patients who have cirrhosis and portacaval shunting have saturated TIBC/transferrin as well as high ferritin.











Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mr. K RAVINDER REDDY Sample ID : 24863975

Age/Gender : 56 Years/Male Reg. No : 0312404060007 Referred by : Dr. SREEDAR REDDY SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 06-Apr-2024 07:36 AM

Primary Sample : Received On : 06-Apr-2024 08:16 AM Sample Tested In : Urine Reported On : 06-Apr-2024 11:46 AM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

CLINICAL PATHOLOGY

HEALTH PROFILE A-3 PACKAGE

Test Name Results Units Ref. Range Method

Complete Urine Analysis (CUE)

Physical Examination

Colour Pale Yellow Straw to light amber

Appearance Clear Clear

Chemical Examination

Negative Glucose Negative Strip Reflectance Protein Absent Strip Reflectance Negative Bilirubin (Bile) Negative Negative Strip Reflectance Urobilinogen Negative Negative Ehrlichs reagent Ketone Bodies Negative Negative Strip Reflectance 1.030 Specific Gravity 1.000 - 1.030 Strip Reflectance Blood Negative Negative Strip Reflectance

Reaction (pH) 5.0 - 8.5 Reagent Strip Reflectance

Nitrites Negative Negative Strip Reflectance

Leukocyte esterase Negative Negative Reagent Strip Reflectance

Microscopic Examination (Microscopy)

PUS(WBC) Cells 02-04 /hpf 00-05 Microscopy R.B.C. Nil /hpf Nil Microscopic **Epithelial Cells** 01-02 /hpf 00-05 Microscopic Casts Absent Absent Microscopic Absent Absent Crystals Microscopic Bacteria Nil Nil

Budding Yeast Cells Nil Absent Microscopy

Correlate Clinically.

Result rechecked and verified for abnormal cases

Laboratory is NABL Accredited

*** End Of Report ***







Swarnabala - M DR.SWARNA BALA MD PATHOLOGY