

REPORT

Name	: Miss. B REVATHI	Sample ID	: 24864050
Age/Gender	: 15 Years/Female	Reg. No	: 0312404080016
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 08-Apr-2024 12:11 PM
Primary Sample	: Whole Blood	Received On	: 08-Apr-2024 01:10 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 08-Apr-2024 05:05 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

HAEMATOLOGY

Test Name	Results	Units	Ref. Range	Method
Blood Grouping (A B O)	B			Tube Agglutination
Rh Typing	Positive			Tube Agglutination

Comments:

Blood group ABO & Rh test identifies your blood group & type of Rh factor. There are four major blood groups- A, B, AB, and O. It is important to know your blood group as you may need a transfusion of blood or blood components; you may want to donate your blood ; before or during a woman's pregnancy to determine the risk of Rh mismatch with the fetus.

Note: Both Forward and Reverse Grouping Performed .

*** End Of Report ***

Laboratory is NABL Accredited



Swannabala - M
DR.SWARNA BALA
MD PATHOLOGY

REPORT


Name	: Miss. B REVATHI	Sample ID	: 24864049
Age/Gender	: 15 Years/Female	Reg. No	: 0312404080016
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 08-Apr-2024 12:11 PM
Primary Sample	: Whole Blood	Received On	: 08-Apr-2024 01:10 PM
Sample Tested In	: Serum	Reported On	: 08-Apr-2024 06:39 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

IMMUNOLOGY & SEROLOGY

Test Name	Results	Units	Ref. Range	Method
HIV (1 & 2) Antibody	0.24	S/Co	< 1.00 : Negative > 1.00 : Positive	ELISA

Interpretation

- Non Reactive result implies that antibodies to HIV 1 / 2 have not been detected in the sample. This means the patient has either not been exposed to HIV 1 / 2 infection or the sample has been tested during the "window phase" i.e. before the development of detectable levels of antibodies. Hence a Non Reactive result does not exclude the possibility of exposure or infection with HIV 1 / 2.
- Pre and Post test counseling to be done by the concerned referring doctor. The sensitivity and specificity of this test has been determined by National HIV Reference Centers of Govt. of India and WHO collaborating Centers, using various other test panels. "
- Reactive samples by ELISA Method are confirmed by 2 other supplemental tests for confirm of HIV infection as per NACO guidelines.
- All patients' reports indeterminate should be repeated with a second sample taken 14-28 days. In case the serological results continue to be indeterminate the sample should be subject to western blot for confirmation.



Correlate Clinically.

Laboratory is NABL Accredited

*** End Of Report ***



DR. RUTURAJ MANIKLAL KOLHAPURE
MD, MICROBIOLOGIST