

Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. SAHAJA Sample ID : A0287500
Age/Gender : 34 Years/Female Reg. No : 0312406210055
Referred by : Dr. SELF SPP Code : SPL-CV-172
Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 21-Jun-2024 06:43

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 21-Jun-2024 06:43 PM Primary Sample : Whole Blood Received On : 21-Jun-2024 10:59 PM

Sample Tested In : Whole Blood EDTA Reported On : 21-Jun-2024 11:09 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

	HAEMATOLOGY							
Test Name	Results	Units	Ref. Range	Method				
Complete Blood Picture(CBP)								
Haemoglobin (Hb)	10.9	g/dL	12-15	Cynmeth Method				
Haematocrit (HCT)	32.7	%	40-50	Calculated				
RBC Count	3.81	10^12/L	4.5-5.5	Cell Impedence				
MCV	86	fl	81-101	Calculated				
MCH	28.6	pg	27-32	Calculated				
MCHC	33.3	g/dL	32.5-34.5	Calculated				
RDW-CV	13.6	%	11.6-14.0	Calculated				
Platelet Count (PLT)	336	10^9/L	150-410	Cell Impedance				
Total WBC Count	7.7	10^9/L	4.0-10.0	Impedance				
Differential Leucocyte Count (DC)								
Neutrophils	53	%	40-70	Cell Impedence				
Lymphocytes	40	%	20-40	Cell Impedence				
Monocytes	04	%	2-10	Microscopy				
Eosinophils	03	%	1-6	Microscopy				
Basophils	0	%	1-2	Microscopy				
Absolute Neutrophils Count	4.08	10^9/L	2.0-7.0	Impedence				
Absolute Lymphocyte Count	3.08	10^9/L	1.0-3.0	Impedence				
Absolute Monocyte Count	0.31	10^9/L	0.2-1.0	Calculated				
Absolute Eosinophils Count	0.23	10^9/L	0.02-0.5	Calculated				
Absolute Basophil ICount	0.00	10^9/L	0.0-0.3	Calculated				
Morphology	Normocytic	normochromic	blood picture.	PAPs Staining				







Swarnabala - M DR.SWARNA BALA MD PATHOLOGY



Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. SAHAJA Sample ID : A0287499

Age/Gender : 34 Years/Female Reg. No : 0312406210055

Referred by : Dr. SELF SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 21-Jun-2024 06:43 PM Primary Sample : Whole Blood Received On : 21-Jun-2024 10:59 PM

Sample Tested In : Serum Reported On : 21-Jun-2024 11:51 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

CENTICAL BIOCHEMISTRY					
Test Name	Results	Units	Ref. Range	Method	

TSH -Thyroid Stimulating Hormone 4.24 µIU/mL 0.35-5.5 CLIA

Pregnancy & Cord Blood

		TSH (Thyroid Stimulating Hormone (μIU/mL)
First Trimester	: 0.24-2.99	
Second Trimester	: 0.46-2.95	
Third Trimester	: 0.43-2.78	
Cord Blood	: 2.3-13.2	

- TSH is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-releasing hormone (TRH), directly stimulates TSH production.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low
- TRH stimulation differentiates secondary and tertiary hypothyroidism by observing the change in patient TSH levels. Typically, the TSH response to TRH stimulation is absent in cases of secondary hypothyroidism, and normal to exaggerated in tertiary hypothyroidism
- Historically, TRH stimulation has been used to confirm primary hyperthyroidism, indicated by elevated T3 and T4 levels and low or undetectable TSH levels. TSH assays with increased sensitivity and specificity provide a primary diagnostic tool to differentiate hyperthyroid from euthyroid patients.

Correlate Clinically.

Result rechecked and verified for abnormal cases

Laboratory is NABL Accredited

*** End Of Report ***







