

Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. RUBI KUMARI Sample ID : A0643655
Age/Gender : 27 Years/Female Reg. No : 0312407010057
Referred by : Dr. Nivedita Ashrit MD (Obs/Gyn) SPP Code : SPL-CV-172
Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 01-Jul-2024 05:58 PM

Primary Sample : Whole Blood Received On : 01-Jul-2024 11:00 PM Sample Tested In : Whole Blood EDTA Reported On : 02-Jul-2024 12:35 AM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

HAEMATOLOGY				
Test Name	Results	Units	Ref. Range	Method
Complete Blood Picture(CBP)				
Haemoglobin (Hb)	11.2	g/dL	12-15	Cynmeth Method
Haematocrit (HCT)	34.3	%	40-50	Calculated
RBC Count	4.38	10^12/L	3.8-4.8	Cell Impedence
MCV	78	fl	81-101	Calculated
MCH	25.6	pg	27-32	Calculated
MCHC	32.7	g/dL	32.5-34.5	Calculated
RDW-CV	14.7	%	11.6-14.0	Calculated
Platelet Count (PLT)	183	10^9/L	150-410	Cell Impedance
Total WBC Count	8.3	10^9/L	4.0-10.0	Impedance
Differential Leucocyte Count (DC)				
Neutrophils	68	%	40-70	Cell Impedence
Lymphocytes	25	%	20-40	Cell Impedence
Monocytes	04	%	2-10	Microscopy
Eosinophils	03	%	1-6	Microscopy
Basophils	0	%	1-2	Microscopy
Absolute Neutrophils Count	5.64	10^9/L	2.0-7.0	Impedence
Absolute Lymphocyte Count	2.08	10^9/L	1.0-3.0	Impedence
Absolute Monocyte Count	0.33	10^9/L	0.2-1.0	Calculated
Absolute Eosinophils Count	0.25	10^9/L	0.02-0.5	Calculated
Absolute Basophil ICount	0.00	10^9/L	0.0-0.3	Calculated
Morphology	Normocytic	normochromic	blood picture.	PAPs Staining







Swarnabala - M DR.SWARNA BALA MD PATHOLOGY



Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

 Name
 : Mrs. RUBI KUMARI
 Sample ID
 : A0643658, A0643552

 Age/Gender
 : 27 Years/Female
 Reg. No
 : 0312407010057

Referred by : Dr. Nivedita Ashrit MD (Obs/Gyn) SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 01-Jul-2024 05:58 PM Primary Sample : Whole Blood Received On : 01-Jul-2024 11:00 PM

Sample Tested In : Plasma-NaF(R), Serum Reported On : 02-Jul-2024 12:18 AM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

GENTIONE BIOGREMIOTICI					
Test Name	Results	Units	Ref. Range	Method	

Glucose Random (RBS) 93 mg/dL 70-140 Hexokinase (HK)

Interpretation of Plasma Glucose based on ADA guidelines 2018

Diagnosis	3	2hrsPlasma Glucose(mg/dL)	HbA1c(%)	RBS(mg/dL)
Prediabetes		140-199	5.7-6.4	NA
Diabetes	> = 126	>= 200		>=200(with symptoms)

Reference: Diabetes care 2018:41(suppl.1):S13-S27

- The random blood glucose if it is above 200 mg/dL and the patient has increased thirst, polyuria, and polyphagia, suggests diabetes mellitus.
- As a rule, two-hour glucose samples will reach the fasting level or it will be in the normal range.

TSH -Thyroid Stimulating Hormone 7.11 μIU/mL 0.35-5.5

Pregnancy & Co	rd Blood			
TSH (Thyroid Stimulating Hormone (μIU/mL)				
First Trimester	: 0.24-2.99			
Second Trimester	r: 0.46-2.95		Eveallance	
Third Trimester	: 0.43-2.78			
Cord Blood	: 2.3-13.2			

- TSH is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-releasing hormone (TRH), directly stimulates TSH production.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low
- TRH stimulation differentiates secondary and tertiary hypothyroidism by observing the change in patient TSH levels. Typically, the TSH response to TRH stimulation is absent in cases of secondary hypothyroidism, and normal to exaggerated in tertiary hypothyroidism
- Historically, TRH stimulation has been used to confirm primary hyperthyroidism, indicated by elevated T3 and T4 levels and low or undetectable TSH levels. TSH assays with increased sensitivity and specificity provide a primary diagnostic tool to differentiate hyperthyroid from euthyroid patients.









CLIA



Sagepath Labs Pvt. Ltd.

Lab Address: - # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. RUBI KUMARI Sample ID : A0643652

Age/Gender : 27 Years/Female Reg. No : 0312407010057

Referred by : Dr. Nivedita Ashrit MD (Obs/Gyn) SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 01-Jul-2024 05:58 PM Primary Sample Received On : 01-Jul-2024 11:00 PM

Sample Tested In : Urine Reported On : 02-Jul-2024 12:30 AM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status Final Report

CLINICAL PATHOLOGY

Test Name	Results	Units	Ref. Range	Method

Complete Urine Analysis (CUE)

Physical Examination

Colour Colour less Straw to light amber

Appearance Clear Clear

Chemical Examination

Negative Strip Reflectance Glucose Negative Protein Absent Negative Strip Reflectance Bilirubin (Bile) Negative Negative Strip Reflectance Urobilinogen Negative Negative Ehrlichs reagent Ketone Bodies Negative Negative Strip Reflectance Specific Gravity 1.010 1.000 - 1.030 Strip Reflectance Blood Negative Negative Strip Reflectance 5.0 - 8.5 6.0 Reaction (pH) Reagent Strip Reflectance **Nitrites** Negative Negative Strip Reflectance

Leukocyte esterase Negative Negative Reagent Strip Reflectance

Microscopic Examination (Microscopy)

PUS(WBC) Cells 02-03 /hpf 00-05 Microscopy Nil Nil R.B.C. /hpf Microscopic **Epithelial Cells** 01-02 /hpf 00-05 Microscopic Absent Absent Casts Microscopic Crystals Absent Absent Microscopic Nil Nil Bacteria Nil **Budding Yeast Cells** Absent Microscopy

Comments: Urine analysis is one of the most useful laboratory tests as it identifies a wide range of medical conditions including renal damage, urinary tract infections, diabetes, hypertension

and drug toxicity

Correlate Clinically.

Result rechecked and verified for abnormal cases

Laboratory is NABL Accredited

*** End Of Report ***







Swarnabala-M DR.SWARNA BALA MD PATHOLOGY