

# Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

## REPORT

Name : Mrs. ANJUM Sample ID : A0643656
Age/Gender : 33 Years/Female Reg. No : 0312407010056
Referred by : Dr. Nivedita Ashrit MD (Obs/Gyn) SPP Code : SPL-CV-172
Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 01-Jul-2024 05:52 PM

Primary Sample : Whole Blood Received On : 01-Jul-2024 05:52 PM
Sample Tested In : Whole Blood EDTA Reported On : 02-Jul-2024 12:36 AM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

	HAEMATOLOGY						
Test Name	Results	Units	Ref. Range	Method			
Complete Blood Picture(CBP)							
Haemoglobin (Hb)	8.6	g/dL	12-15	Cynmeth Method			
Haematocrit (HCT)	27.7	%	40-50	Calculated			
RBC Count	3.62	10^12/L	3.8-4.8	Cell Impedence			
MCV	77	fl	81-101	Calculated			
MCH	23.7	pg	27-32	Calculated			
MCHC	31.0	g/dL	32.5-34.5	Calculated			
RDW-CV	13.8	%	11.6-14.0	Calculated			
Platelet Count (PLT)	247	10^9/L	150-410	Cell Impedance			
Total WBC Count	5.6	10^9/L	4.0-10.0	Impedance			
Differential Leucocyte Count (DC)							
Neutrophils	58	%	40-70	Cell Impedence			
Lymphocytes	34	%	20-40	Cell Impedence			
Monocytes	05	%	2-10	Microscopy			
Eosinophils	03	%	1-6	Microscopy			
Basophils	0	%	1-2	Microscopy			
Absolute Neutrophils Count	3.25	10^9/L	2.0-7.0	Impedence			
Absolute Lymphocyte Count	1.9	10^9/L	1.0-3.0	Impedence			
Absolute Monocyte Count	0.28	10^9/L	0.2-1.0	Calculated			
Absolute Eosinophils Count	0.17	10^9/L	0.02-0.5	Calculated			
Absolute Basophil ICount	0.00	10^9/L	0.0-0.3	Calculated			
Morphology	Microcytic hypochromic anemia			PAPs Staining			







Swarnabala - M DR.SWARNA BALA MD PATHOLOGY



## Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

### REPORT

Name : Mrs. ANJUM Sample ID : A0643654

Age/Gender : 33 Years/Female Reg. No : 0312407010056

Referred by : Dr. Nivedita Ashrit MD (Obs/Gyn) SPP Code : SPL-CV-172
Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 01-Jul-2024 05:52 PM

Primary Sample : Whole Blood Received On : 01-Jul-2024 11:00 PM Sample Tested In : Serum Reported On : 02-Jul-2024 12:08 AM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

### **CLINICAL BIOCHEMISTRY**

CEINICAE BIOCHEMISTAT						
Test Name	Results	Units	Ref. Range	Method		

#### TSH -Thyroid Stimulating Hormone 2.29 µIU/mL 0.35-5.5 CLIA

#### Pregnancy & Cord Blood

		TSH (Thyroid Stimulating Hormone (μIU/mL)
First Trimester	: 0.24-2.99	
Second Trimester	: 0.46-2.95	
Third Trimester	: 0.43-2.78	
Cord Blood	: 2.3-13.2	

- TSH is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-releasing hormone (TRH), directly stimulates TSH production.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low
- TRH stimulation differentiates secondary and tertiary hypothyroidism by observing the change in patient TSH levels. Typically, the TSH response to TRH stimulation is absent in cases of secondary hypothyroidism, and normal to exaggerated in tertiary hypothyroidism
- Historically, TRH stimulation has been used to confirm primary hyperthyroidism, indicated by elevated T3 and T4 levels and low or undetectable TSH levels. TSH assays with increased sensitivity and specificity provide a primary diagnostic tool to differentiate hyperthyroid from euthyroid patients.

Correlate Clinically.

Result rechecked and verified for abnormal cases

Laboratory is NABL Accredited

\*\*\* End Of Report \*\*\*







