

Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name: Mrs. JHANSISample IDAge/Gender: 25 Years/FemaleReg. NoReferred by: Dr. JAYANTI REDDYSPP Code

Referring Customer : V CARE MEDICAL DIAGNOSTICS

Primary Sample :

Sample Tested In : Citrated Plasma, Capillary Tub

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka

Sample ID : A0590390, A0590392

: 0312408010020

SPP Code : SPL-CV-172

Collected On : 01-Aug-2024 02:12 PM

Received On : 01-Aug-2024 05:11 PM

Reported On : 01-Aug-2024 09:18 PM

Report Status : Final Report

HAEMATOLOGY

ANTE NATEL PROFILE-ELISA

Test Name Results Units Ref. Range Method

Activated Partial Thromboplastin Time (APTT/PTTK)

Patient Value 35.90 sec 26-40 Photo Optical Clot Detection

Control Value 33.00 Sec Agglutination

Comments:APTT measures intrinsic and common pathways of the coagulation cascade. Prolonged APTT may be caused by heparin and other anticoagulants, factor deficiencies or inhibitors such as lupus anticoagulants

Bleeding Time & Clotting Time

Bleeding Time (BT) 3:10 Minutes 2 - 5 Capillary Method Clotting Time (CT) 05:20 Minutes 3 - 7 Capillary Method

Excellence In Health Care



Swarnabala - M DR.SWARNA BALA MD PATHOLOGY





Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name: Mrs. JHANSISample ID: A0590388Age/Gender: 25 Years/FemaleReg. No: 0312408010020Referred by: Dr. JAYANTI REDDYSPP Code: SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 01-Aug-2024 02:12 PM
Primary Sample : Whole Blood Received On : 01-Aug-2024 05:11 PM

Sample Tested In : Whole Blood EDTA Reported On : 01-Aug-2024 06:47 PM

Client Address : Kimtee colony , Gokul Nagar, Tarnaka Report Status : Final Report

HAEMATOLOGY

| | 117 | CHIA I OLO | <u> </u> | |
|-------------------------------|-----------------|---------------|---------------------|--------------------|
| Test Name | Results | Units | Ref. Range | Method |
| Plood Grouping (A.P.O) | ۸ | | | Tubo Agalutination |
| Blood Grouping (A B O) | A | | | Tube Agglutination |
| Rh Typing | Negative | | | Tube Agglutination |
| Blood Picture - Peripheral Sm | ear Examination | | | |
| Red Blood Cells | Normocy | tic normochro | mic | Microscopy |
| White Blood Cells | Within no | rmal limits | | Microscopy |
| Platelets | Adequate | 9 | | Microscopy |
| Hemoparasites | Not seen. | • | | Microscopy |
| Impression | Anisocyto | sis with Norm | ocytic normochromic | |
| Advice | Correlate | clinically | | |
| | | | | |
| | *** End | Of Report * | ** | |
| Laboratory is NADI Approdited | | | | |

Laboratory is NABL Accredited

Excellence In Health Care







Swarnabala - M DR.SWARNA BALA MD PATHOLOGY





Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. JHANSI Sample ID : A0590388

Age/Gender : 25 Years/Female Reg. No : 0312408010020

Referred by : Dr. JAYANTI REDDY SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 01-Aug-2024 02:12

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 01-Aug-2024 02:12 PM
Primary Sample : Whole Blood Received On : 01-Aug-2024 05:11 PM
Sample Tested In : Whole Blood EDTA Reported On : 01-Aug-2024 05:49 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

HAEMATOLOGY

| | ANTE NATEL PROFILE-ELISA | | | | |
|--------------------------------------------|--------------------------|---------------|------------------|----------------|--|
| Test Name | Results | Units | Ref. Range | Method | |
| | | | | | |
| Complete Blood Count (CBC) | | | | | |
| Haemoglobin (Hb) | 11.2 | g/dL | 12-15 | Cynmeth Method | |
| RBC Count | 4.42 | 10^12/L | 3.8-4.8 | Cell Impedence | |
| Total WBC Count | 6.9 | 10^9/L | 4.0-10.0 | Impedance | |
| Platelet Count (PLT) | 204 | 10^9/L | 150-410 | Cell Impedance | |
| Haematocrit (HCT) | 33.6 | % | 40-50 | Calculated | |
| MCV | 76 | fl | 81-101 | Calculated | |
| MCH | 25.3 | pg | 27-32 | Calculated | |
| MCHC | 33.3 | g/dL | 32.5-34.5 | Calculated | |
| RDW-CV | 15.2 | % | 11.6-14.0 | Calculated | |
| Differential Count by Flowcytometry /Micro | oscopy | | | | |
| Neutrophils | 55 | % | 40-70 | Cell Impedence | |
| Lymphocytes | 35 | % | 20-40 | Cell Impedence | |
| Monocytes | 06 | % | 2-10 | Microscopy | |
| Eosinophils | 04 | % | 1-6 | Microscopy | |
| Basophils | 00 | % | 1-2 | Microscopy | |
| <u>Smear</u> | | | | | |
| WBC | Within Norm | nal Limits | | | |
| RBC | Anisocytosis | s with Normoc | tic normochromic | | |
| | | | | | |



Platelets





Adequate.

Swarnabala - M DR.SWARNA BALA MD PATHOLOGY

Microscopy





Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

 Name
 : Mrs. JHANSI
 Sample ID
 : A0590389, A0590387

 Age/Gender
 : 25 Years/Female
 Reg. No
 : 0312408010020

 Referred by
 : Dr. JAYANTI REDDY
 SPP Code
 : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 01-Aug-2024 02:12 PM Primary Sample : Whole Blood Received On : 01-Aug-2024 05:11 PM

Sample Tested In : Plasma-NaF(R), Serum Reported On : 01-Aug-2024 06:56 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

ANTE NATEL PROFILE-ELISA

Test Name Results Units Ref. Range Method

Glucose Random (RBS) 84 mg/dL 70-140 Hexokinase (HK)

Interpretation of Plasma Glucose based on ADA guidelines 2018

| | 3 | 2hrsPlasma Glucose(mg/dL) | HbA1c(%) | RBS(mg/dL) |
|-------------|---------|------------------------------|----------|-------------------------|
| Prediabetes | 100-125 | 140-199 | 5.7-6.4 | NA |
| Diabetes | > = 126 | >= 200 | | >=200(with symptoms) |

Reference: Diabetes care 2018:41(suppl.1):S13-S27

- The random blood glucose if it is above 200 mg/dL and the patient has increased thirst, polyuria, and polyphagia, suggests diabetes mellitus.
- As a rule, two-hour glucose samples will reach the fasting level or it will be in the normal range.

Creatinine - Serum 0.69 mg/dL 0.60-1.10 Jaffes Kinetic

Interpretation:

- This test is done to see how well your kidneys are working. Creatinine is a chemical waste product of creatine. Creatine is a chemical made by the body and is used to supply energy mainly to muscles.
- A higher than normal level may be due to:
- Renal diseases and insufficiency with decreased glomerular filtration, urinary tract obstruction, reduced renal blood flow including congestive heart failure, shock, and dehydration; rhabdomyolysis can cause elevated serum creatinine.
- A lower than normal level may be due to:
- Small stature, debilitation, decreased muscle mass; some complex cases of severe hepatic disease can cause low serum creatinine levels. In advanced liver disease, low creatinine may result
 from decreased hepatic production of creatinine and inadequate dietary protein as well as reduced musle mass.

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited











Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. JHANSI Sample ID : A0590387

Age/Gender : 25 Years/Female Reg. No : 0312408010020

Referred by : Dr. JAYANTI REDDY SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 01-Aug-2024 02:12 PM Primary Sample : Whole Blood Received On : 01-Aug-2024 05:11 PM

Sample Tested In : Serum Reported On : 01-Aug-2024 06:14 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL BIOCHEMISTRY

| Test Name | Results | Units | Ref. Range | Method | |
|----------------------------------|---------|--------|------------|--------|--|
| | | | | | |
| Thyroid Profile-I(TFT) | | | | | |
| T3 (Triiodothyronine) | 132.55 | ng/dL | 70-204 | CLIA | |
| T4 (Thyroxine) | 9.8 | μg/dL | 3.2-12.6 | CLIA | |
| TSH -Thyroid Stimulating Hormone | 1.75 | μIU/mL | 0.35-5.5 | CLIA | |

Pregnancy & Cord Blood

| T3 (Triiodothyronine): | T4 (Thyroxine) | TSH (Thyroid Stimulating Hormone) |
|---------------------------------------|-------------------------------|------------------------------------|
| First Trimester : 81-190 ng/dL | 15 to 40 weeks:9.1-14.0 μg/dL | First Trimester : 0.24-2.99 µIU/mL |
| Second&Third Trimester :100-260 ng/dL | | Second Trimester: 0.46-2.95 μIU/mL |
| | | Third Trimester : 0.43-2.78 µIU/mL |
| Cord Blood: 30-70 ng/dL | Cord Blood: 7.4-13.0 µg/dL | Cord Blood: : 2.3-13.2 µIU/mL |

Interpretation:

- Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.
- Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.
- Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism. TSH levels are low.











Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. JHANSI Sample ID : A0590391

Age/Gender : 25 Years/Female Reg. No : 0312408010020 Referred by : Dr. JAYANTI REDDY SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 01-Aug-2024 02:12 PM

Primary Sample : Received On : 01-Aug-2024 05:11 PM Sample Tested In : Urine Reported On : 01-Aug-2024 07:54 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

CLINICAL PATHOLOGY

| Test Name | Results | Units | Ref. Range | Method | |
|-----------|---------|-------|------------|--------|--|

Complete Urine Analysis (CUE)

Physical Examination

Colour Dark Yellow Straw to light amber

Appearance HAZY Clear

Chemical Examination

Negative Strip Reflectance Glucose Negative Protein Absent Negative Strip Reflectance Bilirubin (Bile) (+)Negative Strip Reflectance Urobilinogen Negative Negative Ehrlichs reagent Ketone Bodies Negative Negative Strip Reflectance Specific Gravity 1.030 1.000 - 1.030 Strip Reflectance Blood Negative Negative Strip Reflectance 5.0 - 8.5 6.0 Reaction (pH) Reagent Strip Reflectance **Nitrites** Negative Negative Strip Reflectance

Leukocyte esterase Negative Negative Reagent Strip Reflectance

Microscopic Examination (Microscopy)

PUS(WBC) Cells 03-04 /hpf 00-05 Microscopy Nil Nil R.B.C. /hpf Microscopic **Epithelial Cells** 02-03 /hpf 00-05 Microscopic Casts Absent Absent Microscopic Crystals Absent Absent Microscopic Nil Nil Bacteria Nil **Budding Yeast Cells** Absent Microscopy

Comments: Urine analysis is one of the most useful laboratory tests as it identifies a wide range of medical conditions including renal damage, urinary tract infections, diabetes, hypertension and drug toxicity.







Swarnabala - M DR.SWARNA BALA MD PATHOLOGY



Sample Tested In

Sagepath Labs Pvt. Ltd.

Lab Address: - # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT

: Mrs. JHANSI

Age/Gender : 25 Years/Female

Referred by : Dr. JAYANTI REDDY

Referring Customer: V CARE MEDICAL DIAGNOSTICS

: Serum

Primary Sample : Whole Blood

Client Address

: Kimtee colony ,Gokul Nagar,Tarnaka

Sample ID : A0590387

Reg. No : 0312408010020

SPP Code : SPL-CV-172

Collected On : 01-Aug-2024 02:12 PM

Received On : 01-Aug-2024 04:51 PM

: 01-Aug-2024 08:10 PM Reported On

Report Status : Final Report

IMMUNOLOGY & SEROLOGY

ANTE NATEL PROFILE-ELISA

Test Name Results Units Ref. Range Method

VDRL- Syphilis Antibodies

Non Reactive

Non Reactive

Slide Flocculation

The serological diagnosis of syphilis is classified into two groups: Nontreponemal tests (RPR/VDRL) and Treponemal tests (TPHA/CLIA). Syphilis serology is a treponemal assay for the qualitative determination of antibodies to T. pallidum in human serum or plasma as an aid in the diagnosis of syphilis. Treponemal tests may remain reactive for life, even following adequate therapy thus a positive result suggests infection with Treponema pallidum but does not distinguish between treated and untreated infections. Therefore, the results of a nontreponemal assay, such as rapid plasma reagin, are needed to provide information on a patient's disease state and history of therapy. Nontreponemal tests lack sensitivity in late stage of infection and screening with these tests alone may yield false positive reactions in various acute and chronic conditions in the absence of syphilis (biological false positive reactions).

*** End Of Report ***

Laboratory is NABL Accredited









DR. RUTURAJ MANIKLAL KOLHAPURE MD, MICROBIOLOGIST



Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. JHANSI Sample ID : A0590387 Age/Gender : 25 Years/Female Reg. No : 0312408010020

Referred by : Dr. JAYANTI REDDY SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 01-Aug-2024 02:12 PM

Primary Sample : Whole Blood Received On : 01-Aug-2024 04:51 PM Sample Tested In : Serum Reported On : 01-Aug-2024 07:47 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

IMMUNOLOGY & SEROLOGY

ANTE NATEL PROFILE-ELISA

| Test Name | Results | Units | Ref. Range | Method |
|-----------|---------|-------|------------|--------|


Hepatitis B Surface Antigen (HBsAg) 0.34 S/Co <1.00 :Negative ELISA >1.00 :Positive

Interpretation:

- Negative result implies that antibodies to HBsAg have not been detected in the sample. This means the patient has either not been exposed to HBsAg infection
 or the sample has been tested during the "window phase" i.e. before the development of detectable levels of antibodies. Hence a Non-Reactive result does not
 exclude the possibility of exposure or infection with HBsAg.
- Positive result implies that antibodies to HBsAg have been detected in the sample.

Hepatitis B Virus (HBV) is a member of the Hepadna virus family causing infections of the liver with extremely variable clinical features. Hepatitis B is transmitted primarily by body fluids especially serum and also spread effectively sexually and from mother to baby. In most individuals HBV hepatitis is self limiting, but 1-2% normal adolescents and adults develop Chronic Hepatitis. Frequency of chronic HBV infection is 5-10% in immunocompromised patients and 80% in neonates. The initial serological marker of acute infection is HBsAg which typically appears 2-3 months after infection and disappears 12-20 weeks after onset of symptoms. Persistence of HBsAg for more than six months indicates development of carrier state or Chronic liver disease.

HBV antigens and antibodies in the blood



Note:

1. All Reactive results are tested additionally by Specific antibody Neutralization assay . For further confirmation Molecular assays are recommended For diagnostic purposes, results should be used in conjunction with clinical history and other hepatitis markers for Acute or Chronic infection

*** End Of Report ***

Laboratory is NABL Accredited







DR. RUTURAJ MANIKLAL KOLHAPURE MD, MICROBIOLOGIST





Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Req. No. SAPALAPVLHT (Covid -19)

REPORT

Name: Mrs. JHANSISample ID: A0590387Age/Gender: 25 Years/FemaleReg. No: 0312408010020Referred by: Dr. JAYANTI REDDYSPP Code: SPL-CV-172Referring Customer: V CARE MEDICAL DIAGNOSTICSCollected On: 01-Aug-2024 02:1

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 01-Aug-2024 02:12 PM
Primary Sample : Whole Blood Received On : 01-Aug-2024 04:51 PM
Sample Tested In : Serum Reported On : 01-Aug-2024 07:43 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

IMMUNOLOGY & SEROLOGY

ANTE NATEL PROFILE-ELISA

| Test Name | Results | Units | Ref. Range | Method |
|-----------|---------|-------|------------|--------|
| | | | | |


Hepatitis C Virus Antibody 0.29 S/Co < 1.00 : Negative ELISA > 1.00 : Positive

Interpretation:

- 1. Negative result implies that antibodies to HCV have not been detected in the sample. This means the patient has either not been exposed to HCV infection or the sample has been tested during the "window phase" i.e. before the development of detectable levels of antibodies. Hence a Non-Reactive result does not exclude the possibility of exposure or infection with HCV.
- 2. Positive result implies that antibodies to HCV have been detected in the sample.

Comments :-

Hepatitis C (HCV) is an RNA virus of Flavivirus group transmitted via blood transfusions, transplantation, injection drug users, accidental needle punctures in healthcare workers, dialysis patients and rarely from mother to infant. 10% of new cases show sexual transmission. As compared to HAV & HBV, chronic infection with HCV occurs in 85% of infected individuals. In high risk populations, the predictive value of Anti HCV for HCV infection is > 99% whereas in low risk populations it is only 25%.



Note:

- 1. False positive results are seen in Autoimmune diseases, Rheumatoid factor, Hypergammaglobulinemia, Paraproteinemia, passive antibody transfer, Anti- idiotypes & Anti superoxide dismutase
- 2. False negative results are seen in early Acute infection, Immunosuppression & Immuno-incompetence
- 3. HCV RNA PCR recommended in all Reactive results to differentiate between past and present infection

*** End Of Report ***

Laboratory is NABL Accredited







DR. RUTURAJ MANIKLAL KOLHAPURE MD, MICROBIOLOGIST



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT

Name : Mrs. JHANSI
Age/Gender : 25 Years/Female
Referred by : Dr. JAYANTI REDDY

Referring Customer : V CARE MEDICAL DIAGNOSTICS

Primary Sample : Whole Blood Sample Tested In : Serum

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka

Sample ID : A0590387

Reg. No : 0312408010020

SPP Code : SPL-CV-172

Collected On : 01-Aug-2024 02:12 PM

Received On : 01-Aug-2024 04:51 PM Reported On : 01-Aug-2024 07:42 PM

Report Status : Final Report

IMMUNOLOGY & SEROLOGY

ANTE NATEL PROFILE-ELISA

| Test Name | Results | Units | Ref. Range | Method |
|---------------------|---------|-------|----------------------------------------|--------|
| HIV (1& 2) Antibody | 0.20 | S/Co | < 1.00 : Negative > 1.00 : Positive | ELISA |

Correlate Clinically.

Laboratory is NABL Accredited

*** End Of Report ***



Excellence In Health Care







