

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT				
Name	: Mr. MALLESH	Sample ID	: A0590526	
Age/Gender	: 27 Years/Male	Reg. No	: 0312408050008	
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172	
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 05-Aug-2024 09:28 AM	
Primary Sample	: Whole Blood	Received On	: 05-Aug-2024 02:09 PM	
Sample Tested In	: Whole Blood EDTA	Reported On	: 05-Aug-2024 03:43 PM	
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report	

	HA	EMATOLOG	GY			
	SAGI	EPATH CAR	E 1.2			
Test Name	Results	Units	Ref. Range	Method		
COMPLETE BLOOD COUNT (CBC)						
Haemoglobin (Hb)	15.5	g/dL	13-17	Cynmeth Method		
RBC Count	5.77	10^12/L	4.5-5.5	Cell Impedence		
Haematocrit (HCT)	47.4	%	40-50	Calculated		
MCV	82	fl	81-101	Calculated		
МСН	26.9	pg	27-32	Calculated		
МСНС	32.8	g/dL	32.5-34.5	Calculated		
RDW-CV	12.9	%	11.6-14.0	Calculated		
Platelet Count (PLT)	401	10^9/L	150-410	Cell Impedance		
Total WBC Count	7.0	10^9/L	4.0-10.0	Impedance		
Neutrophils	62	%	40-70	Cell Impedence		
Absolute Neutrophils Count	4.34	10^9/L	2.0-7.0	Impedence		
Lymphocytes	31	%	20-40	Cell Impedence		
Absolute Lymphocyte Count	2.17	10^9/L	1.0-3.0	Impedence		
Monocytes	05	%	2-10	Microscopy		
Absolute Monocyte Count	0.35	10^9/L	0.2-1.0	Calculated		
Eosinophils	02	%	1-6	Microscopy		
Absolute Eosinophils Count	0.14	10^9/L	0.02-0.5	Calculated		
Basophils	00	%	1-2	Microscopy		
Absolute Basophil ICount	0.00	10^9/L	0.0-0.3	Calculated		
Morphology						
WBC	Within Nor	mal Limits				
RBC	Normocytic	c normochromic	;			
Platelets	Adequate.		Microscopy			
Result rechecked and verified for abn		Of Danant **	*			
*** End Of Report ***						

Laboratory is NABL Accredited



Swarnabale - M DR.SWARNA BALA MD PATHOLOGY

Note : This report is subject to the terms and conditions overleaf. Partial Reproduction of this report is not Permitted



Erythrocyte Sedimentation Rate (ESR)

Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

Westergren method

REPORT				
Name	: Mr. MALLESH	Sample ID	: A0590526	
Age/Gender	: 27 Years/Male	Reg. No	: 0312408050008	
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172	
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 05-Aug-2024 09:28 AM	
Primary Sample	: Whole Blood	Received On	: 05-Aug-2024 02:09 PM	
Sample Tested In	: Whole Blood EDTA	Reported On	: 05-Aug-2024 03:53 PM	
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report	

HAEMATOLOGY					
SAGEPATH CARE 1.2					
Test Name Results Units Ref. Range Method					

mm/hr

10 or less

Comments : ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.

6



Swarnabala - M DR.SWARNA BALA MD PATHOLOGY

Note : This report is subject to the terms and conditions overleaf. Partial Reproduction of this report is not Permitted



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT				
Name	: Mr. MALLESH	Sample ID	: A0590523	
Age/Gender	: 27 Years/Male	Reg. No	: 0312408050008	
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172	
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 05-Aug-2024 09:28 AM	
Primary Sample	: Whole Blood	Received On	: 05-Aug-2024 02:09 PM	
Sample Tested In	: Plasma-NaF(F)	Reported On	: 05-Aug-2024 02:36 PM	
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report	

CLINICAL BIOCHEMISTRY							
	SAGEPATH CARE 1.2						
Test Name	Test Name Results Units Ref. Range Method						
Glucose Fas	Glucose Fasting (F) 76 mg/dL 70-100 Hexokinase					Hexokinase	
Interpretation of H	Plasma Glucose based on ADA guidelines 2	2018				_	
Diagnosis	FastingPlasma Glucose(mg/dL)	2hrsPlasma Glucose	e(mg/dL)	HbA1c(%)	RBS(mg/dL)		
Prediabetes	100-125	140-199		5.7-6.4	NA		
Diabetes	> = 126	> = 200		> = 6.5	>=200(with symptoms)		
	I	L		1			

Reference: Diabetes care 2018:41(suppl.1):S13-S27

*** End Of Report ***

Laboratory is NABL Accredited









INFOSYSTEMS PVT. LTD.

Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

REPORT				
Name	: Mr. MALLESH	Sample ID	: A0590526	
Age/Gender	: 27 Years/Male	Reg. No	: 0312408050008	
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172	
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 05-Aug-2024 09:28 AM	
Primary Sample	: Whole Blood	Received On	: 05-Aug-2024 02:09 PM	
Sample Tested In	: Whole Blood EDTA	Reported On	: 05-Aug-2024 04:00 PM	
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report	

CLINICAL BIOCHEMISTRY					
SAGEPATH CARE 1.2					
Test Name Results Units Ref. Range Method					
Glycated Hemoglobin (HbA1c)	5.1	%	Non Diabetic:< 5.7 Pre diabetic: 5.7-6.4 Diabetic:>= 6.5	HPLC	
Mean Plasma Glucose	99.67	mg/dL		Calculated	

Glycated hemoglobins (GHb), also called glycohemoglobins, are substances formed when glucose binds to hemoglobin, and occur in amounts proportional to the concentration of serum glucose. Since red blood cells survive an average of 120 days, the measurement of GHb provides an index of a person's average blood glucose concentration (glycemia) during the preceding 2-3 months. Normally, only 4% to 6% of hemoglobin is bound to glucose, while elevated glycohemoglobin levels are seen in diabetes and other hyperglycemic states Mean Plasma Glucose(MPG): This Is Mathematical Calculations Where Glycated Hb Can Be Correlated With Daily Mean Plasma Glucose Level

NOTE: The above Given Risk Level Interpretation is not age specific and is an information resource only and is not to be used or relied on for any diagnostic or treatment purposes and should not be used as a substitute for professional diagnosis and treatment. Kindly Correlate clinically.

INTERPRETATION Method: Analyzer Fully automated HPLC platform. HbA1c values of 5.0- 6.5 percent indicate good control or an increased Average risk for developing diabetes mellitus. HbA1c values greater than 6.5 percent are diagnostic of diabetes mellitus. Diagnosis should be Level of Hemoglobin A1c Blood Glucose(eAG) Control (%) (mg/dL) confirmed by repeating the HbA1c test. 421 14% 386 13% 350 L 12% E 314 11% R 279 10% Т 9% 243 208 8% 172 POOR 7% 136 GOOD 6% 5% 101 NOTE: Hb F higher than 10 percent of total Hb may yield falsely low results. Conditions that shorten red cell survival, such as the presence of unstable hemoglobins like Hb SS, Hb CC, and Hb SC, or other causes of hemolytic anemia may yield falsely low results. Iron deficiency anemia may yield falsely high results.

*** End Of Report ***

Laboratory is NABL Accredited







Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPORT		
Name	: Mr. MALLESH	Sample ID	: A0590524
Age/Gender	: 27 Years/Male	Reg. No	: 0312408050008
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 05-Aug-2024 09:28 AM
Primary Sample	: Whole Blood	Received On	: 05-Aug-2024 02:09 PM
Sample Tested In	: Serum	Reported On	: 05-Aug-2024 03:13 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY						
SAGEPATH CARE 1.2						
Test Name	Results	Units	Ref. Range	Method		
Calcium9.2mg/dL8.5-10.1Arsenazo						


Comments:

• Calcium in the body is found mainly in the bones (approximately 99%). In serum, Calcium exists in a free ionised form and in bound form (with Albumin). Hence, a decrease in Albumin causes lower Calcium levels and vice-versa.

- Calcium levels in serum depend on the Parathyroid Hormone.
- · Increased Calcium levels are found in Bone tumors, Hyperparathyroidism. decreased levels are found in Hypoparathyroidism, renal failure, Rickets.

Laboratory is NABL Accredited

*** End Of Report ***









Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPO	RT	
Name	: Mr. MALLESH	Sample ID	: A0590524
Age/Gender	: 27 Years/Male	Reg. No	: 0312408050008
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 05-Aug-2024 09:28 AM
Primary Sample	: Whole Blood	Received On	: 05-Aug-2024 02:09 PM
Sample Tested In	: Serum	Reported On	: 05-Aug-2024 03:13 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY SAGEPATH CARE 1.2

OSE INFOSYSTEMS PVT. LTD.

Test Name	Results	Units	Ref. Range	Method
Lipid Profile				
Cholesterol Total	161	mg/dL	< 200	CHOD-POD
Triglycerides-TGL	105	mg/dL	< 150	GPO-POD
Cholesterol-HDL	40	mg/dL	40-60	Direct
Cholesterol-LDL	100	mg/dL	< 100	Calculated
Cholesterol- VLDL	21	mg/dL	7-35	Calculated
Non HDL Cholesterol	121	mg/dL	< 130	Calculated
Cholesterol Total /HDL Ratio	4.03	%	0-4.0	Calculated
HDL / LDL Ratio	0.40			
LDL/HDL Ratio	2.5	%	0-3.5	Calculated

The National Cholesterol Education program's third Adult Treatment Panel (ATPIII) has issued its recommendations on evaluating and treating lipid discorders for primary and secondary.

NCEP Recommendations	Cholesterol Total in (mg/dL)	Triglycerides	HDL Cholesterol (mg/dL)	LDL Cholesterol	Non HDL Cholesterol in (mg/dL)
Ontimal	Adult: < 200 Children: < 170	< 150	40-59	Adult:<100 Children: <110	<130
Above Optimal				100-129	130 - 159
Borderline High	Adult: 200-239 Children:171-199	150-199		Adult: 130-159 Children: 111-129	160 - 189
High	Adult:>or=240 Children:>or=200	200-499	≥ 60	Adult:160-189 Children:>or=130	190 - 219
Very High		>or=500		Adult: >or=190	>=220

Note: LDL cholesterol cannot be calculated if triglyceride is >400 mg/dL (Friedewald's formula). Calculated values not provided for LDL and VLDL

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited



OCHEMISTRY



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

-	REPOR	T	
Name	: Mr. MALLESH	Sample ID	: A0590524
Age/Gender	: 27 Years/Male	Reg. No	: 0312408050008
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 05-Aug-2024 09:28 AM
Primary Sample	: Whole Blood	Received On	: 05-Aug-2024 02:09 PM
Sample Tested In	: Serum	Reported On	: 05-Aug-2024 03:13 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY SAGEPATH CARE 1.2 Test Name Results Units Ref. Range Method **Kidney Profile-KFT** Creatinine -Serum 0.74 mg/dL 0.70-1.30 **Jaffes Kinetic** Urea-Serum 26.4 mg/dL 12.8-42.8 Calculated Calculated Blood Urea Nitrogen (BUN) 12.34 mg/dL 7.0-18.0 6 - 22 **BUN / Creatinine Ratio** 16.68 Uric Acid Uricase 6.4 mg/dL 3.5-7.2 Sodium 144 135-150 **ISE** Direct mmol/L Potassium 4.2 **ISE Direct** mmol/L 3.5-5.0 Chloride 100 mmol/L 94-110 **ISE** Direct

Interpretation:

• The kidneys, located in the retroperitoneal space in the abdomen, are vital for patient health. They process several hundred liters of fluid a day and remove around two liters of waste products from the bloodstream. The volume of fluid that passes though the kidneys each minute is closely linked to cardiac output. The kidneys maintain the body's balance of water and concentration of minerals such as sodium, potassium, and phosphorus in blood and remove waste by-products from the blood after digestion, muscle activity and exposure to chemicals or medications. They also produce renin which helps regulate blood pressure, produce erythropoietin which stimulates red blood cell production, and produce an active form of vitamin D, needed for bone health.

Laboratory is NABL Accredited

*** End Of Report ***







Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPORT -		
Name	: Mr. MALLESH	Sample ID	: A0590524
Age/Gender	: 27 Years/Male	Reg. No	: 0312408050008
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 05-Aug-2024 09:28 AM
Primary Sample	: Whole Blood	Received On	: 05-Aug-2024 02:09 PM
Sample Tested In	: Serum	Reported On	: 05-Aug-2024 03:13 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY SAGEPATH CARE 1.2 Test Name Results Units Ref. Range Method Liver Function Test (LFT) Bilirubin(Total) 1.5 mg/dL 0.1-1.2 Diazo Bilirubin (Direct) 0.3 mg/dL 0.0 - 0.3 Diazo Bilirubin (Indirect) 1.2 mg/dL 0.2-1.0 Calculated Aspartate Aminotransferase (AST/SGOT) U/L 15-37 **IFCC UV Assay** 57 Alanine Aminotransferase (ALT/SGPT) IFCC with out (P-5-P) 80 U/L 0-55 Kinetic PNPP-AMP Alkaline Phosphatase(ALP) U/L 30-120 52 IFCC Gamma Glutamyl Transpeptidase (GGTP) 49 U/L 15-85 Protein - Total 6.1 g/dL 6.4-8.2 Biuret Albumin 3.4-5.0 Bromocresol Green (BCG) 3.7 g/dL Globulin 2.4 g/dL 2.0-4.2 Calculated Calculated A:G Ratio 1.54 0.8-2.0 % SGOT/SGPT Ratio 0.71

Alanine Aminotransferase(ALT) is an enzyme found in liver and kidneys cells. ALT helps create energy for liver cells. Damaged liver cells release ALT into the bloodstream, which can elevate ALT levels in the blood.

Aspartate Aminotransferase (AST) is an enzyme in the liver and muscles that helps metabolizes amino acids. Similarly to ALT, elevated AST levels may be a sign of liver damage or liver disease.

Alkaline phosphate (ALP) is an enzyme present in the blood. ALP contributes to numerous vital bodily functions, such as supplying nutrients to the liver, promoting bone growth, and metabolizing fat in the intestines.

Gamma-glutamyl Transpeptidase (GGTP) is an enzyme that occurs primarily in the liver, but it is also present in the kidneys, pancreas, gallbladder, and spleen. Higher than normal concentrations of GGTP in the blood may indicate alcohol-related liver damage. Elevated GGTP levels can also increase the risk of developing certain types of cancer.

Bilirubin is a waste product that forms when the liver breaks down red blood cells. Bilirubin exits the body as bile in stool. High levels of bilirubin can cause jaundice - a condition in which the skin and whites of the eyes turn yellow- and may indicate liver damage.

Albumin is a protein that the liver produces. The liver releases albumin into the bloodstream, where it helps fight infections and transport vitamins, hormones, and enzymes throughout the body. Liver damage can cause abnormally low albumin levels.

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited



OCHEMISTRY

Note : This report is subject to the terms and conditions overleaf. Partial Reproduction of this report is not Permitted



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

		REPOR		
	Name	: Mr. MALLESH	Sample ID	: A0590524
	Age/Gender	: 27 Years/Male	Reg. No	: 0312408050008
	Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
	Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 05-Aug-2024 09:28 AM
	Primary Sample	: Whole Blood	Received On	: 05-Aug-2024 02:09 PM
	Sample Tested In	: Serum	Reported On	: 05-Aug-2024 03:13 PM
. ГЪО.	Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

INFOSYSTEMS PVT. LT

CLINICAL BIOCHEMISTRY SAGEPATH CARE 1.2					
Thyroid Profile-I(TFT)					
T3 (Triiodothyronine)	103.02	ng/dL	70-204	CLIA	
T4 (Thyroxine)	7.0	µg/dL	3.2-12.6	CLIA	
TSH -Thyroid Stimulating Hormone	1.49	µIU/mL	0.35-5.5	CLIA	

Pregnancy & Cord Blood

T3 (Triiodothyronine):		T4 (Thyroxine)	TSH (Thyroid Stimulating Hormone)
First Trimester	: 81-190 ng/dL	15 to 40 weeks:9.1-14.0 µg/dL	First Trimester : 0.24-2.99 µIU/mL
Second&Third Trimester :100-260 ng/dL			Second Trimester: 0.46-2.95 µIU/mL
			Third Trimester : 0.43-2.78 µIU/mL
Cord Blood: 30-70 r	ng/dL	Cord Blood: 7.4-13.0 µg/dL	Cord Blood: : 2.3-13.2 µIU/mL

Interpretation:

- Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.
- Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.
- Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.







Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REP
Name	: Mr. MALLESH
Age/Gender	: 27 Years/Male
Referred by	: Dr. SELF
Referring Customer	: V CARE MEDICAL DIAGNOSTICS
Primary Sample	: Whole Blood
Sample Tested In	: Serum
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka

 Sample ID
 : A0590524

 Reg. No
 : 0312408050008

 SPP Code
 : SPL-CV-172

 Collected On
 : 05-Aug-2024 09:28 AM

 Received On
 : 05-Aug-2024 02:09 PM

 Reported On
 : 05-Aug-2024 03:13 PM

 Report Status
 : Final Report

CLINICAL BIOCHEMISTRY						
SAGEPATH CARE 1.2						
Test Name Results Units Ref. Range Method						
Iron Profile-I						
Iron(Fe)	135	µg/dL	65-175	Ferrozine		
Total Iron Binding Capacity (TIBC)	351	µg/dL	250-450	Ferrozine		
Transferrin	245.45	mg/dL	215-365	Calculated		
Iron Saturation((% Transferrin Saturation)	38.46	%	20-50	Calculated		
Unsaturated Iron Binding Capacity (UIBC)	216	µg/dL	110 - 370	FerroZine		

Interpretation:

• Serum transferrin (and TIBC) high, serum iron low, saturation low. Usual causes of depleted iron stores include blood loss, inadequate dietary iron. RBCs in moderately severe iron deficiency are hypochromic and microcytic. Stainable marrow iron is absent. Serum ferritin decrease is the earliest indicator of iron deficiency if inflammation is absent.

• Anemia of chronic disease: Serum transferrin (and TIBC) low to normal, serum iron low, saturation low or normal. Transferrin decreases with many inflammatory diseases. With chronic disease there is a block in movement to and utilization of iron by marrow. This leads to low serum iron and decreased erythropoiesis. Examples include acute and chronic infections, malignancy and renal failure.

Sideroblastic Anemia: Serum transferrin (and TIBC) normal to low, serum iron normal to high, saturation high

Hemolytic Anemia: Serum transferrin (and TIBC) normal to low, serum iron high, saturation high.

Hemochromatosis: Serum transferrin (and TIBC) slightly low, serum iron high, saturation very high.

• Protein depletion: Serum transferrin (and TIBC) may be low, serum iron normal or low (if patient also is iron deficient). This may occur as a result of malnutrition, liver disease, renal disease.

• Liver disease: Serum transferrin variable; with acute viral hepatitis, high along with serum iron and ferritin. With chronic liver disease (eg, cirrhosis), transferrin may be low. Patients who have cirrhosis and portacaval shunting have saturated TIBC/transferrin as well as high ferritin.

Correlate Clinically.

Laboratory is NABL Accredited

*** End Of Report ***



