

**REPORT**


Name	: Mr. NAVEEN	Sample ID	: A0590621
Age/Gender	: 24 Years/Male	Reg. No	: 0312408070052
Referred by	: Dr. L GAUTAM REDDY	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 07-Aug-2024 04:40 PM
Primary Sample	: Whole Blood	Received On	: 07-Aug-2024 11:03 PM
Sample Tested In	: Serum	Reported On	: 08-Aug-2024 01:16 AM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

**IMMUNOLOGY & SEROLOGY**

Test Name	Results	Units	Ref. Range	Method
<b>HIV (1 &amp; 2) Antibody</b>	0.31	S/Co	< 1.00 : Negative > 1.00 : Positive	ELISA

**Interpretation**

- Non Reactive result implies that antibodies to HIV 1 / 2 have not been detected in the sample. This means the patient has either not been exposed to HIV 1 / 2 infection or the sample has been tested during the "window phase" i.e. before the development of detectable levelsof antibodies. Hence a Non Reactive result does not exclude the possibility of exposure or infection with HIV 1 / 2.
- Pre and Post test counseling to be done by the concerned referring doctor. The sensitivity and specificity of this test has been determined by National HIV Reference Centers of Govt. of India and WHO collaborating Centers, using various other test panels. "
- Reactive samples by ELISA Method are confirmed by 2 other supplemental tests for confirm of HIV infection as per NACO guidelines.
- All patients' reports inderminate should be repeated with a second sample taken 14-28 days. In case the serological results continue to be inderminate the sample should be subject to western blot for confirmation.



Correlate Clinically.

Laboratory is NABL Accredited

\*\*\* End Of Report \*\*\*



**DR. RUTURAJ MANIKLAL KOLHAPURE**  
MD, MICROBIOLOGIST