

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPORT -		
Name	: Mrs. KAMALA	Sample ID	: A0643506, A0643514
Age/Gender	: 55 Years/Female	Reg. No	: 0312408110007
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 11-Aug-2024 10:17 AM
Primary Sample	: Whole Blood	Received On	: 11-Aug-2024 11:13 AM
Sample Tested In	: Serum, Urine	Reported On	: 11-Aug-2024 01:56 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

	HEAL	TH PACKA	GE - B	
Test Name	Results	Units	Ref. Range	Method
C-Reactive protein-(CRP)	5.73	mg/L	Upto:6.0	Immunoturbidimetry
Interpretation: C-reactive protein (CRP) is produced by the liver. The in response to inflammation. The levels of acute phase inflammation.				

- Connective tissue disease
- Heart attack
- Infection
- Inflammatory bowel disease (IBD)
- Lupus
- Pneumonia
- Rheumatoid arthritis

Protein - Random Urine	8.12	mg/dL	1-14	Pyrogallol Red
Creatinine - Random Urine	58.65	mg/dL	15-278	kinetic Jaffe reaction.
Protein/Creatinine Ratio	0.14		< 0.20	Calculated

Interpretation:

The urine protein test measures the amount of protein being excreted in the urine.Proteinuria is frequently seen in chronic diseases, such as diabetes and hypertension, with increasing amounts of protein in the urine reflecting increasing kidney damage. With early kidney damage, the affected person is often asymptomatic. As damage progresses, or if protein loss is severe, the person may develop symptoms such as edema, shortness of breath, nausea, and fatigue. Excess protein overproduction, as seen with multiple myeloma, lymphoma, and amyloidosis, can also lead to proteinuria. Creatinine, a byproduct of muscle metabolism, is normally released into the urine at a constant rate.

Estimated Glomerular Filtration Rate (eGFR):

GFR by MDRD Formula

mL/min/1.73m2 69 - 122

Calculated

*** End Of Report ***

105







Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPOR	रा ———	
Name	: Mrs. KAMALA	Sample ID	: A0643508
Age/Gender	: 55 Years/Female	Reg. No	: 0312408110007
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 11-Aug-2024 10:17 AM
Primary Sample	: Whole Blood	Received On	: 11-Aug-2024 11:13 AM
Sample Tested In	: Whole Blood EDTA	Reported On	: 11-Aug-2024 12:00 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

DOSE INFOSYSTEMS PVT. LTD.

	HA	EMATOLOG	SY	
	HEAL	TH PACKAG	iE - B	
Test Name	Results	Units	Ref. Range	Method
Complete Blood Picture(CBP)				
Haemoglobin (Hb)	11.8	g/dL	12-15	Cynmeth Method
Haematocrit (HCT)	35.5	%	40-50	Calculated
RBC Count	4.28	10^12/L	3.8-4.8	Cell Impedence
MCV	83	fl	81-101	Calculated
MCH	27.5	pg	27-32	Calculated
МСНС	33.2	g/dL	32.5-34.5	Calculated
RDW-CV	13.6	%	11.6-14.0	Calculated
Platelet Count (PLT)	261	10^9/L	150-410	Cell Impedance
Total WBC Count	4.0	10^9/L	4.0-10.0	Impedance
Differential Leucocyte Count (DC)				
Neutrophils	57	%	40-70	Cell Impedence
Lymphocytes	37	%	20-40	Cell Impedence
Monocytes	04	%	2-10	Microscopy
Eosinophils	02	%	1-6	Microscopy
Basophils	00	%	1-2	Microscopy
Absolute Neutrophils Count	2.28	10^9/L	2.0-7.0	Impedence
Absolute Lymphocyte Count	1.48	10^9/L	1.0-3.0	Impedence
Absolute Monocyte Count	0.16	10^9/L	0.2-1.0	Calculated
Absolute Eosinophils Count	0.08	10^9/L	0.02-0.5	Calculated
Absolute Basophil ICount	0.00	10^9/L	0.0-0.3	Calculated
Morphology	Normocytic	normochromic		PAPs Staining
Posult rachacked and varified for abnor	mal cases			

Result rechecked and verified for abnormal cases *** End Of Report ***

Laboratory is NABL Accredited



Note : This report is subject to the terms and conditions overleaf. Partial Reproduction of this report is not Permitted



Erythrocyte Sedimentation Rate (ESR)

Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

Westergren method

	REPORT		
Name	: Mrs. KAMALA	Sample ID	: A0643508
Age/Gender	: 55 Years/Female	Reg. No	: 0312408110007
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 11-Aug-2024 10:17 AM
Primary Sample	: Whole Blood	Received On	: 11-Aug-2024 11:13 AM
Sample Tested In	: Whole Blood EDTA	Reported On	: 11-Aug-2024 12:46 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

	HA	EMATOLC	GY		
	HEAL	ТН РАСКА	GE - B		
Test Name	Results	Units	Ref. Range	Method	

mm/hr

12 or less

Comments : ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.

18



Swarnabala - M DR.SWARNA BALA MD PATHOLOGY

Note : This report is subject to the terms and conditions overleaf. Partial Reproduction of this report is not Permitted



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

-	REPC	DRT ———	
Name	: Mrs. KAMALA	Sample ID	: A0643510
Age/Gender	: 55 Years/Female	Reg. No	: 0312408110007
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 11-Aug-2024 10:17 AM
Primary Sample	: Whole Blood	Received On	: 11-Aug-2024 11:13 AM
Sample Tested In	: Plasma-NaF(F)	Reported On	: 11-Aug-2024 01:36 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY							
		HEAL	ГН РАС	KAGE -	В		
Fest Name		Results	Units	F	Ref. Range	Method	
Glucose Fas	sting (F)	91	mg/dl		70-100	Hexokinase	
Interpretation of F	Plasma Glucose based on ADA guidelines 2	2018				_	
Diagnosis	FastingPlasma Glucose(mg/dL)	2hrsPlasma Glucose	e(mg/dL)	HbA1c(%)	RBS(mg/dL)		
Prediabetes	100-125	140-199		5.7-6.4	NA		
Diabetes	> = 126	> = 200		> = 6.5	>=200(with symptoms)		
					1		

Reference: Diabetes care 2018:41(suppl.1):S13-S27

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited







Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

-	REPORT -		
Name	: Mrs. KAMALA	Sample ID	: A0643508
Age/Gender	: 55 Years/Female	Reg. No	: 0312408110007
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 11-Aug-2024 10:17 AM
Primary Sample	: Whole Blood	Received On	: 11-Aug-2024 11:13 AM
Sample Tested In	: Whole Blood EDTA	Reported On	: 11-Aug-2024 01:36 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY					
	HEAL	TH PACKA	GE - B		
Test Name	Results	Units	Ref. Range	Method	
Glycated Hemoglobin (HbA1c)	5.8	%	Non Diabetic:< 5.7 Pre diabetic: 5.7-6.4 Diabetic:>= 6.5	HPLC	
Mean Plasma Glucose	119.76	mg/dL		Calculated	

Glycated hemoglobins (GHb), also called glycohemoglobins, are substances formed when glucose binds to hemoglobin, and occur in amounts proportional to the concentration of serum glucose. Since red blood cells survive an average of 120 days, the measurement of GHb provides an index of a person's average blood glucose concentration (glycemia) during the preceding 2-3 months. Normally, only 4% to 6% of hemoglobin is bound to glucose, while elevated glycohemoglobin levels are seen in diabetes and other hyperglycemic states Mean Plasma Glucose(MPG): This Is Mathematical Calculations Where Glycated Hb Can Be Correlated With Daily Mean Plasma Glucose Level

NOTE: The above Given Risk Level Interpretation is not age specific and is an information resource only and is not to be used or relied on for any diagnostic or treatment purposes and should not be used as a substitute for professional diagnosis and treatment. Kindly Correlate clinically. INTERPRETATION

Average Blood Glucose(eAG) (mg/dL)	Level of Control	Hemoglobin A1c (%)	HbA1c values of 5.0- 6.5 percent indicate good control or an increas risk for developing diabetes mellitus. HbA1c values greater than 6 percent are diagnostic of diabetes mellitus. Diagnosis should confirmed by repeating the HbA1c test.
421		14%	commed by repeating the HDATC test.
386	_ A _	13%	
350	L	12%	
314	E	11%	
279	R	10%	
243		9%	
208		8%	
172	POOR	7%	
136	GOOD	6%	
101	EXCELLENT	5%	

Laboratory is NABL Accredited

*** End Of Report ***







Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPOR	RT	
Name	: Mrs. KAMALA	Sample ID	: A0643506
Age/Gender	: 55 Years/Female	Reg. No	: 0312408110007
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	· : V CARE MEDICAL DIAGNOSTICS	Collected On	: 11-Aug-2024 10:17 AM
Primary Sample	: Whole Blood	Received On	: 11-Aug-2024 11:13 AM
Sample Tested In	: Serum	Reported On	: 11-Aug-2024 01:56 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	Final Report

CLINICAL BIOCHEMISTRY HEALTH PACKAGE - B Test Name Results Units Ref. Range Method Calcium 8.9 mg/dL 8.5-10.1 Arsenazo Comments: • Calcium in the body is found mainly in the bones (approximately 99%). In serum, Calcium exists in a free ionised form and in bound form (with Albumin). Hence, a decrease in Albumin causes lower Calcium levels and vice-versa. • Calcium levels in serum depend on the Parathyroid Hormone. Increased Calcium levels are found in Bone tumors, Hyperparathyroidism. decreased levels are found in Hypoparathyroidism, renal failure, Rickets. Phosphorus(PO4) 3.9 2.5-4.9 Phosphomolybdate UV mg/dL Interpretation: · This will give an idea of renal and bone diseases. Increased Phosphorus Or Hyperphosphatemia: • Renal diseases with increased blood urea (BUN) and creatinine. Hypoparathyroidism with raised phosphate and decreased calcium. But renal function will be normal. Liver diseases and cirrhosis. Acromegaly. · Increased dietary intake. Sarcoidosis. Acidosis · Hemolytic anemia. Decreased Level Of Phosphorus Or Hypophosphatemia: Decreased intestinal absorption. Rickets (Vit.D deficiency) Vomiting and severe diarrhea · Severe malnutrition and malabsorption. Acute alcoholism.





FOSYSTEMS PVT. LTD.



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	KEPU
Name	: Mrs. KAMALA
Age/Gender	: 55 Years/Female
Referred by	: Dr. SELF
Referring Customer	: V CARE MEDICAL DIAGNOSTICS
Primary Sample	: Whole Blood
Sample Tested In	: Serum
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka

 Sample ID
 : A0643506

 Reg. No
 : 0312408110007

 SPP Code
 : SPL-CV-172

 Collected On
 : 11-Aug-2024 10:17 AM

 Received On
 : 11-Aug-2024 01:56 PM

 Report Status
 : Final Report

CLINICAL BIOCHEMISTRY HEALTH PACKAGE - B						
25 - Hydroxy Vitamin D	17.54	ng/mL	<20.0-Deficiency 20.0-30.0-Insufficiency 30.0-100.0-Sufficiency >100.0-Potential Intoxic	CLIA		

DED

Interpretation:

1.Vitamin D helps your body absorb calcium and maintain strong bones throughout your entire life. Your body produces vitamin D when the sun's UV rays contact your skin. Other good sources of the vitamin include fish, eggs, and fortified dairy products. It's also available as a dietary supplement. 2. Vitamin D must go through several processes in your body before your body can use it. The first transformation occurs in the liver. Here, your body converts vitamin D to a chemical known as 25-hydroxyvitamin D, also called calcidiol. 3. The 25-hydroxy vitamin D test is the best way to monitor vitamin D levels. The amount of 25-hydroxyvitamin D in your blood is a good indication of how much vitamin D your body has. The test can determine if your vitamin D levels are too high or too low. 4. The test is also known as the 25-OH vitamin D test and the calcidiol 25-hydroxycholecalcifoerol test. It can be an important indicator of osteoporosis (bone weakness) and rickets (bone malformation). Those who are at high risk of having low levels of vitamin D include: 1.people who don't get much exposure to the sun 2.older adults 3.people with obesity. 4. dietary deficiency Increased Levels: Vitamin D Intoxication Method : CLIA Vitamin- B12 (cyanocobalamin) 435 200-911 CLIA pg/mL **Interpretation:** This test is most often done when other blood tests suggest a condition called megaloblastic anemia. Pernicious anemia is a form of megaloblastic anemia caused by poor vitamin B12 absorption. This can occur when the stomach makes less of the substance the body needs to properly absorb vitamin B12. Causes of vitamin B12 deficiency include:Diseases that cause malabsorption • Lack of intrinsic factor, a protein that helps the intestine absorb vitamin B12 • Above normal heat production (for example, with hyperthyroidism) An increased vitamin B12 level is uncommon in: • Liver disease (such as cirrhosis or hepatitis) Myeloproliferative disorders (for example, polycythemia vera and chronic myelogenous leukemia)

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited





Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPORT
Name	: Mrs. KAMALA
Age/Gender	: 55 Years/Female
Referred by	: Dr. SELF
Referring Customer	: V CARE MEDICAL DIAGNOSTICS
Primary Sample	: Whole Blood
Sample Tested In	: Serum
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka

Sample ID : A0643506 : 0312408110007 Reg. No SPP Code : SPL-CV-172 Collected On : 11-Aug-2024 10:17 AM Received On : 11-Aug-2024 11:13 AM : 11-Aug-2024 01:36 PM Reported On : Final Report **Report Status**

CLINICAL BIOCHEMISTRY HEALTH PACKAGE - B Test Name Results Units Ref. Range Method											
							Lipid Profile				
Cholesterol Total	162	mg/dL	< 200	CHOD-POD							
Triglycerides-TGL	126	mg/dL	< 150	GPO-POD							
Cholesterol-HDL	49	mg/dL	40-60	Direct							
Cholesterol-LDL	87.8	mg/dL	< 100	Calculated							
Cholesterol- VLDL	25.2	mg/dL	7-35	Calculated							
Non HDL Cholesterol	113	mg/dL	< 130	Calculated							
Cholesterol Total /HDL Ratio	3.31	%	0-4.0	Calculated							
HDL / LDL Ratio	0.56										
LDL/HDL Ratio	1.79	%	0-3.5	Calculated							

The National Cholesterol Education program's third Adult Treatment Panel (ATPIII) has issued its recommendations on evaluating and treating lipid discorders for primary and secondary.

NCEP Recommendations	Cholesterol Total in (mg/dL)	Triglycerides in (mg/dL)	HDL Cholesterol (mg/dL)	LDL Cholesterol	Non HDL Cholesterol in (mg/dL)
Optimal	Adult: < 200 Children: < 170	< 150	40-59	Adult:<100 Children: <110	<130
Above Optimal				100-129	130 - 159
Borderline High	Adult: 200-239 Children:171-199	150-199		Adult: 130-159 Children: 111-129	160 - 189
High	Adult:>or=240 Children:>or=200	200-499	≥ 60	Adult:160-189 Children:>or=130	190 - 219
Very High		>or=500		Adult: >or=190 	>=220

Note: LDL cholesterol cannot be calculated if triglyceride is >400 mg/dL (Friedewald's formula). Calculated values not provided for LDL and VLDL

Laboratory is NABL Accredited





BIOCHEMISTRY

Note : This report is subject to the terms and conditions overleaf. Partial Reproduction of this report is not Permitted

*** End Of Report ***



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

: A0643506
: 0312408110007
: SPL-CV-172
: 11-Aug-2024 10:17 AM
: 11-Aug-2024 11:13 AM
: 11-Aug-2024 01:36 PM
: Final Report

CLINICAL BIOCHEMISTRY HEALTH PACKAGE - B

INFOSYSTEMS PVT. LTD.

Test Name	Results	Units	Ref. Range	Method
Kidney Profile-KFT				
Creatinine -Serum	0.65	mg/dL	0.60-1.10	Jaffes Kinetic
Urea-Serum	16.5	mg/dL	12.8-42.8	Calculated
Blood Urea Nitrogen (BUN)	7.73	mg/dL	7.0-18.0	Calculated
BUN / Creatinine Ratio	11.89		6 - 22	
Uric Acid	3.86	mg/dL	2.6-6.0	Uricase
Sodium	138	mmol/L	135-150	ISE Direct
Potassium	3.8	mmol/L	3.5-5.0	ISE Direct
Chloride	100	mmol/L	94-110	ISE Direct

Interpretation:

• The kidneys, located in the retroperitoneal space in the abdomen, are vital for patient health. They process several hundred liters of fluid a day and remove around two liters of waste products from the bloodstream. The volume of fluid that passes though the kidneys each minute is closely linked to cardiac output. The kidneys maintain the body's balance of water and concentration of minerals such as sodium, potassium, and phosphorus in blood and remove waste by-products from the blood after digestion, muscle activity and exposure to chemicals or medications. They also produce renin which helps regulate blood pressure, produce erythropoietin which stimulates red blood cell production, and produce an active form of vitamin D, needed for bone health.

Laboratory is NABL Accredited

*** End Of Report ***







Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	KEPUK	
Name	: Mrs. KAMALA	Sample ID
Age/Gender	: 55 Years/Female	Reg. No
Referred by	: Dr. SELF	SPP Code
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On
Primary Sample	: Whole Blood	Received On
Sample Tested In	: Serum	Reported On
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status

Sample ID : A0643506 Reg. No : 0312408110007 SPP Code : SPL-CV-172 Collected On : 11-Aug-2024 10:17 AM Received On : 11-Aug-2024 11:13 AM

: Final Report

: 11-Aug-2024 01:36 PM

	CLINICAL BIOCHEMISTRY						
	HEALTH PACKAGE - B						
Test Name	Results	Units	Ref. Range	Method			
Liver Function Test (LFT)							
Bilirubin(Total)	0.6	mg/dL	0.3-1.2	Diazo			
Bilirubin (Direct)	0.1	mg/dL	0.0 - 0.3	Diazo			
Bilirubin (Indirect)	0.5	mg/dL	0.2-1.0	Calculated			
Aspartate Aminotransferase (AST/SGOT)	15	U/L	15-37	IFCC UV Assay			
Alanine Aminotransferase (ALT/SGPT)	9	U/L	0-55	IFCC with out (P-5-P)			
Alkaline Phosphatase(ALP)	108	U/L	30-120	Kinetic PNPP-AMP			
Gamma Glutamyl Transpeptidase (GGTP)	17	U/L	5-55	IFCC			
Protein - Total	7.0	g/dL	6.4-8.2	Biuret			
Albumin	4.2	g/dL	3.4-5.0	Bromocresol Green (BCG)			
Globulin	2.8	g/dL	2.0-4.2	Calculated			
A:G Ratio	1.5	%	0.8-2.0	Calculated			
SGOT/SGPT Ratio	1.67						

DEDODT

Alanine Aminotransferase(ALT) is an enzyme found in liver and kidneys cells. ALT helps create energy for liver cells. Damaged liver cells release ALT into the bloodstream, which can elevate ALT levels in the blood.

Aspartate Aminotransferase (AST) is an enzyme in the liver and muscles that helps metabolizes amino acids. Similarly to ALT, elevated AST levels may be a sign of liver damage or liver disease

Alkaline phosphate (ALP) is an enzyme present in the blood. ALP contributes to numerous vital bodily functions, such as supplying nutrients to the liver, promoting bone growth, and metabolizing fat in the intestines.

Gamma-glutamyl Transpeptidase (GGTP) is an enzyme that occurs primarily in the liver, but it is also present in the kidneys, pancreas, gallbladder, and spleen. Higher than normal concentrations of GGTP in the blood may indicate alcohol-related liver damage. Elevated GGTP levels can also increase the risk of developing certain types of cancer.

Bilirubin is a waste product that forms when the liver breaks down red blood cells. Bilirubin exits the body as bile in stool. High levels of bilirubin can cause jaundice - a condition in which the skin and whites of the eyes turn yellow- and may indicate liver damage.

Albumin is a protein that the liver produces. The liver releases albumin into the bloodstream, where it helps fight infections and transport vitamins, hormones, and enzymes throughout the body. Liver damage can cause abnormally low albumin levels.

*** End Of Report ***

Laboratory is NABL Accredited





BIOCHEMISTRY



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	KLFUKT
Name	: Mrs. KAMALA
Age/Gender	: 55 Years/Female
Referred by	: Dr. SELF
Referring Customer	: V CARE MEDICAL DIAGNOSTICS
Primary Sample	: Whole Blood
Sample Tested In	: Serum
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka

 Sample ID
 : A0643506

 Reg. No
 : 0312408110007

 SPP Code
 : SPL-CV-172

 Collected On
 : 11-Aug-2024 10:17 AM

 Received On
 : 11-Aug-2024 11:13 AM

 Reported On
 : 11-Aug-2024 01:36 PM

 Report Status
 : Final Report

CLINICAL BIOCHEMISTRY						
	HEAL	TH PACKA	GE - B			
Test Name	Results	Units	Ref. Range	Method		
Thyroid Profile-I(TFT)						
T3 (Triiodothyronine)	102.56	ng/dL	40-181	CLIA		
T4 (Thyroxine)	8.1	µg/dL	3.2-12.6	CLIA		
TSH -Thyroid Stimulating Hormone	4.81	µIU/mL	0.35-5.5	CLIA		

DEDODI

Pregnancy & Cord Blood

T3 (Triiodothyronine):		T4 (Thyroxine)	TSH (Thyroid Stimulating Hormone)	
First Trimester	: 81-190 ng/dL	15 to 40 weeks:9.1-14.0 µg/dL	First Trimester : 0.24-2.99 µIU/mL	
Second&Third Trimester :100-260 ng/dL			Second Trimester: 0.46-2.95 µIU/mL	
			Third Trimester : 0.43-2.78 µIU/mL	
Cord Blood: 30-70 ng/	dL	Cord Blood: 7.4-13.0 µg/dL	Cord Blood: : 2.3-13.2 µIU/mL	

Interpretation:

• Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.

• Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.

• Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.

- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.





Note : This report is subject to the terms and conditions overleaf. Partial Reproduction of this report is not Permitted



Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

: Mrs. KAMALA	
: 55 Years/Female	
: Dr. SELF	

Name	: Mrs. KAMALA	Sample ID	: A0643506
Age/Gender	: 55 Years/Female	Reg. No	: 0312408110007
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 11-Aug-2024 10:17 AM
Primary Sample	: Whole Blood	Received On	: 11-Aug-2024 11:13 AM
Sample Tested In	: Serum	Reported On	: 11-Aug-2024 01:36 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY HEALTH PACKAGE - B					
					Test Name Results Units Ref. Range Method
Iron Profile-I					
Iron(Fe)	59	µg/dL	50-170	Ferrozine	
Total Iron Binding Capacity (TIBC)	354	µg/dL	250-450	Ferrozine	
Transferrin	247.55	mg/dL	250-380	Calculated	
Iron Saturation((% Transferrin Saturation)	16.67	%	15-50	Calculated	
Unsaturated Iron Binding Capacity (UIBC)	295	ug/dL	110-370	FerroZine	

Interpretation:

• Serum transferrin (and TIBC) high, serum iron low, saturation low. Usual causes of depleted iron stores include blood loss, inadequate dietary iron. RBCs in moderately severe iron deficiency are hypochromic and microcytic. Stainable marrow iron is absent. Serum ferritin decrease is the earliest indicator of iron deficiency if inflammation is absent

• Anemia of chronic disease: Serum transferrin (and TIBC) low to normal, serum iron low, saturation low or normal. Transferrin decreases with many inflammatory diseases. With chronic disease there is a block in movement to and utilization of iron by marrow. This leads to low serum iron and decreased erythropoiesis. Examples include acute and chronic infections, malignancy and renal failure.

• Sideroblastic Anemia: Serum transferrin (and TIBC) normal to low, serum iron normal to high, saturation high.

• Hemolytic Anemia: Serum transferrin (and TIBC) normal to low, serum iron high, saturation high.

Hemochromatosis: Serum transferrin (and TIBC) slightly low, serum iron high, saturation very high

• Protein depletion: Serum transferrin (and TIBC) may be low, serum iron normal or low (if patient also is iron deficient). This may occur as a result of malnutrition, liver disease, renal disease

• Liver disease: Serum transferrin variable; with acute viral hepatitis, high along with serum iron and ferritin. With chronic liver disease (eg, cirrhosis), transferrin may be low. Patients who have cirrhosis and portacaval shunting have saturated TIBC/transferrin as well as high ferritin.





OCHEMISTRY



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

> : A0643514 : 0312408110007

	REPORT	
Name	: Mrs. KAMALA	Sample ID
Age/Gender	: 55 Years/Female	Reg. No
Referred by	: Dr. SELF	SPP Code
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On
Primary Sample	:	Received On
Sample Tested In	: Urine	Reported On
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status

: SPL-CV-172 : 11-Aug-2024 10:17 AM : 11-Aug-2024 03:18 PM : 11-Aug-2024 05:48 PM : Final Report **CLINICAL PATHOLOGY HEALTH PACKAGE - B** Results Units Ref. Range Method **Complete Urine Analysis (CUE)**

DED/

Physical Examination				
Colour	Pale Yellow		Straw to light amber	
Appearance	Clear		Clear	
Chemical Examination				
Glucose	Negative		Negative	Strip Reflectance
Protein	Absent		Negative	Strip Reflectance
Bilirubin (Bile)	Negative		Negative	Strip Reflectance
Urobilinogen	Negative		Negative	Ehrlichs reagent
Ketone Bodies	Negative		Negative	Strip Reflectance
Specific Gravity	1.015		1.000 - 1.030	Strip Reflectance
Blood	Negative		Negative	Strip Reflectance
Reaction (pH)	6.5		5.0 - 8.5	Reagent Strip Reflectance
Nitrites	Negative		Negative	Strip Reflectance
Leukocyte esterase	Negative		Negative	Reagent Strip Reflectance
Microscopic Examination (Microscopy)				
PUS(WBC) Cells	02-03	/hpf	00-05	Microscopy
R.B.C.	Nil	/hpf	Nil	Microscopic
Epithelial Cells	01-02	/hpf	00-05	Microscopic
Casts	Absent		Absent	Microscopic
Crystals	Absent		Absent	Microscopic
Bacteria	Nil		Nil	
Budding Yeast Cells	Nil		Absent	Microscopy


Correlate Clinically.

Result rechecked and verified for abnormal cases

Laboratory is NABL Accredited

*** End Of Report ***





Test Name