

REPORT

Name	: Mr. PRAVEEN	Sample ID	: A0451491
Age/Gender	: 26 Years/Male	Reg. No	: 0312408230067
Referred by	: Dr. T DURGA PRASAD	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 23-Aug-2024 07:42 PM
Primary Sample	: Whole Blood	Received On	: 23-Aug-2024 11:29 PM
Sample Tested In	: Serum	Reported On	: 24-Aug-2024 01:13 AM
Client Address	: Kimtee colony ,Gokul Nagar, Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY

VCARE FEVER PROFILE-2

Test Name	Results	Units	Ref. Range	Method
-----------	---------	-------	------------	--------

C-Reactive protein-(CRP)	2.5	mg/L	Upto:6.0	Immunoturbidimetry
---------------------------------	-----	------	----------	--------------------

Interpretation:

C-reactive protein (CRP) is produced by the liver. The level of CRP rises when there is inflammation throughout the body. It is one of a group of proteins called acute phase reactants that go up in response to inflammation. The levels of acute phase reactants increase in response to certain inflammatory proteins called cytokines. These proteins are produced by white blood cells during inflammation.

A positive test means you have inflammation in the body. This may be due to a variety of conditions, including:

- Connective tissue disease
- Heart attack
- Infection
- Inflammatory bowel disease (IBD)
- Lupus
- Pneumonia
- Rheumatoid arthritis



Vaishnavi
DR.VAISHNAVI
MD BIOCHEMISTRY

REPORT

Name	: Mr. PRAVEEN	Sample ID	: a0451489
Age/Gender	: 26 Years/Male	Reg. No	: 0312408230067
Referred by	: Dr. T DURGA PRASAD	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 23-Aug-2024 07:42 PM
Primary Sample	: Whole Blood	Received On	: 23-Aug-2024 11:41 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 24-Aug-2024 12:19 AM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

HAEMATOLOGY

VCARE FEVER PROFILE-2

Test Name	Results	Units	Ref. Range	Method
-----------	---------	-------	------------	--------

MALARIA ANTIGEN (VIVAX & FALCIPARUM)

Plasmodium Vivax Antigen	Negative		Negative	Immuno Chromatography
Plasmodium Falciparum	Negative		Negative	Immuno Chromatography

Note :

- In the gametogony stage, P.Falciparum may not secreted. Such carriers may show falsely negative result.
- This test is used to indicate therapeutic response. Positive test results 5 - 10 days post treatment indicate the possibility of a resistant strain of malaria.

Comments :

Malaria is protozoan parasitic infection, prevalent in the Tropical & Subtropical areas of the world. Four species of plasmodium paraties are responsible for malaria infections in human viz. P.Falciparum, p.Vivax, P.Ovale & P.malariae. Falciparum infections are associateed with Cerebral malaria and drug resistance where as vivex infection is associated with high rate of infectivity and relapse. Differentiation between P.Falciparum and P.Vivex is utmost importance for better patient management and speedy recovery.

*** End Of Report ***

Laboratory is NABL Accredited



Swarnabala - M
DR.SWARNA BALA
MD PATHOLOGY

REPORT

Name	: Mr. PRAVEEN	Sample ID	: a0451489
Age/Gender	: 26 Years/Male	Reg. No	: 0312408230067
Referred by	: Dr. T DURGA PRASAD	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 23-Aug-2024 07:42 PM
Primary Sample	: Whole Blood	Received On	: 23-Aug-2024 11:41 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 24-Aug-2024 12:07 AM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

HAEMATOLOGY

VCARE FEVER PROFILE-2

Test Name	Results	Units	Ref. Range	Method
COMPLETE BLOOD COUNT (CBC)				
Haemoglobin (Hb)	8.8	g/dL	13-17	Cynmeth Method
RBC Count	5.16	10 ¹² /L	4.5-5.5	Cell Impedance
Haematocrit (HCT)	40.0	%	40-50	Calculated
MCV	64	fl	81-101	Calculated
MCH	17.1	pg	27-32	Calculated
MCHC	26.9	g/dL	32.5-34.5	Calculated
RDW-CV	18.6	%	11.6-14.0	Calculated
Platelet Count (PLT)	266	10 ⁹ /L	150-410	Cell Impedance
Total WBC Count	5.5	10 ⁹ /L	4.0-10.0	Impedance
Neutrophils	70	%	40-70	Cell Impedance
Absolute Neutrophils Count	3.85	10 ⁹ /L	2.0-7.0	Impedance
Lymphocytes	20	%	20-40	Cell Impedance
Absolute Lymphocyte Count	1.1	10 ⁹ /L	1.0-3.0	Impedance
Monocytes	06	%	2-10	Microscopy
Absolute Monocyte Count	0.33	10 ⁹ /L	0.2-1.0	Calculated
Eosinophils	04	%	1-6	Microscopy
Absolute Eosinophils Count	0.22	10 ⁹ /L	0.02-0.5	Calculated
Basophils	00	%	1-2	Microscopy
Absolute Basophil ICount	0.00	10 ⁹ /L	0.0-0.3	Calculated
Atypical cells / Blasts	00	%		
Morphology				
WBC	Within Normal Limits			
RBC	Anisocytosis With Microcytic Hypochromic Anemia			
Platelets	Adequate.			Microscopy

Result rechecked and verified for abnormal cases

*** End Of Report ***

Laboratory is NABL Accredited



Swarnabala - M
DR.SWARNA BALA
MD PATHOLOGY

REPORT

Name	: Mr. PRAVEEN	Sample ID	: a0451489
Age/Gender	: 26 Years/Male	Reg. No	: 0312408230067
Referred by	: Dr. T DURGA PRASAD	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 23-Aug-2024 07:42 PM
Primary Sample	: Whole Blood	Received On	: 23-Aug-2024 11:41 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 24-Aug-2024 12:25 AM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

HAEMATOLOGY

VCARE FEVER PROFILE-2

Test Name	Results	Units	Ref. Range	Method
-----------	---------	-------	------------	--------

Erythrocyte Sedimentation Rate (ESR)	7	mm/hr	10 or less	Westergren method
---	---	-------	------------	-------------------

Comments : ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process.It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.



Swannabala - M
DR.SWARNA BALA
MD PATHOLOGY

REPORT

Name	: Mr. PRAVEEN	Sample ID	: A0451491
Age/Gender	: 26 Years/Male	Reg. No	: 0312408230067
Referred by	: Dr. T DURGA PRASAD	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 23-Aug-2024 07:42 PM
Primary Sample	: Whole Blood	Received On	: 23-Aug-2024 11:29 PM
Sample Tested In	: Serum	Reported On	: 24-Aug-2024 01:17 AM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY

Test Name	Results	Units	Ref. Range	Method
Kidney Profile-KFT				
Creatinine -Serum	0.72	mg/dL	0.70-1.30	Jaffes Kinetic
Urea-Serum	20.2	mg/dL	12.8-42.8	Calculated
Blood Urea Nitrogen (BUN)	9.44	mg/dL	7.0-18.0	Calculated
BUN / Creatinine Ratio	13.11		6 - 22	
Uric Acid	3.6	mg/dL	3.5-7.2	Uricase
Sodium	142	mmol/L	135-150	ISE Direct
Potassium	3.9	mmol/L	3.5-5.0	ISE Direct
Chloride	100	mmol/L	94-110	ISE Direct

Interpretation:

- The kidneys, located in the retroperitoneal space in the abdomen, are vital for patient health. They process several hundred liters of fluid a day and remove around two liters of waste products from the bloodstream. The volume of fluid that passes through the kidneys each minute is closely linked to cardiac output. The kidneys maintain the body's balance of water and concentration of minerals such as sodium, potassium, and phosphorus in blood and remove waste by-products from the blood after digestion, muscle activity and exposure to chemicals or medications. They also produce renin which helps regulate blood pressure, produce erythropoietin which stimulates red blood cell production, and produce an active form of vitamin D, needed for bone health.

*** End Of Report ***

Laboratory is NABL Accredited



Dr. Vaishnavi
DR. VAISHNAVI
MD BIOCHEMISTRY

REPORT

Name	: Mr. PRAVEEN	Sample ID	: A0451491
Age/Gender	: 26 Years/Male	Reg. No	: 0312408230067
Referred by	: Dr. T DURGA PRASAD	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 23-Aug-2024 07:42 PM
Primary Sample	: Whole Blood	Received On	: 23-Aug-2024 11:29 PM
Sample Tested In	: Serum	Reported On	: 24-Aug-2024 01:13 AM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY

VCARE FEVER PROFILE-2

Test Name	Results	Units	Ref. Range	Method
Liver Function Test (LFT)				
Bilirubin(Total)	0.6	mg/dL	0.1-1.2	Diazo
Bilirubin (Direct)	0.2	mg/dL	0.0 - 0.3	Diazo
Bilirubin (Indirect)	0.4	mg/dL	0.2-1.0	Calculated
Aspartate Aminotransferase (AST/SGOT)	31	U/L	15-37	IFCC UV Assay
Alanine Aminotransferase (ALT/SGPT)	12	U/L	0-55	IFCC with out (P-5-P)
Alkaline Phosphatase(ALP)	67	U/L	30-120	Kinetic PNPP-AMP
Gamma Glutamyl Transpeptidase (GGTP)	55	U/L	15-85	IFCC
Protein - Total	7.7	g/dL	6.4-8.2	Biuret
Albumin	3.9	g/dL	3.4-5.0	Bromocresol Green (BCG)
Globulin	3.8	g/dL	2.0-4.2	Calculated
A:G Ratio	1.03	%	0.8-2.0	Calculated
SGOT/SGPT Ratio	2.58			

Alanine Aminotransferase(ALT) is an enzyme found in liver and kidneys cells. ALT helps create energy for liver cells. Damaged liver cells release ALT into the bloodstream, which can elevate ALT levels in the blood.

Aspartate Aminotransferase (AST) is an enzyme in the liver and muscles that helps metabolizes amino acids. Similarly to ALT, elevated AST levels may be a sign of liver damage or liver disease.

Alkaline phosphate (ALP) is an enzyme present in the blood. ALP contributes to numerous vital bodily functions, such as supplying nutrients to the liver, promoting bone growth, and metabolizing fat in the intestines.

Gamma-glutamyl Transpeptidase (GGTP) is an enzyme that occurs primarily in the liver, but it is also present in the kidneys, pancreas, gallbladder, and spleen. Higher than normal concentrations of GGTP in the blood may indicate alcohol-related liver damage. Elevated GGTP levels can also increase the risk of developing certain types of cancer.

Bilirubin is a waste product that forms when the liver breaks down red blood cells. Bilirubin exits the body as bile in stool. High levels of bilirubin can cause jaundice - a condition in which the skin and whites of the eyes turn yellow- and may indicate liver damage.

Albumin is a protein that the liver produces. The liver releases albumin into the bloodstream, where it helps fight infections and transport vitamins, hormones, and enzymes throughout the body. Liver damage can cause abnormally low albumin levels.



Dr. Vaishnavi
DR. VAISHNAVI
MD BIOCHEMISTRY

REPORT

Name	: Mr. PRAVEEN	Sample ID	: a0590999
Age/Gender	: 26 Years/Male	Reg. No	: 0312408230067
Referred by	: Dr. T DURGA PRASAD	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 23-Aug-2024 07:42 PM
Primary Sample	:	Received On	: 23-Aug-2024 11:29 PM
Sample Tested In	: Urine	Reported On	: 24-Aug-2024 12:54 AM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL PATHOLOGY

VCARE FEVER PROFILE-2

Test Name	Results	Units	Ref. Range	Method
-----------	---------	-------	------------	--------

Complete Urine Analysis (CUE)

Physical Examination

Colour	Pale Yellow	Straw to light amber
Appearance	Clear	Clear

Chemical Examination

Glucose	Negative	Negative	Strip Reflectance
Protein	Absent	Negative	Strip Reflectance
Bilirubin (Bile)	Negative	Negative	Strip Reflectance
Urobilinogen	Negative	Negative	Ehrlichs reagent
Ketone Bodies	Negative	Negative	Strip Reflectance
Specific Gravity	1.010	1.000 - 1.030	Strip Reflectance
Blood	Negative	Negative	Strip Reflectance
Reaction (pH)	6.5	5.0 - 8.5	Reagent Strip Reflectance
Nitrites	Negative	Negative	Strip Reflectance
Leukocyte esterase	Negative	Negative	Reagent Strip Reflectance

Microscopic Examination (Microscopy)

PUS(WBC) Cells	03-04	/hpf	00-05	Microscopy
R.B.C.	Nil	/hpf	Nil	Microscopic
Epithelial Cells	01-02	/hpf	00-05	Microscopic
Casts	Absent	Absent	Absent	Microscopic
Crystals	Absent	Absent	Absent	Microscopic
Bacteria	Nil	Nil	Nil	
Budding Yeast Cells	Nil	Absent	Absent	Microscopy

*** End Of Report ***

Laboratory is NABL Accredited



Swannabala - M
DR.SWARNA BALA
MD PATHOLOGY

REPORT

Name	: Mr. PRAVEEN	Sample ID	: A0451491
Age/Gender	: 26 Years/Male	Reg. No	: 0312408230067
Referred by	: Dr. T DURGA PRASAD	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 23-Aug-2024 07:42 PM
Primary Sample	: Whole Blood	Received On	: 23-Aug-2024 11:29 PM
Sample Tested In	: Serum	Reported On	: 24-Aug-2024 01:26 AM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

IMMUNOLOGY & SEROLOGY

VCARE FEVER PROFILE-2

Test Name	Results	Units	Ref. Range	Method
Widal Test (Slide Test)				
Salmonella typhi O Antigen	1:160		1:80 & Above Significant	
Salmonella typhi H Antigen	1:80		1:80 & Above Significant	
Salmonella paratyphi AH Antigen	<1:20		1:80 & Above Significant	
Salmonella paratyphi BH Antigen	<1:20		1:80 & Above Significant	



DR. RUTURAJ MANIKLAL KOLHAPURE
MD, MICROBIOLOGIST

REPORT

Name	: Mr. PRAVEEN	Sample ID	: A0451491
Age/Gender	: 26 Years/Male	Reg. No	: 0312408230067
Referred by	: Dr. T DURGA PRASAD	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 23-Aug-2024 07:42 PM
Primary Sample	: Whole Blood	Received On	: 23-Aug-2024 11:29 PM
Sample Tested In	: Serum	Reported On	: 24-Aug-2024 01:26 AM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report


IMMUNOLOGY & SEROLOGY

VCARE FEVER PROFILE-2

Test Name	Results	Units	Ref. Range	Method
Dengue Profile-Elisa				
Dengue IgG Antibody	0.22	S/CO	< 0.8 : Negative 0.8-1.1 : Equivocal ≥ 1.1 : Positive	ELISA
Dengue IgM Antibody	0.18	S/CO	< 0.8 : Negative 0.8-1.1 : Equivocal ≥ 1.1 : Positive	ELISA
Dengue NS1 Antigen	0.35	S/Co	< 0.8~ : Negative 0.8-1.1 : Equivocal > 1.1~ : Positive	ELISA

Interpretation:

Dengue viruses belong to the family Flaviviridae and have 4 subtypes (1-4). Dengue virus is transmitted by the mosquito Aedes aegypti and Aedes albopictus, widely distributed in Tropical and Subtropical areas of the world. Dengue is considered to be the most important arthropod borne viral disease due to the human morbidity and mortality it causes. The disease may be subclinical, self limiting, febrile or may progress to a severe form of Dengue hemorrhagic fever or Dengue shock syndrome.



- Note: 1. Recommended test is NS1 Antigen by ELISA in the first 5 days of fever. After 7-10 days of fever, the recommended test is Dengue fever antibodies IgG & IgM by ELISA
2. Cross reactivity is seen in the Flavivirus group between Dengue virus, Murray Valley encephalitis, Japanese encephalitis, Yellow fever & West Nile viruses

*** End Of Report ***



DR. RUTURAJ MANIKLAL KOLHAPURE
MD, MICROBIOLOGIST

Correlate Clinically.

Laboratory is NABL Accredited