

# Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

#### REPORT Name : Mrs. V BALAMANI Sample ID : A0933535 Age/Gender : 85 Years/Female Reg. No : 0312408260018 Referred by : Dr. K KRISHNA RAO (MBBS, FCGP, DNB(osm)) SPP Code : SPL-CV-172 Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 26-Aug-2024 01:42 PM Primary Sample : Whole Blood Received On : 26-Aug-2024 04:12 PM Sample Tested In : 26-Aug-2024 05:31 PM : Whole Blood EDTA Reported On : Final Report Client Address : Kimtee colony ,Gokul Nagar,Tarnaka **Report Status**

	HA	EMATOLOG	SY	
Test Name	Results	Units	Ref. Range	Method
Complete Blood Picture(CBP)				
Haemoglobin (Hb)	12.1	g/dL	12-15	Cynmeth Method
Haematocrit (HCT)	41.0	%	40-50	Calculated
RBC Count	4.47	10^12/L	3.8-4.8	Cell Impedence
MCV	92	fl	81-101	Calculated
МСН	27.1	pg	27-32	Calculated
МСНС	32.8	g/dL	32.5-34.5	Calculated
RDW-CV	13.5	%	11.6-14.0	Calculated
Platelet Count (PLT)	304	10^9/L	150-410	Cell Impedance
Total WBC Count	8.4	10^9/L	4.0-10.0	Impedance
Differential Leucocyte Count (DC)				
Neutrophils	62	%	40-70	Cell Impedence
Lymphocytes	32	%	20-40	Cell Impedence
Monocytes	04	%	2-10	A De Microscopy
Eosinophils	02	%	1-6	Microscopy
Basophils	00	%	1-2	Microscopy
Absolute Neutrophils Count	5.21	10^9/L	2.0-7.0	Impedence
Absolute Lymphocyte Count	2.69	10^9/L	1.0-3.0	Impedence
Absolute Monocyte Count	0.34	10^9/L	0.2-1.0	Calculated
Absolute Eosinophils Count	0.17	10^9/L	0.02-0.5	Calculated
Absolute Basophil ICount	0.00	10^9/L	0.0-0.3	Calculated
Morphology	Normocytic	Normochromi	<b>;</b>	PAPs Staining



Swarnabala - M DR.SWARNA BALA MD PATHOLOGY

Note : This report is subject to the terms and conditions overleaf. Partial Reproduction of this report is not Permitted



# Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

> : A0933538, A0933536 : 0312408260018 : SPL-CV-172

: 26-Aug-2024 01:42 PM : 26-Aug-2024 04:12 PM

: 26-Aug-2024 05:19 PM

: Final Report

### **REPORT** -

**CLINICAL BIOCHEMISTRY** 

Name	: Mrs. V BALAMANI	Sample ID
Age/Gender	: 85 Years/Female	Reg. No
Referred by	: Dr. K KRISHNA RAO (MBBS,FCGP,DNB(osm))	SPP Code
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On
Primary Sample	: Whole Blood	Received On
Sample Tested In	: Plasma-NaF(R), Serum	Reported On
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status

DOSE INFOSYSTEMS PVT. LTD.

Fest Name		Results	Units	R	ef. Range	Method
Glucose Ra	ndom (RBS)	93.7	mg/dL	7	0-140	Hexokinase (HK)
Interpretation	of Plasma Glucose based on ADA gu	idelines 2018				
Diagnosis	FastingPlasma Glucose(mg/dL)	2hrsPlasma Glucose(mg/dL)		HbA1c(%)	RBS(mg/dL)	
Prediabetes	100-125	140-199		5.7-6.4	NA	
Diabetes	> = 126	> = 200		> = 6.5	>=200(with symptoms)	
	Reference: D	biabetes care 2018:41	(suppl.1):	S13-S27		
• The ran	dom blood glucose if it is above 200	mg/dL and the patient h	as increase	d thirst, poly	yuria, and polyphagia,	, suggests diabetes mellitus.

• As a rule, two-hour glucose samples will reach the fasting level or it will be in the normal range.

## Blood Urea Nitrogen (BUN)-Serum

Biood orca millogen (Bon) ocram				
Blood Urea Nitrogen (BUN)	9	mg/dL	8.0-23.0	Calculated
Urea-Serum	19.5	mg/dL	17.1-49.2	Calculated

Interpretation: BUN stands for blood urea nitrogen. Urea nitrogen is what forms when protein breaks down. The BUN test is often done to check kidney function

• Higher-than-normal level may be due to:

- Congestive heart failure
- Excessive protein level in the gastrointestinal tract
- Gastrointestinal bleeding
- Hypovolemia (dehydration)
- Kidney disease, including glomerulonephritis, pyelonephritis, and acute tubular necrosis
- Lower-than-normal level may be due to:
- Liver failure
- Low protein dietMalnutrition







## Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

## REPORT -

Name	: Mrs. V BALAMANI	Sample ID	: A0933538, A0933536
Age/Gender	: 85 Years/Female	Reg. No	: 0312408260018
Referred by	: Dr. K KRISHNA RAO (MBBS,FCGP,DNB(osm))	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 26-Aug-2024 01:42 PM
Primary Sample	: Whole Blood	Received On	: 26-Aug-2024 04:12 PM
Sample Tested In	: Plasma-NaF(R), Serum	Reported On	: 26-Aug-2024 05:19 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY				
Test Name	Results	Units	Ref. Range	Method
Creatinine -Serum	0.56	mg/dL	0.55-1.02	Jaffes Kinetic

#### Interpretation:

• This test is done to see how well your kidneys are working. Creatinine is a chemical waste product of creatine. Creatine is a chemical made by the body and is used to supply energy mainly to muscles.

• A higher than normal level may be due to:

• Renal diseases and insufficiency with decreased glomerular filtration, urinary tract obstruction, reduced renal blood flow including congestive heart failure, shock, and dehydration; rhabdomyolysis can cause elevated serum creatinine.

• A lower than normal level may be due to:

 Small stature, debilitation, decreased muscle mass; some complex cases of severe hepatic disease can cause low serum creatinine levels. In advanced liver disease, low creatinine may result from decreased hepatic production of creatinine and inadequate dietary protein as well as reduced musle mass.

#### **Interpretations**

The National Cholesterol Education Program's third Adult Treatment Panel (ATP III) has issued its recommendations on evaluating and treating lipid disorders for primary and secondary

NCEP Recommendations	Adults:Cholesterol Total (mg/dL)	Children:Cholesterol Total (mg/dL)
Optimal	<200	<170
Borderline High	200-239	171-199
High	>or = 240	>or = 200

The determination of serum Cholesterol is considered to be significant in coronary artery disease. Hyperlipoproteinemias, hypothyroidism, nephrosis, diabetes mellitus and various liver diseases. Hypocholesterolemia (low serum cholesterol) is found in pernicious anemia, hemolytic jaundice, malnutrition, acute infections and hyperthyroidism. Normal cholesterol levels are affected by stress, age, hormonal balance and pregnancy.

Correlate Clinically.

Laboratory is NABL Accredited

\*\*\* End Of Report \*\*\*

