

Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

-	REPOR	RT	
Name	: Mrs. A BHANU PRIYA	Sample ID	: A0934287
Age/Gender	: 41 Years/Female	Reg. No	: 0312409150004
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 15-Sep-2024 08:18 AM
Primary Sample	: Whole Blood	Received On	: 15-Sep-2024 01:50 PM
Sample Tested In	: Plasma-NaF(F)	Reported On	: 15-Sep-2024 03:33 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

	CLINICAL BIOCHEMISTRY					
		GLU	COSE	FASTIN	3	
Fest Name		Results	Units	;	Ref. Range	Method
Blucose Fas	sting (F)	107	mg/d	L	70-100	Hexokinase
	Plasma Glucose based on ADA guidelines 2			1		
Diagnosis	FastingPlasma Glucose(mg/dL)	2hrsPlasma Glucos	e(mg/dL)	HbA1c(%)	RBS(mg/dL)	
Prediabetes	100-125	140-199		5.7-6.4	NA >=200(with symptoms)	
Diabetes	> = 126	> = 200		> = 6.5	·	
Peference: Dia	betes care 2018:41(suppl.1):S13-S27					





DR. RUTURAJ MANIKLAL KOLHAPURE MD, MICROBIOLOGIST



Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

	REPC	DRT	
Name	: Mrs. A BHANU PRIYA	Sample ID	: A0934288
Age/Gender	: 41 Years/Female	Reg. No	: 0312409150004
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 15-Sep-2024 08:18 AM
Primary Sample	: Whole Blood	Received On	: 15-Sep-2024 01:50 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 15-Sep-2024 02:44 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY					
Test Name	Results	Units	Ref. Range	Method	
Glycated Hemoglobin (HbA1c)	5.2	%	Non Diabetic:< 5.7 Pre diabetic: 5.7-6.4 Diabetic:>= 6.5	HPLC	
Mean Plasma Glucose	102.54	mg/dL		Calculated	

Glycated hemoglobins (GHb), also called glycohemoglobins, are substances formed when glucose binds to hemoglobin, and occur in amounts proportional to the concentration of serum glucose. Since red blood cells survive an average of 120 days, the measurement of GHb provides an index of a person's average blood glucose concentration (glycemia) during the preceding 2-3 months. Normally, only 4% to 6% of hemoglobin is bound to glucose, while elevated glycohemoglobin levels are seen in diabetes and other hyperglycemic states Mean Plasma Glucose(MPG): This Is Mathematical Calculations Where Glycated Hb Can Be Correlated With Daily Mean Plasma Glucose Level

NOTE: The above Given Risk Level Interpretation is not age specific and is an information resource only and is not to be used or relied on for any diagnostic or treatment purposes and should not be used as a substitute for professional diagnosis and treatment. Kindly Correlate clinically. INTERPRETATION

Average Blood Glucose(eAG) (mg/dL)	Level of Control	Hemoglobin A1c (%)	HbA1c values of 5.0- 6.5 percent indicate good control or an increas risk for developing diabetes mellitus. HbA1c values greater than 6 percent are diagnostic of diabetes mellitus. Diagnosis should confirmed by repeating the HbA1c test.
421		14%	commed by repeating the house test.
386	_ A _	13%	
350	L	12%	
314	E	11%	
279	R	10%	
243		9%	
208		8%	
172	POOR	7%	
136	GOOD	6%	
101	EXCELLENT	5%	

Laboratory is NABL Accredited

*** End Of Report ***







Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

DEDODT

	REPURI		
Name	: Mrs. A BHANU PRIYA	Sample ID	: A0934285
Age/Gender	: 41 Years/Female	Reg. No	: 0312409150004
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 15-Sep-2024 08:18 AM
Primary Sample	: Whole Blood	Received On	: 15-Sep-2024 01:50 PM
Sample Tested In	: Serum	Reported On	: 15-Sep-2024 03:32 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY					
Test Name	Results	Units	Ref. Range	Method	
Thyroid Profile-I(TFT)					
T3 (Triiodothyronine)	105.62	ng/dL	70-204	CLIA	
T4 (Thyroxine)	9.1	µg/dL	3.2-12.6	CLIA	
TSH -Thyroid Stimulating Hormone	1.91	µIU/mL	0.35-5.5	CLIA	

Pregnancy	8.	Cord	Blood
Pregnancy	æ	Cora	D1000

T3 (Triiodothyronine):		T4 (Thyroxine)	TSH (Thyroid Stimulating Hormone)
First Trimester :	81-190 ng/dL	15 to 40 weeks:9.1-14.0 µg/dL	First Trimester : 0.24-2.99 µIU/mL
Second&Third Trimester :100-260 ng/dL			Second Trimester: 0.46-2.95 µIU/mL
			Third Trimester : 0.43-2.78 µIU/mL
Cord Blood: 30-70 ng/dL		Cord Blood: 7.4-13.0 µg/dL	Cord Blood: : 2.3-13.2 µIU/mL

Interpretation:

• Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.

Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.

- Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

Correlate Clinically.

Laboratory is NABL Accredited

*** End Of Report ***



OCHEMISTRY