

**REPORT**

Name	: Mrs. KEERTHI	Sample ID	: A0934329
Age/Gender	: 30 Years/Female	Reg. No	: 0312409150042
Referred by	: Dr. KRISHNA KOPPULA	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 15-Sep-2024 06:34 PM
Primary Sample	: Whole Blood	Received On	: 15-Sep-2024 08:40 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 15-Sep-2024 09:04 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

**HAEMATOLOGY**

Test Name	Results	Units	Ref. Range	Method
<b>Complete Blood Picture(CBP)</b>				
Haemoglobin (Hb)	<b>10.9</b>	g/dL	12-15	Cynmeth Method
Haematocrit (HCT)	40.0	%	40-50	Calculated
RBC Count	3.93	10 <sup>12</sup> /L	3.8-4.8	Cell Impedence
MCV	91	fl	81-101	Calculated
MCH	27.7	pg	27-32	Calculated
MCHC	32.5	g/dL	32.5-34.5	Calculated
RDW-CV	<b>16.2</b>	%	11.6-14.0	Calculated
Platelet Count (PLT)	329	10 <sup>9</sup> /L	150-410	Cell Impedence
Total WBC Count	<b>10.9</b>	10 <sup>9</sup> /L	4.0-10.0	Impedence
<b>Differential Leucocyte Count (DC)</b>				
Neutrophils	70	%	40-70	Cell Impedence
Lymphocytes	24	%	20-40	Cell Impedence
Monocytes	04	%	2-10	Microscopy
Eosinophils	02	%	1-6	Microscopy
Basophils	00	%	1-2	Microscopy
Absolute Neutrophils Count	<b>7.63</b>	10 <sup>9</sup> /L	2.0-7.0	Impedence
Absolute Lymphocyte Count	2.62	10 <sup>9</sup> /L	1.0-3.0	Impedence
Absolute Monocyte Count	0.44	10 <sup>9</sup> /L	0.2-1.0	Calculated
Absolute Eosinophils Count	0.22	10 <sup>9</sup> /L	0.02-0.5	Calculated
Absolute Basophil ICount	0.00	10 <sup>9</sup> /L	0.0-0.3	Calculated
Morphology	Mild Leucocytosis			PAPs Staining



Swarnabala - M  
DR.SWARNA BALA  
MD PATHOLOGY



**REPORT**

Name	: Mrs. KEERTHI	Sample ID	: A0934330
Age/Gender	: 30 Years/Female	Reg. No	: 0312409150042
Referred by	: Dr. KRISHNA KOPPULA	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 15-Sep-2024 06:34 PM
Primary Sample	: Whole Blood	Received On	: 15-Sep-2024 08:40 PM
Sample Tested In	: Serum	Reported On	: 15-Sep-2024 09:26 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

**CLINICAL BIOCHEMISTRY**

Test Name	Results	Units	Ref. Range	Method
<b>Thyroid Profile-I(TFT)</b>				
<b>T3 (Triiodothyronine)</b>	116.32	ng/dL	70-204	CLIA
<b>T4 (Thyroxine)</b>	8.5	µg/dL	3.2-12.6	CLIA
<b>TSH -Thyroid Stimulating Hormone</b>	4.10	µIU/mL	0.35-5.5	CLIA

**Pregnancy & Cord Blood**

T3 (Triiodothyronine):	T4 (Thyroxine)	TSH (Thyroid Stimulating Hormone)
First Trimester : 81-190 ng/dL	15 to 40 weeks:9.1-14.0 µg/dL	First Trimester : 0.24-2.99 µIU/mL
Second&Third Trimester :100-260 ng/dL		Second Trimester: 0.46-2.95 µIU/mL
		Third Trimester : 0.43-2.78 µIU/mL
Cord Blood: 30-70 ng/dL	Cord Blood: 7.4-13.0 µg/dL	Cord Blood: : 2.3-13.2 µIU/mL

**Interpretation:**

- Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.
- Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.
- Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

Correlate Clinically.

Laboratory is NABL Accredited

\*\*\* End Of Report \*\*\*



*Dr. Vaishnavi*  
**DR. VAISHNAVI**  
**MD BIOCHEMISTRY**