

REPORT

Name	: Mrs. MOUNIKA	Sample ID	: A0934428, A0934451, A09344
Age/Gender	: 27 Years/Female	Reg. No	: 0312409190024
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 19-Sep-2024 10:31 AM
Primary Sample	: Whole Blood	Received On	: 19-Sep-2024 12:29 PM
Sample Tested In	: Plasma-NaF(F), Plasma-NaF-1hr,	Reported On	: 19-Sep-2024 05:12 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY

GLUCOSE TOLERANCE TEST (GTT): 3 SAMPLES

Test Name	Results	Units	Ref. Range	Method
Glucose Fasting(GTT)	68	mg/dL	Refer Interpretation	Hexokinase (HK)
Glucose 1st hour sample	121	mg/dL	Reference Interpretation	Hexokinase (HK)
Glucose 2nd hour sample	59	mg/dL	Refer Interpretation	Hexokinase (HK)

GTT Reference range (75 g Glucose Load)

Pregnancy	Non Pregnant and Males
Fasting: < 92 mg/dL	Fasting: 60-100 mg/dL
1st hour sample : < 180 mg/dL	1st hour sample : < 200 mg/dL
2nd hour sample: < 153 mg/dL	2nd hour sample: < 140 mg/dL

Interpretation of Plasma Glucose based on ADA guidelines 2018

Correlate Clinically.

Laboratory is NABL Accredited

*** End Of Report ***



Dr. Vaishnavi
DR. VAISHNAVI
MD BIOCHEMISTRY